



Pinpointe Matte - FR



0-002-63-90072
White (Snow Flakes)

0-002-63-92672
Linen

0-002-63-96972
Ivory

0-002-63-93472
Fawn (Off White)

0-002-63-93372
Beige (Bisque)

0-002-63-92972
Ecru (Copper)

0-002-63-91072
Light Gray (Gray-Gray)

0-002-63-93172
Black - Black

PINPOINTE MATTE FR



0-002-63-99272
Taupe

0-002-63-92472
Sable

0-002-63-92172
Charcoal

Important: Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

PINPOINTE MATTE - FR TECHNICAL PROPERTIES

Fabric Characteristics	
Composition	4-Ply Lamination (3-Ply PVC, 1-Ply Fiberglass)
Weight	406 g/m ² (±5%) 12 oz/yd ² (±5%)
Opacity	100% Black-Out
Roll Width	1.83 m 72 in
Adhesion	PVC Films Inseparable
Breaking Strength	Warp Direction: 240 Fill Direction: 960
Flame Retardant	NFPA No. 701 Small Scale Test U.S Federal Gvmt Specs CCC-C0521E Boston Fire Dptm. BFD 1X-1 California Fire Marshall, Section 13115
Washability	Material can be washed on both sides using warm water and a mild 5% detergent solution
Fabric Warranty	Vertilux Blackout fabrics are guaranteed to be free of any manufacturing defects for a period of 5 years. During the 5-year period these fabrics shall maintain its flame resistance, total weight, washability, color uniformity, and tensile strength.



**5-YEAR
WARRANTY**



INNOVATION • QUALITY • SERVICE

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.