



**CACO, INC.**  
WINDOW FASHIONS

**Retail Price Guide 2022**  
**Signature Series Aluminum Blinds**

*Version 3*  
8/8/22

<b>Customer Service Polices</b>	1-2
<b>Aluminum Horizontal Blinds</b>	
▪ <b>2" Maxi Blind</b>	3
▪ <b>Catalina</b>	4
▪ <b>Malibu</b>	5
Slat Count & Stacking Charts	6
Slat Colors	7
Warranty	8

 <p><b>WARNING</b></p> <p>5.1.3</p>		<p>Window Blind Cord Can <b>STRANGLE</b> Your Child. Keep cords out of children's reach. Shorten cords to prevent reach. Move crib and furniture away – Children can climb furniture to reach cords.</p>	
 <p><b>ADVERTENCIA</b></p> <p>5.1.3</p>	<p>La cuerda de la persiana puede <b>ESTRANGULAR</b> a su niño. Mantenga las cuerdas fuera del alcance de los niños. Acorte las cuerdas para evitar el alcance. Mueva la cuna y los muebles – Los niños pueden subir los muebles para alcanzar las cuerdas.</p>		

## How to place an order

For your convenience, CACO provides you with the option of placing orders by either telephone, email, online or fax (if placed by fax, CACO will provide order forms at no additional cost; customers must request forms). Orders placed after 3:00 pm EST will be forwarded to the next business day.

## Telephone orders

CACO Customer Service Representatives are available between the hours of 8:30 am and 5:00 pm Eastern Standard time at **1-800-552-5278**. Any order placed by phone requires a signed order confirmation returned to customer service by fax or email before proceeding with order. Keep in mind, when phoning in your order, it is important to have the following information available:

- Account number (if known)
- Individuals name that is calling
- P.O. number and/or side mark
- Color or colors
- Type of product ordered
- Measurements (width-first, length-second)
- Inside or outside mount (i.m./i.b or o.m./o.b)
- Control instructions
- Ship to address if different than sold-to
- Special instructions for shipping
- Valance instructions
- Any other special instructions
- Quote number, if order is placed from a previous quote

## Fax and Email Orders

Fax orders can be placed any time of day or night including holidays at **1-866-926-5836** or email to **customerservice@cacoinc.com**. To ensure order accuracy for faxed orders, it is advisable to use the order forms CACO supplies or a comparable form. It is important to note the number of pages of your order, including the cover sheet to ensure that no pages will be missing. For fax or email orders please include all of the same information required for telephone orders. Any omission of pertinent information will only delay your orders manufacturing time.

## Online Orders

Orders can be placed online at <https://88043.picbusiness.com/>. If your account has not been set up to access our online portal, please contact [support@cacoinc.com](mailto:support@cacoinc.com) to sign up. This access allows you to quote, order as well as make payments online. Please note roller shades, aluminum blinds and shutters are not available online to quote or place as orders, you will need to contact customer service to for information about these products. Additionally, orders are released from internet hold and reviewed for credit at the daily 3:00 PM EST cutoff. Any orders submitted online after this time will be reviewed the following business day.

## How to expedite an order

We can often provide a faster ship date for emergency situations, only if this is noted at the time the order is placed. Requested next day and second day shipping will move freight prepaid and will be added to your account at the time of invoicing.

## Expedite cost

48-hour rush: \$7.50 per blind 72-hour rush: \$5.00 per blind

NOTE: Rush only applies to discounted orders, not on contract quotes and may not be available during high volume periods. The clock starts running after your order clears credit and enters production.

## How to add on or make changes to an order

In the event that you wish to add to your original order, it is possible, as long as the order is still in production. You will be required to submit changes in writing and must be signed by a person of authority indicating the items you wish to add or change. No verbal requests can be made. You will need to refer to the original P.O. number and indicate clearly the additions or changes you're requesting. Note: because add-ons may affect production time, check with customer service for any possible delays.

## How to cancel an order

Cancellations or changes require an immediate response and can only take place up until the start of fabrication. You must first identify your P.O. number or side mark and then state the cancellation or change. Cancellations must be faxed or emailed in writing only, phone calls are not permitted. If an order has already been cut, a minimum charge of 50% will apply.

## Should you order for the same room at different times?

This is a frequently asked question and should be addressed and explained at the point of sale. Under normal circumstances blinds, shades and verticals should be ordered for the same room at one time to prevent color deviations, as a result of dye and paint color variations from original lot to the other. If additional blinds, shades or verticals are ordered at a later time for the same room there can be a distinct color difference from the existing product to the new product. Also, window coverings that have been previously installed can have shade differentiations from newer products due to the progress of aging.

## Questions concerning an order

Once you contact customer service you must have your P.O. number and/or side mark available.

## Shipping and Handling Charges

- A \$15 minimum order charge will be added to any order with only one item.
- A \$8 per blind handling fee (except verticals) will be added for all delivery orders.
- A \$10 per blind handling fee (except verticals) will be added to drop ship orders in lieu of the \$8 per blind fee.
- For Vertical Blinds, a \$14 per blind handling fee will be added for all delivery orders.
- For Vertical Blinds, a \$16 per blind handling fee will be added to drop ship orders in lieu of the \$14 per blind fee.
- Any orders with a product over 90" width (width or length for verticals) will have an oversized fee of \$85 per blind up to \$170 added to the per blind fee.
- Any orders with a product over 104" (including width or length for verticals or valances that are not ordered spliced) will ship by LTL carrier F.O.B Johnson City, TN.
- Any order to be delivered by LTL truck to an area considered residential or restricted delivery areas by freight carriers will have an additional fee of \$125. The residential fee can be avoided if you opt to pick up shipment at the freight terminal in lieu of delivery. If you opt for terminal pick up, customer service will need to be informed at the time your order is placed.
- Accessorial LTL Truck delivery charges such as liftgate, inside delivery, re-consignment, re-delivery, etc. will be the responsibility of the receiving party.

## Credit and additional charges

Open accounts are established by submitting a CACO credit application. You will be required to list trade and bank references as well as a current sales tax id number. C.O.D. accounts are also obligated to submit a credit application. Invoices are due within 30 days of the date posted. After 30 days accounts will be charged 1.5% interest per month. CACO reserves the right not to ship to accounts with past due balances.

## Payment Policy

Current payment methods accepted are check, emailed or faxed checks for ACH processing, credit cards (Mastercard, Visa, Discover) and online payments by credit card or bank draft. Due to additional credit card fees, effective March 8<sup>th</sup>, a 2% processing fee will be added to all credit card payments. This fee can be avoided by either mailing checks to our PO Box or to expedite payments send a copy of your check along with our Check by Fax form by email to customerservice@cacoinc.com or fax to (866) 552-5278. Please note CACO will not automatically charge any credit card or process ACH transaction without approval at the time of each transaction.

## If you receive product that has been visibly damaged while in transit

Before accepting any shipments, please examine each carton carefully. If shipment shows any signs of mistreatment or damage, i.e., wheel marks, crushed or bent cartons note this on the bill of lading and have the driver sign it and note damage. Should a replacement be necessary, CACO will bill you. Your replacement invoice will enable you to file a claim with the responsible carrier. It is imperative that you count all cartons prior to signing the bill of lading; any shortages must be noted on the bill of lading with the driver's signature.

## Shipping discrepancies

If the product received does not agree with your packing slip, contact a CACO customer service representative within 24 hours. Your representative will verify any action needed for a resolution and expedite any necessary replacements.

## If you should receive a defective product


Your warranty protects you against defective products (please read your warranty for all information, disclaimers and liabilities). Should you receive a defective product, contact CACO customer service and provide detailed information including your P.O. number. If the product is not sent back for repair, you will be invoiced for a replacement and required to return back the original product to CACO for inspection. Any issue arising past 30 days from receipt of original order will be required to return product for repair.

# How to Measure

## Inside mount

- A. Measure the window opening at three different places and use the narrowest dimension when ordering. Be exact! The factory will make the blind slightly narrower, so it won't rub against the window casing. (See A inside mount).
- B. Measure the height of the window from the top (soffit) down to the sill. NOTE: The finished blind length may have a tolerance of based on product.


*Based on product, CACO will automatically make a deduction on width for measurements submitted as inside mount.*



## Outside mount

Measure exact width and height of the area to be covered. It is recommended that blinds overlap the window opening by at least 1 1/2" on each side to insure privacy and control sunlight. (See A outside mount). When installation is designed for "no sill," allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blinds will be made to exact measurements given. NOTE: The finished blind length may have a tolerance of based on product.

*CACO will not make any deductions for measurements submitted as outside mount.*



**Signature Series 2" Maxi**

Braided Ladder

Width to:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
Length to: 42"	99	108	112	124	138	147	160	170	182	206	218	234	247	279	307	352	378	415
48"	108	112	127	133	152	162	175	189	198	226	243	258	273	307	336	383	417	456
54"	112	127	134	146	162	176	192	202	216	245	265	279	297	335	372	418	455	492
60"	126	133	146	159	175	192	206	218	236	266	281	303	321	362	399	455	489	533
66"	132	145	159	169	192	206	218	238	249	285	303	323	345	390	428	483	526	573
72"	141	153	165	180	201	217	236	249	269	303	328	349	372	418	459	519	565	615
78"	147	162	176	192	214	233	248	269	288	323	350	372	393	443	489	551	600	653
84"	159	171	189	202	226	245	267	285	306	345	371	393	418	474	521	585	635	697
90"	165	182	195	212	239	261	280	303	321	362	390	417	441	500	551	617	672	734
96"	175	192	208	226	249	275	297	317	338	383	416	438	465	526	582	653	710	774
102"	183	201	217	236	266	288	311	335	357	401	438	459	489	553	614	687	747	815
108"	193	209	228	247	278	303	328	352	376	419	455	482	512	582	648	720	783	856
114"	201	218	239	258	289	315	344	371	393	441	474	506	540	610	672	757	820	895
120"	208	228	248	269	303	331	356	383	412	459	492	528	561	635	702	791	859	933
126"	216	239	260	280	308	345	373	401	428	479	516	551	588	664	734	822	894	972

Cloth Tape

Width to:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
Length to: 42"	114	125	130	145	159	170	186	197	209	239	253	271	287	324	355	407	438	480
48"	125	130	148	154	177	189	203	219	231	261	280	299	318	355	392	446	483	528
54"	130	148	156	168	189	204	224	234	251	282	307	324	345	390	429	484	526	572
60"	146	154	168	183	203	224	238	253	273	309	327	351	374	422	464	526	569	622
66"	154	168	183	196	223	238	253	277	290	331	353	376	401	450	500	559	611	667
72"	163	177	193	208	233	253	273	290	313	353	380	402	429	484	532	601	654	713
78"	170	189	204	224	248	270	289	313	334	376	404	429	457	513	570	642	695	758
84"	185	201	219	234	261	282	310	331	354	401	427	457	484	548	604	680	738	811
90"	193	209	227	247	278	303	324	351	375	422	450	483	512	580	638	719	780	853
96"	203	224	243	260	290	319	345	371	393	446	482	509	541	611	675	758	823	900
102"	212	233	253	273	309	334	359	390	416	466	507	532	569	644	713	797	865	946
108"	225	244	266	287	322	351	380	411	437	487	526	559	595	675	751	837	911	994
114"	233	253	278	299	336	365	399	427	457	512	550	588	626	708	780	880	952	1038
120"	243	266	288	313	351	382	414	446	477	532	572	613	651	738	817	919	996	1085
126"	251	278	302	324	365	401	434	465	500	555	597	642	681	771	853	957	1038	1129

Standard Features

- 2" wide .008 gauge slats in designer colors
- 2" X 2" heavy duty head rail
- Durable polyester color coordinated lift cord
- Fully enclosed bottom rail
- Wand tilt Standard, Cord tilt optional at no charge
- Standard valance and hold down brackets included at no charge
- Limited Lifetime Warranty
- For Color availability see page 7
- Cord control lengths are 40% of blind length, however a different cord length can be requested.

Cordless Option

- Wand Tilt standard
- Single Blinds only, no multiple blinds on one headrail
- Minimum width 17" O.B.
- Maximum single blind 84" x 84"
- Minimum length 24"
- Maximum length 84"
- Blinds may raise up to 1" when completely lowered
- When blinds are completely raised the stack may drop up to 3"

Optional items

- Valance returns for inside mount installation no charge when requested
- One common tilt control for multiple blinds (must be requested, cord tilt recommended)

Surcharges

- Smallest width available on 9" tilt only.
- Blinds under 12" require a surcharge of \$42
- 2 Blinds per head rail: less than 142 inches add \$107; over 142-192 inches \$117\*
- 3 Blinds per head rail: less than 142 inches add \$127; over 142-192 inches-\$188\*
- Spacing between blinds for 2 or 3 under one head rail is 1/4" Maximum single blind area is 35 sq. ft.
- Cutout per side \$54
- Cutout center \$74

\* Any blind between 94"-104" will have an additional \$85 oversized fee, any blind over 104" will ship FOB Johnson City

# Aluminum Horizontal Blinds



## Signature Series 1" Catalina

### Catalina 8\*\*\*\*

Width to:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"
Length to: 42"	93	100	108	117	130	140	151	162	174	197	208	223	235	269	292	330	359	390	420	443
48"	100	108	121	128	144	156	164	176	189	214	228	244	260	298	322	362	392	429	459	489
54"	108	121	129	137	156	166	179	192	207	231	248	266	281	323	350	393	428	467	501	534
60"	118	128	137	147	164	179	194	208	223	251	268	285	304	348	377	428	465	506	542	577
66"	124	136	147	162	178	194	208	223	238	269	289	307	328	377	408	458	499	543	582	621
72"	132	144	160	169	190	207	223	238	256	289	309	329	350	401	435	491	534	582	622	667
78"	140	156	166	179	205	221	237	256	271	307	329	350	371	429	466	522	567	621	667	710
84"	147	164	176	192	214	231	253	269	289	328	348	371	393	458	491	553	604	658	706	752
90"	160	174	189	202	225	247	266	285	306	343	370	392	417	483	520	588	638	695	745	798
96"	164	179	198	213	238	260	281	301	322	362	386	416	440	508	551	621	673	731	784	843
102"	175	190	207	223	251	271	293	316	339	382	409	435	465	534	581	649	708	774	827	
108"	181	198	215	235	262	285	309	335	355	396	428	458	485	560	612	682	744	810	872	
114"	190	208	225	244	273	298	324	348	371	417	451	481	508	590	638	715	776	849		
120"	198	215	236	256	285	312	338	363	389	435	467	501	532	616	668	746	813			
126"	207	225	246	266	298	328	353	378	408	455	489	520	555	629	695	777	848			

### Catalina 6

Width to:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"
Length to: 42"	86	91	98	107	118	128	137	145	159	177	187	202	213	239	266	300	324	354	382	406
48"	91	98	110	117	130	140	152	161	170	194	208	222	235	266	292	329	355	389	417	443
54"	98	110	118	123	140	153	164	175	186	210	227	239	256	289	320	359	388	422	455	484
60"	108	117	123	135	152	164	177	187	202	227	244	260	274	312	342	388	420	460	491	526
66"	115	122	135	144	163	177	187	205	216	245	261	279	297	336	369	416	453	492	529	562
72"	120	131	143	154	171	187	202	216	231	261	282	298	320	359	394	444	484	529	566	603
78"	128	140	153	164	185	201	215	231	248	279	298	320	337	383	421	474	513	561	603	645
84"	137	146	161	175	194	210	229	245	262	296	316	337	359	408	450	504	550	598	639	683
90"	143	159	169	183	205	225	240	260	275	312	336	355	382	430	474	532	580	630	677	723
96"	152	164	178	193	216	236	256	273	293	329	353	377	398	454	501	561	608	665	712	764
102"	160	171	187	202	227	248	267	289	307	346	370	394	420	475	528	590	644	699	754	
108"	164	179	197	213	238	260	282	304	323	362	388	415	440	501	554	621	673	734	791	
114"	171	187	205	222	250	270	296	316	337	382	408	436	461	526	580	649	706	769		
120"	178	197	214	231	260	284	307	330	353	394	422	455	483	550	604	680	737			
126"	186	205	224	240	270	296	321	343	369	414	442	474	504	570	630	706	767			

### Standard Features

- 1" wide aluminum slats in designer colors
- 1" x 1 1/2" heavy duty head rail
- 21.5 mm ladder spacing
- Fully enclosed sculptured bottom rail
- Wand filter with clutch mechanism
- Durable polyester color coordinated lift cords
- Almost invisible braided polyester color coordinated ladders
- For Color availability see page 25
- Cord control lengths are 40% of blind length, however a different cord control length can be requested.

### Optional items

- Valance returns for inside mount installation no charge when requested
- Control location options

### Surcharges

- Perforated 30% surcharge
- Smallest width available on 5 1/2" tilt only.
- Blinds under 12" require a surcharge of \$42
- 2 Blinds per head rail: less than 142 inches add \$107; over 142-192 inches \$117\*
- 3 Blinds per head rail: less than 142 inches add \$127; over 142-192 inches-\$188\*
- Spacing between blinds for 2 or 3 under one head rail is 1/4" Maximum single blind area is 35 sq. ft.
- Cutout per side \$54
- Cutout center \$74

\* Any blind between 94"-104" will have an additional \$85 oversized fee, any blind over 104" will ship FOB Johnson City

\*\*\*\*Please be aware due to import restrictions on 8 gauge slats some colors may not be available.

Before placing orders contact customer service to verify your order can be placed.

# Aluminum Horizontal Blinds

## Signature Series 1" Malibu

### Malibu 8\*\*\*\*

Width to:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"
Length to: 42"	86	91	98	105	118	128	137	146	159	177	189	202	214	239	266	300	328	354
48"	91	98	110	117	131	141	151	161	171	194	209	221	237	266	292	330	359	390
54"	98	110	117	124	141	152	164	175	187	212	225	239	256	289	320	359	390	427
60"	107	117	124	135	151	164	177	189	202	228	244	260	275	312	344	390	421	461
66"	115	124	135	146	164	177	189	205	216	245	261	281	298	337	370	416	454	492
72"	122	131	145	154	174	187	202	216	235	261	283	299	320	359	396	446	484	530
78"	128	141	152	164	186	201	216	235	248	281	299	320	338	383	424	476	515	562
84"	136	147	161	175	194	212	231	245	262	297	317	338	359	408	446	504	550	599
90"	145	159	170	184	208	224	243	260	279	312	337	359	381	431	475	535	582	634
96"	151	164	178	194	216	238	256	274	293	330	353	378	401	454	501	562	612	667
102"	159	174	187	202	228	248	268	289	307	346	371	396	421	476	529	591	645	705
108"	166	179	194	214	239	260	283	305	324	362	390	415	442	501	557	622	676	736

### Malibu 6

Width to:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"
Length to: 42"	74	78	84	91	100	110	118	124	136	153	162	174	183	205	227	256	279	305
48"	78	84	93	99	113	121	129	138	145	166	177	190	201	227	251	282	305	335
54"	84	93	99	107	121	130	140	151	161	179	194	205	220	247	273	306	335	365
60"	92	99	107	116	129	140	152	162	175	197	208	223	236	267	293	335	360	394
66"	97	105	116	124	139	152	162	175	186	209	224	239	255	289	316	359	388	421
72"	102	114	123	131	147	161	175	186	199	224	243	256	273	306	339	383	415	455
78"	110	121	130	140	160	171	185	199	213	239	256	273	290	329	362	407	439	482
84"	117	125	138	151	166	179	198	209	224	253	271	290	306	347	384	431	469	512
90"	123	136	145	159	176	194	207	223	238	267	289	305	325	369	407	457	498	542
96"	129	140	154	166	186	201	220	235	251	282	301	323	343	389	429	482	524	570
102"	136	147	161	175	197	213	229	247	263	297	317	339	360	408	454	506	552	601
108"	140	154	168	183	205	223	243	260	279	308	335	355	378	429	476	530	578	629

### Standard Features

- 1" wide aluminum slats in designer colors
- 1" x 1" heavy duty head rail
- 22.5 mm ladder spacing
- Wand tilter with clutch mechanism
- Control location options
- Durable polyester color coordinated lift cords
- Almost invisible braided polyester color coordinated ladders
- For Color availability see page 25
- Cord control lengths are 40% of blind length, however a different cord control length can be requested.

### Optional items

- Valance returns for inside mount installation no charge when requested
- Control location options

### Surcharges

- Perforated 30% surcharge
- Smallest width available on 5 1/2" tilt only.
- Blinds under 12" require a surcharge of \$42
- 2 Blinds per head rail: less than 142 inches add \$107; over 142-192 inches \$117\*
- 3 Blinds per head rail: less than 142 inches add \$127; over 142-192 inches-\$188\*
- Spacing between blinds for 2 or 3 under one head rail is 1/4" Maximum single blind area is 35 sq. ft.
- Cutout per side \$54
- Cutout center \$74

\* Any blind between 94"-104" will have an additional \$85 oversized fee, any blind over 104" will ship FOB Johnson City

**\*\*\*\*Please be aware due to import restrictions on 8 gauge slats some colors may not be available. Before placing orders contact customer service to verify your order can be placed.**

**Signature Series 2" & 1" Aluminum Slat Count & Stacking Chart**

**Slat count**

Blind Length	2" Maxi	Catalina 8/6	Malibu 8/6	Blind Length	2" Maxi	Catalina 8/6	Malibu 8/6	Blind Length	2" Maxi	Catalina 8/6	Malibu 8/6
12	6	13	13	45	25	52	50	77	44	90	86
13	6	14	14	46	26	53	51	78	44	91	87
14	7	16	15	47	27	55	52	79	45	92	88
15	8	17	16	48	27	56	53	80	46	94	89
16	9	18	17	49	28	57	54	81	46	95	91
17	9	19	18	50	28	58	56	82	47	96	92
18	10	20	19	51	29	59	57	83	47	97	93
19	10	21	21	52	29	60	58	84	48	98	94
20	11	23	22	53	30	62	59	85	48	99	95
21	12	24	23	54	31	63	60	86	49	101	96
22	12	25	24	55	31	64	61	87	50	102	97
23	13	26	25	56	32	65	62	88	50	103	98
24	13	27	26	57	32	66	63	89	51	104	100
25	14	29	27	58	33	68	65	90	51	105	101
26	14	30	28	59	33	69	66	91	52	107	102
27	15	31	30	60	34	70	67	92	52	108	103
28	16	32	31	61	35	71	86	93	53	109	104
29	16	33	32	62	35	72	87	94	54	110	105
30	17	34	33	63	36	73	88	95	54	111	106
31	17	36	34	64	36	74	89	96	55	113	107
32	18	37	35	65	37	76	91	97	55	114	109
33	18	38	36	66	37	77	92	98	56	115	110
34	19	39	37	67	38	78	93	99	57	116	111
35	20	40	39	68	39	79	94	100	57	117	112
36	20	42	40	69	39	81	95	101	58	118	113
37	21	43	41	70	40	82	96	102	58	120	114
38	21	44	42	71	40	83	97	103	59	121	115
39	22	45	43	72	41	84	98	104	59	122	116
40	22	46	44	73	42	85	100	105	60	123	118
41	23	47	45	74	42	87	101	106	61	124	119
42	24	49	47	75	43	88	102	107	61	126	120
43	24	50	48	76	43	89	103	108	62	127	121
44	25	51	49								

**Stacking Chart (these are approximate measurements)**

Blind Length	2' Aluminum Maxi Braided Ladder	2' Aluminum Maxi Cloth Ladder	Catalina 8/6	Malibu 8/6
24"	4 1/4"	5"	2 3/4"	2 3/4"
36"	4 1/2"	5 7/8"	3"	3"
48"	4 5/8"	6 3/4"	3 1/4"	3 1/4"
60"	5 1/8"	7 5/8"	3 1/2"	3 1/2"
72"	5 3/8"	8 1/2"	3 7/8"	3 3/4"
84"	5 5/8"	9 5/8"	4 1/8"	4"
96"	5 7/8"	10 1/4"	4 3/8"	4 1/4"
108"	6 1/8"	11 3/8"	4 3/4"	4 5/8"
120"	6 1/2"	12 1/4"	5"	4 7/8"



# Aluminum Horizontal Blinds



## 2" & 1" Available Aluminum Slat Colors

Color		2" Maxi	1" Catalina 8****	1" Catalina 6	1" Malibu 8****	1" Malibu 6
C001	White		A+ *DP	A+ *DP	A+ *DP	A+ *DP
C006	Raw Umber		A *DP	A *DP		
C026	Smokey Grey		A *DP	A *DP	A *DP	A *DP
C031	Fawn	A	A *DP	A *DP	A *DP	A *DP
C034	Aluminum		A *DP	A *DP	A *DP	A *DP
C062	Char Brown		A *DP	A *DP	A *DP	A *DP
C063	Bronze		A+ *DP	A+ *DP	A+ *DP	A+ *DP
C065	Almost White Gloss		A+ *DP	A+ *DP	A+ *DP	A+ *DP
C069	Dove Grey		A *DP	A *DP		
C100	Vanilla			A *DP		A *DP
C112	Alabaster	A	A *DP	A *DP	A *DP	A *DP
C121	Brushed Aluminum	A	A *DP	A *DP	A *DP	A *DP
C205	White Satin	A	A	A	A	A
C233	Black Satin	A	A *DP	A *DP	A *DP	A *DP
C386	Snow Cap	A	A *DP	A *DP	A *DP	A *DP
C544	True White			A+ *DP		A+ *DP
C771	Mercury			A		
Perforated Colors****						
AP005	White Gloss		A		A	
AP010	Grey		A+		A+	
AP033	Pitch Black		A+		A+	
AP064	Aluminum Texture		A+		A+	
AP112	Alabaster		A		A	
Legend:						
A Available		C+ Contract orders only		*DP Dust Protector		
A+ Available (Head rail, bottom rail and brackets will be matched as close as possible to slat color)						

**\*\*\*\*Please be aware due to import restrictions on 8 gauge slats some colors may not be available. Before placing orders contact customer service to verify your order can be placed.**

## Aluminum Horizontal Blinds

### Signature Series Aluminum Warranty

---

There is a limited lifetime warranty on corded **Signature Series** horizontal aluminum blind that is properly installed in a residential dwelling. Each blind is warranted to be free from defective components and workmanship for as long as the blind remains installed as originally intended and is owned by the original consumer.

Damage resulting from misuse, abuse, exposure to the elements, including, but not limited to exposure to salty air, humidity, discoloration due to sunlight or passage of time, accidents, the use of steam, bleach, or any caustic or abrasive or solvent based cleaners, alterations or normal wear and tear are not covered by this warranty.

The obligation of **CACO's Signature Series Blinds** and its distributors is limited to repair or replacement of the blinds or components found to be defective, at our option, provided the blinds are returned to an authorized **CACO** dealer or distributor and accompanied by "proof of purchase". **CACO** is not responsible for any labor costs associated with fabricating alterations, measuring, or installation and to include shipping charges.

This warranty does not include any conditions resulting from damages caused by accidents, alterations, misuse, or failure to follow instructions with respect to measurement, installation, cleaning or maintenance.