



CACO, INC.
WINDOW FASHIONS

Retail Price Guide 2022
Boone Collection Cellular Shades

Version 6
6/30/2023

Table of Contents

<u>Customer Service Policies</u>	1-2
<u>Boone Collection Cellular Shades</u>	
Features & Benefits	3
Style Options	4
Headrail Options & Stacking Charts	5
Standard Features, Surcharges & Limitations	6
Fabric Selection & Component Coordination	7-8
Color Availability	9
Price Charts	10-12
Motorization	
Simple Touch	13
Automate	14
Special Shades	
Slider Cellular Shades	15
Arches	15
Specialty Shapes	15
Simply Cordless Systems	16
Warranty	17



How to place an order

For your convenience, CACO provides you with the option of placing orders by either telephone, email, online or fax (if placed by fax, CACO will provide order forms at no additional cost; customers must request forms). Orders placed after 3:00 pm EST will be forwarded to the next business day.

Telephone orders

CACO Customer Service Representatives are available between the hours of 8:30 am and 5:00 pm Eastern Standard time at **1-800-552-5278**. Any order placed by phone requires a signed order confirmation returned to customer service by fax or email before proceeding with order. Keep in mind, when phoning in your order, it is important to have the following information available:

- Account number (if known)
- Individuals name that is calling
- P.O. number and/or side mark
- Color or colors
- Type of product ordered
- Measurements (width-first, length-second)
- Inside or outside mount (i.m./i.b or o.m./o.b)
- Control instructions
- Ship to address if different than sold-to
- Special instructions for shipping
- Valance instructions
- Any other special instructions
- Quote number, if order is placed from a previous quote

Fax and Email Orders

Fax orders can be placed any time of day or night including holidays at **1-866-926-5836** or email to **customerservice@cacoinc.com**. To ensure order accuracy for faxed orders, it is advisable to use the order forms CACO supplies or a comparable form. It is important to note the number of pages of your order, including the cover sheet to ensure that no pages will be missing. For fax or email orders please include all of the same information required for telephone orders. Any omission of pertinent information will only delay your orders manufacturing time.

Online Orders

Orders can be placed online at <https://88043.picbusiness.com/>. If you your account has not been set up to access our online portal, please contact support@cacoinc.com to sign up. This access allows you to quote, order as well as make payments online. Please note roller shades, aluminum blinds and shutters are not available online to quote or place as orders, you will need to contact customer service to for information about these products. Additionally, orders are released from internet hold and reviewed for credit at the daily 3:00 PM EST cutoff. Any orders submitted online after this time will be reviewed the following business day.

How to expedite an order

We can often provide a faster ship date for emergency situations, only if this is noted at the time the order is placed. Requested next day and second day shipping will move freight prepaid and will be added to your account at the time of invoicing.

Expedite cost

48-hour rush: \$7.50 per blind 72-hour rush: \$5.00 per blind

NOTE: Rush only applies to discounted orders, not on contract quotes and may not be available during high volume periods. The clock starts running after your order clears credit and enters production.

How to add on or make changes to an order

In the event that you wish to add to your original order, it is possible, as long as the order is still in production. You will be required to submit changes in writing and must be signed by a person of authority indicating the items you wish to add or change. No verbal requests can be made. You will need to refer to the original P.O. number and indicate clearly the additions or changes you're requesting. Note: because add-ons may affect production time, check with customer service for any possible delays.

How to cancel an order

Cancellations or changes require an immediate response and can only take place up until the start of fabrication. You must first identify your P.O. number or side mark and then state the cancellation or change. Cancellations must be faxed or emailed in writing only, phone calls are not permitted. If an order has already been cut, a minimum charge of 50% will apply.

Should you order for the same room at different times?

This is a frequently asked question and should be addressed and explained at the point of sale. Under normal circumstances blinds, shades and verticals should be ordered for the same room at one time to prevent color deviations, as a result of dye and paint color variations from original lot to the other. If additional blinds, shades or verticals are ordered at a later time for the same room there can be a distinct color difference from the existing product to the new product. Also, window coverings that have been previously installed can have shade differentiations from newer products due to the progress of aging.

Questions concerning an order

Once you contact customer service you must have your P.O. number and/or side mark available.

Shipping and Handling Charges

- A \$15 minimum order charge will be added to any order with only one item.
- A \$8 per blind handling fee (except verticals) will be added for all delivery orders.
- A \$10 per blind handling fee (except verticals) will be added to drop ship orders in lieu of the \$8 per blind fee.
- For Vertical Blinds, a \$14 per blind handling fee will be added for all delivery orders.
- For Vertical Blinds, a \$16 per blind handling fee will be added to drop ship orders in lieu of the \$14 per blind fee.
- Any orders with a product over 90" width (width or length for verticals) will have an oversized fee of \$85 per blind up to \$170 added to the per blind fee.
- Any orders with a product over 104" (including width or length for verticals or valances that are not ordered spliced) will ship by LTL carrier F.O.B Johnson City, TN.
- Any order to be delivered by LTL truck to an area considered residential or restricted delivery areas by freight carriers will have an additional fee of \$125. The residential fee can be avoided if you opt to pick up shipment at the freight terminal in lieu of delivery. If you opt for terminal pick up, customer service will need to be informed at the time your order is placed.
- Accessorial LTL Truck delivery charges such as liftgate, inside delivery, re-consignment, re-delivery, etc. will be the responsibility of the receiving party.

Credit and additional charges

Open accounts are established by submitting a CACO credit application. You will be required to list trade and bank references as well as a current sales tax id number. C.O.D. accounts are also obligated to submit a credit application. Invoices are due within 30 days of the date posted. After 30 days accounts will be charged 1.5% interest per month. CACO reserves the right not to ship to accounts with past due balances.

Payment Policy

Current payment methods accepted are check, emailed or faxed checks for ACH processing, credit cards (Mastercard, Visa, Discover) and online payments by credit card or bank draft. Due to additional credit card fees, effective March 8th, a 2% processing fee will be added to all credit card payments. This fee can be avoided by either mailing checks to our PO Box or to expedite payments send a copy of your check along with our Check by Fax form by email to customerservice@cacoinc.com or fax to (866) 552-5278. Please note CACO will not automatically charge any credit card or process ACH transaction without approval at the time of each transaction.

If you receive product that has been visibly damaged while in transit

Before accepting any shipments, please examine each carton carefully. If shipment shows any signs of mistreatment or damage, i.e., wheel marks, crushed or bent cartons note this on the bill of lading and have the driver sign it and note damage. Should a replacement be necessary, CACO will bill you. Your replacement invoice will enable you to file a claim with the responsible carrier. It is imperative that you count all cartons prior to signing the bill of lading; any shortages must be noted on the bill of lading with the driver's signature.

Shipping discrepancies

If the product received does not agree with your packing slip, contact a CACO customer service representative within 24 hours. Your representative will verify any action needed for a resolution and expedite any necessary replacements.

If you should receive a defective product


Your warranty protects you against defective products (please read your warranty for all information, disclaimers and liabilities). Should you receive a defective product, contact CACO customer service and provide detailed information including your P.O. number. If the product is not sent back for repair, you will be invoiced for a replacement and required to return back the original product to CACO for inspection. Any issue arising past 30 days from receipt of original order will be required to return product for repair.

How to Measure

Inside mount

A. Measure the window opening at three different places and use the narrowest dimension when ordering. Be exact! The factory will make the blind slightly narrower, so it won't rub against the window casing. (See A inside mount).
B. Measure the height of the window from the top (soffit) down to the sill. NOTE: The finished blind length may have a tolerance of based on product.


Based on product, CACO will automatically make a deduction on width for measurements submitted as inside mount.



Outside mount

Measure exact width and height of the area to be covered. It is recommended that blinds overlap the window opening by at least 1 1/2" on each side to insure privacy and control sunlight. (See A outside mount). When installation is designed for "no sill," allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blinds will be made to exact measurements given. NOTE: The finished blind length may have a tolerance of based on product.

CACO will not make any deductions for measurements submitted as outside mount.



Features & Benefits

FEATURES & BENEFITS

- Honeycomb construction provides superior insulation and energy efficiency.
- No visible cords or cord holes reduces light leaks and adds to the fashionable appeal.
- Fabric available in wide widths to cover large expansive windows with no seams or overlap.
- 100% crisp polyester fabric repels dust and dirt and is easy to clean and maintain.
- Multiple design options and operating systems available to provide the perfect solution for the single homeowner to the busiest family.

FABRICS

Cellular Shades are built with beauty and your comfort in mind, featuring durable, low-maintenance fabrics and a broad spectrum of designer colors, neutrals, and bold hues including specialty fabrics like lux, slubs, crush and printed designs. Cellular Shades are among the most energy-efficient window coverings available. The insular property of cellular fabrics is attributed to its unique construction. The signature candlelight glow and handcrafted feel of the cellular fabric brings world-class elegance to your home, office or retail environment.

VERSATILITY


- Create unlimited custom lighting solutions with a full range of opacities
- Light Filtering fabrics feature rich, vibrant color
- Blackout fabrics offer extended light control and privacy

LIGHT FILTERING FABRICS

- Transmit filtered light with no view through the shade
- Provide moderate privacy
- Available in 3/4", 9/16" and 1 1/4" Single Cell, 7/16" Double Cell and 3/4" Cell-in-a-Cell Fabrics

BLACKOUT FABRICS





- Blocks 99% of outside light
- Provides complete privacy and light control
- Available in 3/4", 9/16" and 1 1/4" Single Cell




ENERGY EFFICIENCY

Cellular shades are among the most energy-efficient window coverings available. The insular property of cellular fabric is attributed to its unique cellular construction creating a barrier of chambers designed to reduce heat and the damaging effects of UV light. Our premium cellular fabrics are categorized into three simple levels of energy efficiency to help you maximize your budget and the comfort in your home.


Style Options




Standard Arch







Half Arch



Circle



2-on-1 Headrail



Boone Collection Cellular Shades

Headrail and Stacking Chart

Fabrics	9/16" Single Cell & 7/16" Double Cell *		3/4" Single & Cell-in-a-Cell*	1 1/4" Single Cell*
Headrail	9/16" Classic	3/4" Modern	3/4" Modern	3/4" Modern
Side View				
Front view				
Installation Bracket				

Cordless shades pictured for headrail and bracket comparison. Additional shade selections will vary from based on components needed for operation. Bottom rails and middle rails will match headrail sizes.

* 9/16" Classic headrail standard. 3/4" Modern upgrade available for \$6.50 net per shade.

* 3/4" Modern headrail standard. 9/16" Classic option available at no charge.

Mounting Space									
Cell Size	Headrail Size	Mount Type	Corded	Corded TDBU	Clutch	Clutch TDBU	Cordless	Cordless TDBU	Motorization
9/16" or 7/16"	Standard 9/16" Classic	Minimum Mounting Space	1/2"	1/2"	7/8"	7/8"	7/8"	7/8"	7/8"
		Minimum Flush Mount	1 7/8"	1 7/8"	2"	2"	2"	2"	2"
	Upgrade 3/4" Modern	Minimum Mounting Space	N/A	N/A	1/2"	1/2"	1/2"	1/2"	1/2"
		Minimum Flush Mount	N/A	N/A	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"
3/4"	Optional 9/16" Classic	Minimum Mounting Space	1/2"	1/2"	7/8"	7/8"	7/8"	7/8"	7/8"
		Minimum Flush Mount	2 3/8"	2 3/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"
	Standard 3/4" Modern	Minimum Mounting Space	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"
		Minimum Flush Mount	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"
1 1/4"	Optional 9/16" Classic	Minimum Mounting Space	1/2"	1/2"	7/8"	7/8"	7/8"	7/8"	7/8"
		Minimum Flush Mount	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"
	Standard 3/4" Modern	Minimum Mounting Space	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"
		Minimum Flush Mount	2 5/8"	2 5/8"	2 5/8"	2 5/8"	2 5/8"	2 5/8"	2 5/8"

Note for the minimum mounting space of 1/2" it is necessary to use the #4 x 3/4" flat head screws that are not included in the hardware package.

Stacking Chart: This includes headrail and bottom rail (for corded system)

Fabric Type		36" Drop	48" Drop	60" Drop	72" Drop	84" Drop	96" Drop	108" Drop	120" Drop	132" Drop	144" Drop	R Value
9/16" Single Cell	Light Filtering	2.00	2.25	2.50	2.80	3.00	3.30	3.50	3.83	4.00	4.33	3.5
	Blackout	1.81	2.00	2.19	2.38	2.56	2.75	2.94	3.13	3.31	3.50	4.3
	Linen Print LF	2.13	2.38	2.63	2.88	3.13	3.38	3.63	3.88	4.13	4.38	3.5
	Sheer LF	2.29	2.62	2.88	3.15	3.42	3.69	3.96	4.22	4.49	4.76	0.7
	Crush LF	2.47	2.84	3.16	3.47	3.78	4.09	4.41	4.72	5.03	5.34	3.4
	Slub Woven LF	2.25	2.54	2.83	3.13	3.42	3.71	4.00	4.29	4.58	4.88	2.8
	Flame Retardant LF	1.92	2.13	2.30	2.47	2.64	2.81	2.98	3.16	3.33	3.50	3.5
	Flame Retardant BO	1.86	2.03	2.21	2.37	2.51	2.66	2.80	2.95	3.09	3.25	4.3
3/4" Single Cell	Light Filtering	1.83	1.98	2.13	2.25	2.43	2.58	2.73	2.88	3.03	3.18	3.8
	Blackout	1.88	2.01	2.14	2.3	2.44	2.57	2.73	2.85	3.00	3.13	4.4
	Bamboo Light Filtering	1.83	1.98	2.13	2.28	2.43	2.58	2.73	2.88	3.03	3.18	3.8
	Bamboo Blackout	1.88	2.01	2.14	2.30	2.44	2.57	2.73	2.85	3.00	3.13	4.4
	Smooth Light Filtering	1.75	1.88	2.00	2.13	2.25	2.38	2.50	2.63	2.75	2.88	3.7
	Smooth Blackout	1.52	1.60	1.68	1.76	1.84	1.92	2.01	2.09	2.18	2.26	4.4
	LUX Linen	1.93	2.15	2.38	2.60	2.83	3.05	3.28	3.50	3.73	3.95	2.8
3/4" Cell-in-A Cell	Light Filtering	2.71	3.14	3.57	4.00	4.43	5.00	N/A	N/A	N/A	N/A	5.5
7/16" Double Cell	Light Filtering	2.43	2.82	3.21	3.61	4.00	4.39	4.79	5.18	5.57	5.96	3.6
1 1/4" Single Cell	Light Filtering	1.89	2.05	2.23	2.42	2.58	2.77	2.93	3.11	3.27	3.51	3.9
	Blackout	1.57	1.65	1.74	1.83	1.91	2.00	2.08	2.18	2.25	2.38	4.5

Note: For Cordless and Clutch systems, add 7/8" to above stack chart. All stacking sizes are approximate. * LF stands for light filtering. BO stands for blackout.

Standard Features, Surcharges and Size Limitations

Standard Features:

- Inside mount 1/4" standard deduction
- Color coordinated aluminum headrail and bottom rail
- Right cord control standard
- Cord length standard 40% of shade drop height, custom length can be requested
- Cord cleat is included for corded shades
- 9/16" Classic Headrail standard for 9/16" & 7/16" cell fabrics. 3/4" headrail available for \$6.50 per shade
Note only Simple Touch Wand and Fabric insert for Top Down Bottom Up shades available on 9/16" headrails.
- 3/4" Modern Headrail standard for 3/4" & 1 1/4" cell fabrics. 9/16" headrail option available at no charge.

Day/Night Shade Features:

- Aluminum headrail and bottom rail
- Color of top rail will match top fabric, middle and bottom rail will match bottom fabric
- Light filtering product on top area, blackout fabric on bottom area
- Standard Control is right cord operates bottom rail and left cord operates middle rail, reverse controls are available
- Cord length standard 40% of shade drop height, custom length can be requested
- Cordless control available
- Maximum size is 72" x 72" for both corded and cordless shades

Skylight Shade Features:

- Color coordinated aluminum headrail, middle rail and bottom rail.
- Side rails are available in the color cotton white (001) only
- Not available in 1 1/4" or Cell-in-a-Cell Fabrics
- Skylight shade can only be mounted inside
- Finished size must be provided, no deductions will be taken by manufacturer
- Headrail including endcaps will be 5/8" less than finished size
- Skylight poles are available in two options, ordered separately
 - 3ft – 5ft \$22 net
 - 5ft – 9ft \$24 net
- Automate Motorization available

Additional Shade Style Surcharges

- Top Down – Corded (72" Maximum width and length) \$21 per shade (net)
- Top Down Bottom Up – Corded (72" Maximum width and length) \$21 per shade (net)
- Skylight \$34 per shade (net)
- Day/Night Shade – Two colors with top and bottom Price as two shades & add together
- Tile Cutout – (No warranty with cutouts) \$14 per side (net)
- 2-on-1 or 3-on-1 Headrail (144" Maximum width) Price as individual shades & add together
- 3/4" Modern headrail with 9/16" or 7/16" cell fabric choice \$6.50 per shade net
- 9/16" Classic headrail with 3/4" or 1 1/4" cell fabric choices No additional Charge

Light Blockers (only available in White)

- Top Light Blocker (one piece per shade cut to the shade width with no deduction) \$1.50 per ft (net)
- Side Light Blockers (2 pieces per shade cut the shade height with no deduction) \$2.05 per ft (net)

System Upgrade Surcharges

Width to:	24	30	36	42	48	54	60	66	72	84	96	108	120
Cordless	102	107	113	125	134	142	148	153	160	174	188		
Cordless Top Down Bottom Up	162	170	182	197	213	224	235	245	255	273	344		
Clutch	46	50	55	58	62	66	67	70	72	78	83	87	96
Clutch Top Down Bottom Up	85	93	101	105	113	122	125	129	133	143	152	162	174
Non-Moveable Arch, Quarter Arch or Circle							10%						
Moveable Trapezoid or Octagon							50%						
Slider – Left Stack and Right Stack							100%						
Slider Center Split							120%						

Size Limitations All Fabrics except Cell-in-a-Cell

	Corded	Cordless	Clutch	Clutch TDBU	Clutch Day/Night	TD Corded	TDBU Corded	TDBU Cordless	Day/ Night	Day/Night Cordless	Skylight
Minimum Width	7"	12"	12"	23"	23"	12"	12"	19"	12"	19"	16"
Minimum Length	10"	10"	10"	10"	10"	10"	10"	10"	10"	10"	10"
Maximum Width	144"	96"	120"	120"	72"	72"	72"	96"	72"	72"	60"
Maximum Height	144"	84"	120"	120"	72"	72"	72"	84"	72"	72"	60"

Size Limitations Cell-in-a-Cell Fabric Only

	Corded	Cordless	Clutch	Clutch TDBU	Clutch Day/Night	TD Corded	TDBU Corded	TDBU Cordless	Day/ Night	Day/Night Cordless	Skylight
Minimum Width	7"	12"	12"	23"	23"	12"	12"	19"	12"	19"	n/a
Maximum Width	120"	95"	120"	120"	72"	72"	72"	83"	72"	72"	n/a
Maximum Height	100"	83"	100"	100"	72"	72"	72"	83"	72"	72"	n/a
Maximum Sq. ft.	83	45	83	83	36	36	36	47	36	36	n/a

to place an order call (800) 552-5278 or fax (866) 926-5836 or email customerservice@cacoinc.com

9/16", 7/16", 1 1/4" Fabric Selections and color Components Coordination

9/16" Single Cell		
Solid Light Filtering		
Number	Description	Rail Color
PS310-001	Cotton	001
PS310-002	Snow White	002
PS310-003	Onion	006
PS310-004	Alabaster	006
PS310-005	Cream	006
PS310-006	Fawn	006
PS310-007	Biscuit	008
PS310-008	Pongee	008
PS310-009	Ocher	010
PS310-010	Tan	010
PS310-011	Terra Cotta	326
PS310-012	Cocoa	012
PS310-013	Spring Green	002
PS310-014	Water Green	015
PS310-015	Avocado	015
PS310-016	Roseate	016
PS310-019	Agate Red	020
PS310-020	Bordeaux	020
PS310-021	Gray Sheen	091
PS310-022	Marine Blue	091
PS310-023	Royal Gray	023
PS310-024	Jean Blue	023
PS310-025	Black	025
PS310-026	Wisteria	091
PS310-030	Anthracite	025
PS310-069	White Dove	001
PS310-070	Winter White	002
PS310-326	Dark Chocolate	326
PS310-346	Antique Pewter	025
PS310-470	Slate	025

9/16" Single Cell		
Solid Blackout		
Number	Description	Rail Color
PS320-001	Cotton	001
PS320-002	Snow White	002
PS320-003	Onion	006
PS320-004	Alabaster	006
PS320-006	Fawn	006
PS320-008	Pongee	008
PS320-009	Ocher	010
PS320-012	Cocoa	012
PS320-015	Avocado	015
PS320-020	Bordeaux	020
PS320-021	Gray Sheen	091
PS320-024	Jean Blue	023
PS320-025	Black	025
PS320-069	White Dove	001
PS320-070	Winter White	002
PS320-326	Dark Chocolate	326
PS320-346	Antique Pewter	025
PS320-470	Slate	025

9/16" Single Cell		
Linen Print Light Filtering		
Number	Description	Rail Color
PS331-012	Cocoa	012
PS331-032	Sand	006
PS331-034	Gray	091
PS331-326	Dark Chocolate	326
PS331-514	Misty Gray	002

9/16" Single Cell		
Slub Woven Light Filtering		
Number	Description	Rail Color
PS37S-001	Cotton	001
PS37S-004	Alabaster	006
PS37S-012	Cocoa	012
PS37S-012	Gray Sheen	091
PS37S-326	Dark Chocolate	326

9/16" Single Cell		
Flame Retardant Light Filtering		
Number	Description	Rail Color
PS310-001FR	Cotton	001
PS310-006FR	Fawn	006
PS310-008FR	Pongee	008
PS310-070FR	Winter White	002

9/16" Single Cell		
Flame Retardant Blackout		
Number	Description	Rail Color
PS320-001FR	Cotton	001
PS320-006FR	Fawn	006
PS320-008FR	Pongee	008
PS320-070FR	Winter White	002

7/16" Single Cell		
Solid Light Filtering		
Number	Description	Rail Color
PX3A0-001	Cotton	001
PX3A0-002	Snow White	002
PX3A0-004	Alabaster	006
PX3A0-006	Fawn	006
PX3A0-008	Pongee	008
PX3A0-009	Ocher	010
PX3A0-010	Tan	010
PX3A0-020	Bordeaux	020
PX3A0-021	Gray Sheen	091
PX3A0-069	White Dove	001
PX3A0-070	Winter White	002
PX3A0-023	Royal Gray	023
PX3A0-025	Black	025
PX3A0-326	Dark Chocolate	326

1 1/4" Single Cell		
Light Filtering		
Number	Description	Rail Color
PS610-001	Cotton	001
PS610-006	Fawn	006
PS610-021	Gray Sheen	091

1 1/4" Single Cell		
Blackout		
Number	Description	Rail Color
PS620-001	Cotton	001
PS620-006	Fawn	006
PS620-021	Gray Sheen	091

3/4" Fabric Selections and color Components Coordination

3/4" Single Cell		
Solid Light Filtering		
Number	Description	Rail Color
PS410-001	Cotton	001
PS410-002	Snow White	002
PS410-003	Onion	006
PS410-004	Alabaster	006
PS410-005	Cream	006
PS410-006	Fawn	006
PS410-007	Biscuit	008
PS410-008	Pongee	008
PS410-009	Ocher	010
PS410-010	Tan	010
PS410-011	Terra Cotta	326
PS410-012	Cocoa	012
PS410-013	Spring Green	002
PS410-014	Water Green	015
PS410-015	Avocado	015
PS410-016	Roseate	016
PS410-019	Agate Red	020
PS410-020	Bordeaux	020
PS410-021	Gray Sheen	091
PS410-022	Marine Blue	091
PS410-023	Royal Gray	023
PS410-024	Jean Blue	023
PS410-025	Black	025
PS410-026	Wisteria	091
PS410-030	Anthracyte	025
PS410-069	White Dove	001
PS410-070	Winter White	002
PS410-326	Dark Chocolate	025
PS410-346	Antique Pewter	025
PS410-470	Slate	025
PS410-519	Stone	012
PS410-786	Greige	002
PS410-788	Pale Slate	091

3/4" Single Cell		
Solid Blackout		
Number	Description	Rail Color
PS420-001	Cotton	001
PS420-002	Snow White	002
PS420-003	Onion	006
PS420-004	Alabaster	006
PS420-006	Fawn	006
PS420-008	Pongee	008
PS420-009	Ocher	010
PS420-012	Cocoa	012
PS420-015	Avocado	015
PS420-020	Bordeaux	020
PS420-021	Gray Sheen	091
PS420-024	Jean Blue	023
PS420-025	Black	025
PS420-030	Anthracyte	025
PS420-069	White Dove	001
PS420-070	Winter White	002
PS420-326	Dark Chocolate	326
PS420-346	Antique Pewter	025
PS420-326	Dark Chocolate	326
PS420-470	Slate	025

3/4" Single Cell		
Smooth Light Filtering		
Number	Description	Rail Color
PS43C-001	Cotton	001
PS43C-002	Snow White	002
PS43C-005	Cream	006
PS43C-070	Winter White	006

3/4" Single Cell		
Smooth Blackout		
Number	Description	Rail Color
PS44C-002	Snow White	002
PS44C-005	Cream	006
PS44C-021	Gray Sheen	001
PS44C-070	Winter White	001

3/4" Single Cell		
Linen Print Light Filtering		
Number	Description	Rail Color
PS431-012	Cocoa	012
PS431-032	Sand	006
PS431-034	Gray	091
PS431-326	Dark Chocolate	326
PS431-514	Misty Gray	002

3/4" Single Cell		
Linen Print Black Out		
Number	Description	Rail Color
PS441-012	Cocoa	012
PS441-032	Sand	006
PS441-034	Gray	091
PS441-326	Dark Chocolate	326
PS441-514	Misty Gray	002

3/4" Single Cell		
Bamboo Print Light Filtering		
Number	Description	Rail Color
PS41RA-023	Royal Gray	091
PS41RA-346	Antique Pewter	091
PS41RA-514	Misty Gray	002
PS41RA-519	Stone	012
PS41RA-583	Dark Gray Sheen	091

3/4" Single Cell		
Bamboo Print Blackout		
Number	Description	Rail Color
PS42RA-023	Royal Gray	091
PS42RA-346	Antique Pewter	091
PS42RA-514	Misty Gray	002
PS42RA-519	Stone	012
PS42RA-583	Dark Gray Sheen	091

3/4" Single Cell		
Tweed Print Light Filtering		
Number	Description	Rail Color
PS413-069	White Dove	001
PS413-004	Alabaster	006
PS413-514	Misty Gray	002
PS413-583	Dark Gray Sheen	081
PS413-344	Pebble	025

3/4" Single Cell		
Tweed Print Blackout		
Number	Description	Rail Color
PS423-069	White Dove	001
PS423-004	Alabaster	006
PS423-514	Misty Gray	002
PS423-583	Dark Gray Sheen	081
PS423-344	Pebble	025

3/4" Cell-in-A-Cell		
Light Filtering		
Number	Description	Rail Color
PS41SS-001	Cotton	001
PS41SS-763	Taupe	002
PS41SS-764	Beige	002
PS41SS-765	Ivory	002
PS41SS-766	Classic Gray	091
PS41SS-823	Blue Wind	091
PS41SS-824	Gray Storm	091
PS41SS-025	Black	025
PS41SS-519	Bamboo Stone	012
PS41SS-346	Bamboo Antique	091

3/4" Cell-in-A-Cell		
Blackout		
Number	Description	Rail Color
PS42SS-001	Cotton	001
PS42SS-763	Taupe	002
PS42SS-764	Beige	002
PS42SS-765	Ivory	002
PS42SS-766	Classic Gray	091
PS42SS-823	Blue Wind	091
PS42SS-824	Gray Storm	091
PS42SS-025	Black	025
PS42SS-519	Bamboo Stone	012
PS42SS-346	Bamboo Antique	091

3/4" Single Cell		
Sheer Light Filtering		
Number	Color Description	Rail Color
PS360-001	Cotton	001
PS360-004	Alabaster	006

3/4" Single Cell		
LUX Linen Light Filtering		
Number	Description	Rail Color
PS47B-901	Porcelain	001
PS47B-919	Camel	006
PS47B-921	Stonington Gray	091
PS47B-930	Charcoal	091
PS47B-992	Hazelnut	012

3/4" Single Cell		
Slub Woven Light Filtering		
Number	Description	Rail Color
PS47S-001	Cotton	001
PS47S-004	Alabaster	006
PS47S-012	Cocoa	012
PS47S-021	Gray Sheen	091
PS47S-326	Dark Chocolate	326

3/4" Single Cell		
Whisper Woven Light Filtering		
Number	Description	Rail Color
PS47KO-001	Cotton	001
PS47KO-006	Fawn	006
PS47KO-583	Feather Gray	091
PS47KO-823	Blue Wind	091
PS47KO-824	Gray Storm	091

Color Availability

Cellular Fabrication Selection and Color Coordination																					
Fabric Color No.	Fabric Color Name	9/16"					3/4"												7/16"	1 1/4"	
		Single Cell LF	Single Cell BO	Single Cell Linen Print LF	Single Cell Slub Woven LF	Single Cell Fire Retardant LF & BO	Single Cell LF	Single Cell BO	Single Cell Bamboo LF & BO	Single Cell Smooth BO	Single Cell Linen Print LF & BO	Single Cell Tweed Print LF & BO	Single Cell Slub Woven LF	Single Cell LUX Linen LF	Single Cell Whisper Woven LF	Single Cell Sheer LF	Cell-In-A Cell LF & BO	Double Cell LF	Single Cell LF	Single Cell BO	
001	Cotton	Yes	Yes	n/a	Yes	Yes	Yes	Yes	n/a	n/a	n/a	n/a	Yes	n/a	Yes	Yes	Yes	Yes	Yes	Yes	
002	Snow White	Yes	Yes	n/a	n/a	n/a	Yes	Yes	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
003	Onion	Yes	Yes	n/a	n/a	n/a	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
004	Alabaster	Yes	Yes	n/a	Yes	n/a	Yes	Yes	n/a	n/a	n/a	Yes	Yes	n/a	n/a	Yes	n/a	Yes	n/a	n/a	
005	Cream	Yes	n/a	n/a	n/a	n/a	Yes	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
006	Fawn	Yes	Yes	n/a	n/a	Yes	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	Yes	Yes	Yes	
007	Biscuit	Yes	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
008	Pongee	Yes	Yes	n/a	n/a	Yes	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
009	Ocher	Yes	Yes	n/a	n/a	n/a	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
010	Tan	Yes	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
011	Terra Cotta	Yes	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
012	Cocoa	Yes	Yes	Yes	Yes	n/a	Yes	Yes	n/a	n/a	Yes	n/a	Yes	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
013	Spring Green	Yes	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
014	Water Green	Yes	n/a	n/a	n/a	n/a	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
015	Avocado	Yes	Yes	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
016	Roseate	Yes	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
019	Agate Red	Yes	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
020	Bordeaux	Yes	Yes	n/a	n/a	n/a	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
021	Gray Sheen	Yes	Yes	n/a	Yes	n/a	Yes	Yes	n/a	Yes	n/a	n/a	Yes	n/a	n/a	n/a	n/a	Yes	Yes	Yes	
022	Marine Blue	Yes	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
023	Royal Gray	Yes	n/a	n/a	n/a	n/a	Yes	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
024	Jean Blue	Yes	Yes	n/a	n/a	n/a	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
025	Black	Yes	Yes	n/a	n/a	n/a	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	Yes	n/a	n/a	
026	Wisteria	Yes	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
030	Anthracite	Yes	n/a	n/a	n/a	n/a	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
032	Sand	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
034	Gray	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
069	White Dove	Yes	Yes	n/a	n/a	n/a	Yes	Yes	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
070	Winter White	Yes	Yes	n/a	n/a	Yes	Yes	Yes	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
326	Dark Chocolate	Yes	Yes	Yes	Yes	n/a	Yes	Yes	n/a	n/a	Yes	n/a	Yes	n/a	n/a	n/a	n/a	Yes	n/a	n/a	
344	Pebble	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
346	Antique Pewter	n/a	n/a	n/a	n/a	n/a	Yes	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	
470	Slate	Yes	Yes	n/a	n/a	n/a	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
514	Misty Gray	n/a	n/a	Yes	n/a	n/a	n/a	n/a	Yes	n/a	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
519	Stone	n/a	n/a	n/a	n/a	n/a	Yes	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	
583	Dark Grey Sheen	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	Yes	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	
763	Taupe	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	
764	Beige	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	
765	Ivory	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	
766	Classic Gray	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	
786	Greige	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
788	Pale Slate	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
823	Blue Wind	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	Yes	n/a	n/a	n/a	
824	Gray Storm	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	Yes	n/a	n/a	n/a	n/a	
901	Porcelain	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	
919	Camel	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
921	Stonington Gray	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
930	Charcoal	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
992	Hazelnut	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	n/a	n/a	Yes	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

Price Groups by Fabric Styles

Price Group by Fabric Type				
Cell Size	Cell Type	Filter	Style	Price Group
7/16"	Double Cell	Light Filtering	Light Filtering	4
9/16"	Single Cell	Light Filtering	Linen Print	1
			Light Filtering	2
			Flame Retardant	5
			Slub Woven	9
		Blackout	Blackout	6
			Flame Retardant	9
3/4"	Single Cell	Light Filtering	Smooth	1
			Linen Print	2
			Light Filtering	3
			Bamboo Print	3
			Tweed Print	3
			Whisper Woven	8
			Sheer	8
			Slub Woven	9
			Lux Linen	9
		Blackout	Smooth	5
			Linen Print	6
			Blackout	7
			Bamboo Print	7
			Tweed Print	7
	Cell-in-a-Cell	Light Filtering	Light Filtering	8
		Blackout	Blackout	9
1 1/4"	Single Cell	Light Filtering	Light Filtering	3
		Blackout	Blackout	7

Fabric Type by Price Group				
Cell Size	Cell Type	Filter	Style	Price Group
9/16"	Single Cell	Light Filtering	Linen Print	1
3/4"	Single Cell	Light Filtering	Smooth	1
9/16"	Single Cell	Light Filtering	Light Filtering	2
3/4"	Single Cell	Light Filtering	Linen Print	2
3/4"	Single Cell	Light Filtering	Light Filtering	3
3/4"	Single Cell	Light Filtering	Bamboo Print	3
3/4"	Single Cell	Light Filtering	Tweed Print	3
1 1/4"	Single Cell	Light Filtering	Light Filtering	3
7/16"	Double Cell	Light Filtering	Light Filtering	4
9/16"	Single Cell	Light Filtering	Flame Retardant	5
3/4"	Single Cell	Blackout	Smooth	5
9/16"	Single Cell	Blackout	Blackout	6
3/4"	Single Cell	Blackout	Linen Print	6
3/4"	Single Cell	Blackout	Blackout	7
3/4"	Single Cell	Blackout	Bamboo Print	7
3/4"	Single Cell	Blackout	Tweed Print	7
1 1/4"	Single Cell	Blackout	Blackout	7
3/4"	Single Cell	Light Filtering	Whisper Woven	8
3/4"	Single Cell	Light Filtering	Sheer	8
3/4"	Cell-in-a-Cell	Light Filtering	Light Filtering	8
9/16"	Single Cell	Light Filtering	Slub Woven	9
9/16"	Single Cell	Blackout	Flame Retardant	9
3/4"	Single Cell	Light Filtering	Slub Woven	9
3/4"	Single Cell	Light Filtering	Lux Linen	9
3/4"	Cell-in-a-Cell	Blackout	Blackout	9

Shade Pricing

Group 1

• 9/16" Single Cell Light Filtering Linen Print

• 3/4" Single Cell Light Filtering Smooth

Width to:	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
Length to:															
36	108	125	143	162	177	198	217	236	256	296	336	374	415	455	490
42	118	134	155	177	195	218	240	264	285	329	373	416	460	504	546
48	124	146	167	190	211	237	259	286	310	357	405	455	503	551	600
54	135	160	184	208	232	259	286	314	340	393	445	499	552	606	657
60	146	170	198	226	250	281	310	339	366	424	482	541	596	655	713
66	159	185	213	243	271	302	333	364	396	458	521	581	646	707	769
72	167	195	228	259	289	323	357	391	423	489	559	624	691	757	823
78	175	208	239	273	310	343	381	416	453	523	594	665	736	807	879
84	184	217	253	289	324	361	400	438	475	548	625	699	778	853	928
90	191	229	267	303	341	382	421	462	503	582	660	740	821	901	981
96	201	238	277	317	357	400	442	484	525	609	693	776	862	945	1029
108	217	259	302	345	392	438	484	529	576	669	761	853	947	1037	1131
120	233	280	330	378	427	479	527	580	628	728	831	929	1031	1132	1233
132	249	300	353	405	461	516	570	625	677	789	898	1005	1116	1222	1331
144	266	321	379	437	495	553	612	670	729	846	964	1080	1201	1316	1433

Group 2

• 9/16" Single Cell Light Filtering

• 3/4" Single Cell Light Filtering Linen Print

Width to:	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
Length to:															
36	123	142	162	184	203	227	248	269	292	337	381	424	470	516	559
42	132	153	176	203	224	249	274	298	321	374	423	471	523	572	621
48	142	166	190	216	239	271	296	323	352	405	461	516	572	628	680
54	153	182	209	236	264	295	323	357	385	445	506	566	629	688	748
60	167	194	227	255	285	320	352	384	418	483	548	613	678	744	811
66	180	209	243	275	308	344	377	415	448	520	591	659	734	802	874
72	190	223	258	294	329	369	405	444	481	555	634	709	785	860	937
78	201	236	273	311	352	391	433	474	513	593	675	755	837	919	999
84	208	248	288	329	370	412	455	498	540	623	711	795	884	968	1054
90	217	259	302	344	387	435	479	524	571	660	751	842	932	1025	1114
96	228	271	316	360	405	455	502	549	596	692	789	882	981	1074	1171
108	248	294	344	394	445	498	550	603	655	759	865	968	1076	1179	1284
120	266	319	375	429	485	543	600	656	713	826	943	1056	1173	1285	1401
132	282	341	401	462	524	585	648	710	771	896	1021	1141	1268	1389	1513
144	301	365	429	496	563	629	695	761	827	963	1095	1227	1365	1495	1630

Group 3

• 3/4" Single Cell Light Filtering

• 3/4" Single Cell Light Filtering Bamboo Print

• 1 1/4" Single Cell Light Filtering

• 3/4" Single Cell Light Filtering Tweed Print

Width to:	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
Length to:															
36	132	152	174	197	218	245	268	290	315	363	413	459	508	558	603
42	144	166	190	217	240	269	296	321	349	403	458	509	564	618	670
48	152	177	205	234	258	292	319	350	379	439	499	558	617	677	735
54	166	195	226	255	285	319	351	385	417	482	547	611	678	742	806
60	181	210	245	276	308	345	379	416	450	522	591	664	733	803	876
66	193	226	261	297	333	373	407	447	485	561	638	713	793	866	944
72	206	239	278	317	355	397	438	480	520	602	686	764	847	928	1011
78	219	260	300	341	386	429	477	521	566	653	743	832	922	1011	1098
84	229	272	317	361	406	454	501	547	593	686	782	876	973	1067	1162
90	239	287	333	380	427	479	527	576	629	728	826	927	1028	1128	1227
96	251	298	349	397	447	501	552	605	657	762	868	971	1079	1183	1288
108	273	323	379	434	490	548	606	665	721	837	952	1066	1185	1300	1414
120	292	352	414	474	534	597	660	723	785	910	1037	1163	1293	1416	1541
132	312	377	442	508	576	645	713	781	848	986	1122	1258	1399	1531	1666
144	333	402	475	546	618	693	765	839	911	1059	1206	1353	1504	1646	1793

*Notes: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details

Shade Pricing

Group 4

• 7/16" Double Cell Light Filtering

Width to:	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
Length to:															
36	144	165	189	213	254	260	288	312	336	387	440	488	540	588	636
42	159	182	207	238	260	294	320	352	378	435	495	549	608	663	719
48	164	193	223	254	279	313	344	376	408	469	533	595	658	720	781
54	180	209	239	274	307	341	376	411	444	510	581	648	718	782	852
60	195	227	264	296	333	373	408	448	485	561	634	710	784	845	931
66	211	247	285	322	361	405	445	486	527	610	690	771	854	933	1014
72	224	259	300	342	384	429	471	517	562	646	736	822	907	994	1077
78	238	281	327	373	420	466	512	563	610	705	800	894	990	1085	1177
84	251	297	344	395	442	495	544	596	646	748	847	948	1052	1151	1252
90	264	312	364	417	468	524	576	632	687	794	902	1008	1117	1223	1330
96	274	329	380	437	492	549	608	665	720	835	950	1063	1178	1288	1403
108	299	355	416	478	540	603	664	728	792	916	1037	1162	1289	1412	1538
120	328	390	459	527	596	667	735	805	876	1012	1153	1289	1430	1568	1706
132	353	425	501	575	652	729	806	882	960	1113	1266	1419	1573	1719	1873
144	374	455	534	615	697	780	861	944	1029	1193	1353	1516	1684	1845	2009

Group 5

• 3/4" Single Cell Blackout Smooth

• 9/16" Single Cell Light Filtering Flame Retardant

Width to:	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
Length to:															
36	155	177	203	227	250	278	303	331	357	412	467	521	575	628	681
42	170	193	222	250	277	310	336	366	397	460	521	581	645	702	798
48	183	212	245	277	307	342	375	413	445	516	587	654	728	795	863
54	201	231	266	303	337	376	414	453	488	566	645	719	798	874	950
60	219	248	288	329	363	406	444	489	530	614	699	780	866	950	1032
66	233	266	308	351	392	438	480	526	571	660	754	844	936	1023	1114
72	249	287	334	380	425	476	522	573	621	720	822	921	1021	1118	1217
78	265	302	353	403	455	505	555	611	660	768	876	981	1089	1192	1299
84	276	318	373	427	478	534	588	647	700	815	927	1038	1155	1267	1381
90	292	340	397	455	510	571	628	691	750	870	991	1114	1238	1360	1484
96	302	355	416	477	534	600	659	726	790	917	1046	1174	1305	1434	1563
108	329	385	455	523	590	660	727	800	869	1010	1154	1296	1442	1583	1727
120	353	420	495	568	659	719	795	875	949	1105	1260	1419	1576	1735	1933
132	382	456	540	623	721	789	870	957	1042	1211	1383	1554	1730	1957	2230
144	407	489	576	667	783	849	940	1029	1120	1304	1490	1676	1899	2171	2481

Group 6

• 9/16" Single Cell Blackout

• 3/4" Single Cell Blackout Linen Print

Width to:	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
Length to:															
36	169	193	219	247	272	302	330	359	390	446	508	566	627	684	741
42	185	210	239	272	301	336	365	399	433	500	567	631	700	764	867
48	198	231	266	301	334	373	407	447	484	560	636	712	791	863	940
54	217	251	289	330	366	407	448	491	530	615	700	782	867	949	1033
60	238	270	312	357	396	442	483	532	576	669	759	847	942	1033	1121
66	253	288	334	381	425	476	521	571	621	718	819	918	1016	1111	1212
72	271	312	362	414	462	517	567	624	674	782	894	1001	1109	1216	1323
78	288	330	383	438	492	549	605	665	718	835	950	1066	1183	1296	1411
84	299	345	405	464	519	582	638	702	761	886	1009	1130	1256	1379	1500
90	317	370	433	492	554	621	681	751	815	947	1077	1212	1345	1476	1612
96	329	385	453	519	583	652	717	790	858	995	1137	1277	1419	1559	1700
108	357	420	495	568	643	717	791	869	945	1098	1255	1408	1567	1722	1877
120	383	457	538	617	717	782	863	949	1032	1200	1369	1541	1715	1885	2102
132	416	496	586	676	784	856	947	1038	1131	1316	1504	1688	1882	2127	2423
144	443	531	628	726	853	924	1022	1118	1218	1419	1619	1822	2065	2360	2697

*Notes: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details

Shade Pricing

Group 7

- 3/4" Single Cell Blackout
- 1 1/4" Single Cell Blackout

- 3/4" Single Cell Blackout Bamboo Print
- 3/4" Single Cell Blackout Tweed Print

Width to:	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
Length to:															
36	186	213	243	272	298	333	362	395	427	490	560	623	690	751	815
42	204	231	265	299	332	371	402	439	476	549	624	694	771	841	954
48	218	253	292	331	366	411	448	491	532	615	700	782	869	950	1033
54	239	276	317	362	403	449	492	541	584	676	771	861	954	1045	1137
60	264	296	342	393	435	486	531	586	634	735	836	932	1035	1137	1235
66	278	316	369	419	468	523	572	629	684	791	900	1009	1118	1222	1332
72	298	342	399	455	508	568	625	686	741	861	983	1100	1220	1338	1454
78	316	362	422	482	543	605	665	731	791	919	1046	1173	1302	1425	1553
84	331	380	445	510	571	639	701	774	838	974	1110	1242	1382	1515	1652
90	349	405	476	543	610	684	751	825	897	1043	1185	1331	1479	1624	1772
96	361	424	498	570	639	717	790	867	944	1095	1252	1404	1560	1716	1870
108	393	462	544	626	707	791	868	957	1041	1209	1380	1550	1723	1893	2065
120	422	503	591	679	790	860	948	1045	1135	1321	1507	1697	1885	2074	2312
132	458	545	645	743	863	942	1042	1142	1244	1447	1654	1857	2070	2340	2666
144	487	585	690	797	938	1015	1122	1231	1341	1559	1782	2003	2272	2597	2967

Group 8

- 3/4" Single Cell Light Filtering Whisper Woven
- 3/4" Single Cell Light Filtering Sheer

- 3/4" Cell-in-a-Cell Light Filtering

Width to:	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
Length to:															
36	207	236	271	308	339	380	415	448	487	565	637	711	789	863	933
42	223	257	296	338	373	417	460	500	540	625	709	791	875	959	1037
48	235	276	317	362	401	454	496	542	588	679	772	863	959	1050	1139
54	258	302	350	397	441	495	543	597	646	747	846	948	1052	1151	1252
60	279	324	379	428	476	537	588	645	698	807	918	1028	1136	1246	1357
66	299	351	405	461	516	575	632	693	752	869	990	1106	1227	1343	1462
72	318	373	433	492	549	615	678	742	805	931	1063	1184	1315	1440	1569
78	335	396	457	520	588	653	723	792	860	993	1130	1263	1402	1537	1672
84	349	414	482	549	618	688	760	833	902	1043	1190	1329	1479	1621	1766
90	364	435	506	576	650	728	800	878	957	1106	1257	1409	1562	1715	1866
96	381	455	527	604	679	760	840	920	999	1158	1320	1476	1640	1798	1958
108	415	492	575	658	744	834	921	1009	1097	1272	1448	1620	1802	1975	2150
120	444	533	627	718	813	909	1004	1099	1194	1384	1578	1767	1962	2154	2344
132	474	572	671	773	877	981	1085	1188	1289	1498	1706	1912	2124	2327	2534
144	505	612	720	831	941	1053	1163	1275	1386	1611	1833	2057	2285	2502	2727

Group 9

- 9/16" Single Cell Light Filtering Slub Woven
- 9/16" Single Cell Blackout Flame Retardant
- 3/4" Cell-in-a-Cell Blackout

- 3/4" Single Cell Light Filtering Slub Woven
- 3/4" Single Cell Light Filtering Lux Linen

Width to:	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
Length to:															
36	227	259	296	337	373	417	455	492	534	621	700	780	865	947	1025
42	245	281	324	372	408	458	504	548	591	686	778	866	959	1052	1139
48	258	303	349	398	440	497	543	594	645	747	846	947	1051	1152	1252
54	285	333	383	435	484	543	595	656	709	819	929	1041	1155	1263	1372
60	307	357	416	469	521	588	645	708	765	886	1006	1128	1245	1368	1488
66	329	384	445	505	565	632	693	760	824	953	1087	1213	1348	1473	1603
72	350	407	475	541	604	676	747	816	883	1022	1167	1301	1443	1579	1721
78	366	434	502	570	645	717	795	868	944	1090	1240	1386	1537	1686	1833
84	382	455	529	603	678	754	835	912	989	1143	1305	1458	1624	1780	1937
90	401	478	555	633	713	798	878	963	1050	1213	1379	1547	1715	1881	2046
96	418	498	580	663	747	835	922	1009	1096	1272	1448	1620	1800	1973	2149
108	455	541	632	722	818	916	1010	1107	1203	1394	1589	1779	1977	2167	2359
120	486	586	688	790	891	999	1100	1209	1309	1518	1730	1939	2155	2361	2571
132	520	628	736	847	962	1075	1190	1302	1415	1643	1873	2098	2331	2553	2779
144	554	672	791	910	1032	1156	1277	1399	1520	1767	2013	2256	2506	2746	2991

*Notes: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details

Simple Touch® Wand and Remote Motorization

Simple Touch® Wand

Simple Touch® Wand allows the convenience of motorized shade without needing to worry where the remote is. Operated by 8 AA batteries, this unique cordless, battery powered shade has a control on a wand handle. Simple Touch® Wand cellular shades are made with the heavy-duty headrail and finest cellular shade fabrics. We offer a variety of options for the consumers' convenience.

Features and Options:

- Components color coordinated to shade based on standard color coordination chart on page 5
- Minimum wand length 12", Maximum wand length 60"
- Standard location right side unless specified
- Limits will be preset at upper 0" and lower at the ordered drop. Consumers can set favorite position.
- Shades are installed with heavy duty brackets. Instructions and programing guide included in hardware bag

Power options:

- 8 AA Alkaline batteries included, however lithium batteries are recommended for durability
- Power adapter – 70" including cord length in headrail, power extension cord optional

Battery Replacement:

Battery life expectancy is estimated around 1 year based on frequency of operation. Battery life can be extended with the use of lithium batteries. When batteries are running low, shades will start to operate at a slower speed, indicating replacement batteries are needed.

Battery Box Location:

- Standard: inside headrail without battery box cover
- Outside the headrail option: Battery box can ordered for installation outside headrail but requires box cover included in hardware bag
 - When the battery box is moved outside the headrail, the cord can go through between the headrail and window frame.
 - When ordering battery box outside the headrail, the minimum width can be reduced to 24"
 - Optional extension cord available and sold separately if needed.

Simple Touch® Wand Motorization Surcharges	Net
Simple Touch® Wand	\$71
Power adapter (with 70" cord)	\$17
8 Alkaline batteries	\$7
8 Lithium batteries	\$21
Power extension cord (118")	\$7

Simple Touch® Wand



Simple Touch® Wand Size Limitation	Single Cell Light Filtering	Single Cell Blackout	Double Cell Blackout
Minimum Width	28"	28"	28"
Minimum Length	12"	12"	12"
Maximum Width	118"	118"	96"
Maximum Height	118"	118"	118"
Maximum Weight	9 lbs.	9 lbs.	9 lbs.

Simple Touch® Motorization

Simple Touch® Motorized Shades allow the convenience of remote controlled motorized shades with an economical option to meet your budget. With a 15 channel remote, powered by 8 AA lithium batteries, this system is available in standard shades, Top Down Bottom Up and Day/Night shades.

Features and Options:

- Standard location right side unless specified
- Limits will be preset at upper 0" and lower at the ordered drop. Consumers can set favorite position.
- Shades are installed with heavy duty brackets. Instructions and programing guide included in hardware bag

Power options:

- 8 AA lithium batteries included
- Power adapter – 70" including cord length in headrail,
- power extension cord optional

Battery Replacement:

When batteries are running low, shades will start to operate at a slower speed, indicating replacement batteries are needed.

Battery Box Location:

- Standard: inside headrail without battery box cover
- Outside the headrail option: Battery box can be installed outside headrail but requires box cover included in hardware bag
 - When the battery box is moved outside the headrail, the cord can go through between the headrail and window frame.
 - When ordering battery box outside the headrail, the minimum width for Top Down Bottom Up and Day/Night can be reduced to 40"
 - Optional extension cord available and sold separately if needed.

Simple Touch® Remote

- Standard Shade upper limit preset at 0" and bottom limit set at ordered drop
- Top Down Bottom Up and Day/Night limits are preset with top limit at very top middle and bottom position. Bottom limit is set with both middle and bottom rails at lower position of ordered drop. Remote can control middle or bottom rail individually or together at the same time. Right buttons control the middle rail and left buttons control the bottom rail.

Simple Touch® Remote Motorization Surcharges	Net
Standard Motorized Shade (added to corded pricing)	\$124
Top Down Bottom Up Motorized Shade (added to Top Down Bottom Up corded pricing)	\$146
Day/Night Shade (added to Day/Night corded pricing)	\$146
Controls	
Simple Touch® 15 Channel Remote for standard shades	\$27
Simple Touch® 15 Channel Remote for Top Down Bottom Up & Day/Night shades	\$39
Additional Hardware	
Power adapter (with 70" cord)	\$17
8 Lithium batteries	\$21
Power extension cord (118")	\$7

Simple Touch® Remote Motorization Size Limitation	Standard Shades		Top Down Bottom Up or Day/Night Shades	
	Single Cell	Double Cell	Single Cell	Double Cell
Minimum Width	28"	28"	36"	36"
Minimum Length	12"	12"	12"	12"
Maximum Width	120"	120"	120"	120"
Maximum Height	96 sq. ft	75 sq. ft.	96 sq. ft	75 sq. ft.
Maximum Weight	15 lbs.	15 lbs.	15 lbs.	15 lbs.



Automate Motorization

Cellular Shade Collection shades powered by Rollease Acmeda Automate (RTS) Radio Technology System provides the convenience of remote-controlled motorized shades with a well know motorization brand. With two motor types, multiple remote options along with smart device and voice command capability adding Automate Motors to your shade allows a new level of shade control.



**ROLLEASE
ACMEDA**
PRECISION IN MOTION



Motorization Options	Net
Standard Shades	
• Motorization with reloadable battery tube	\$157
• Li-ion Motorization with rechargeable battery pack & charger	\$194
Top Down Bottom Up	
• Motorization with reloadable battery tube	\$281
• Li-ion Motorization with rechargeable battery pack & charger	\$356
Skylight	
• Motorization with reloadable battery tube	\$200
• Li-ion Motorization with rechargeable battery pack & charger	\$244
Control Options	
5 Channel Push Remote	\$56
15 Channel Remote	\$69
Pulse 2 Hub	\$188
Additional Hardware	
Reloadable battery tube (requires 8 AA lithium batteries)	\$25
8 Lithium AA batteries	\$21
Rechargeable battery pack	\$69
5v USB Wall Charger Block	\$8
5v USB Charge Cable 156"	\$13
96" motor extension cable	\$6
Solar Panel (only works with rechargeable battery pack)	\$125

Size Limitations	Standard	TDBU	Skylight
Minimum Width	18"	28"	24"
Minimum Height	12"	12"	10"
Maximum Width	120"	96"	60"
Maximum Height	120"	96"	60"



5 Channel Remote



15 Channel Remote



Pulse 2 Hub



Solar Panel
12.6" W x 2.7" H

Reloadable Battery Tube Features:

- Reloadable battery tube and 8 AA Lithium batteries are included
- 1-1/2" color coordinated headrail
- Handheld remote control only (no hardwire)
- Radio frequency control
- Wall mount clips are included
- Smart system capability with the Pulse 2 Hub
- Flash depth including the headrail and battery tube is 3"



Li-ion Rechargeable Battery Features:

- Li-ion rechargeable battery pack and 80" charger included
- 1-1/2" color coordinated headrail
- Handheld remote control only (no hardwire)
- Radio frequency control
- Wall mount clips and headrail mounts are included
- Smart system capability with the Pulse 2 Hub
- Flash depth including the headrail and battery tube is 3 1/4"



Additional notes

Top Down Bottom Up

- Default setting of the remote is that Channel 1 controls the middle rail and Channel 2 Controls the bottom rail.
- To raise the shade, always lower the bottom rail first by pressing channel 2 and then lower the middle rail by pressing channel 1.
- To raise the shade, start with the middle rail by pressing channel 1 followed by pressing channel 2 for the bottom rail.

Skylight

- Standard location for fabric on the motorized skylight is between the middle and bottom rails. The rail with the motor inside should always be installed at the top.
- The 96" motor cable extender is available to order
- Do not install battery where it can be exposed to direct sun light.

Sliders and Specialty Shapes

Slider Cellular Shade

Features:

- Available only in 9/16" & 3/4" light filtering and blackout cellular fabrics.
- Not available in 7/16", 3/4" Cell-in-a-Cell fabrics, Linen Prints or Sheer fabrics
- Aluminum headrail and side rails available in Vanilla 002 (off-white)
- Integrated headrail requires no valance
- Cordless design
- Finished shades available in Left Stack, Center Stack or Right Stack
- Ideal for patio doors, wide windows or room dividers
- Stationary rail bottom bracket can be mounted to the floor or side walls, extension brackets available upon request. To mount the stationary bottom rail bracket to the floor, the distance between the floor and the bottom of the shade cannot be larger than 1 1/2"


Deductions			Size Limitations		Stack Width			
	Width	Height	Minimum Width	24"		Left Stack	Right Stack	Center Stack
Inside Mount	1/4"	1/2"	Minimum Height	24"				
			Maximum Width	120"	Minimum Width	6"	6"	6" per side
Outside Mount	None	None	Maximum Height	118"				

Handle Position

Height ≤ 72"	At the center of the moving rail
Height 72 1/8" – 96"	38" from the bottom of the moving rail
Height 96 1/8" – 132"	48" from the bottom of the moving rail

Minimum Mounting Space

	Minimum Mounting Depth	Minimum Flush Mount Depth
Inside Mount	2 3/4"	4"
Outside Mount	2 1/4" (Minimum Flat Vertical Surface)	



Specialty Shades & Arches

- Specialty Shades and Arches are not available for skylights
- Finished size must be provided, manufacturer will not make any deductions
- Perfect versus Non-perfect arches or circles: Perfect arches are those where the radius of the circle are consistent on all points. Non-perfect arches are not consistent at all points. Deviation of 1/16" makes it imperfect. Templates will be required on all non-perfect arches or circles.

	Shape	Operational	Template	Width Minimum	Width Maximum	Length Minimum	Length Maximum
	Arch	Non-movable	Perfect – No Non-perfect – Yes	18"	84"	9"	48"
	Quarter Arch	Non-movable	Perfect – No Non-perfect – Yes	9"	50"		
	Circle	Non-movable	Perfect – No Non-perfect – Yes	9/16" – 9" 7/16" – 12"	9/16" – 42" 7/16" – 42"		
	Octagon	Yes	Yes	12"	48"	12"	48"
	Trapezoid	Yes	No – But measurement require on all four sides. Longer side cannot exceed 130% of shorter side drop.	12"	60"	12"	72"

Simply Cordless Systems


The Simply Cordless collection offers a cost effective solution for custom cordless cellular shades.

Features:

- Simply Cordless shades available in Standard, Top Down Bottom Up and Day/Night shades
- Standard and Top Down Bottom Up available in both light filtering and blackout fabrics
- State of the Art vinyl headrail and bottom rail system
- 100% Polyester spun non-woven fabric
- Easy to install hidden brackets
- Day/Night shades fabric selection based on light filtering fabrics and will be the matching color in blackout fabric
- Cut to width only, no adjustments to length
 - Minimum Width
 - Standard 18"
 - Top Down Bottom Up 23"
 - Day/Night 23"
 - Lengths available: 48" or 72"

Trim Allowances	Standard	Top Down Bottom Up	Day/Night
30"	12" (6" per side)	7" (3.5" per side)	7" (3.5" per side)
38"	8" (4" per side)	8" (3" per side)	8" (3" per side)
54"	16" (8" per side)	16" (8" per side)	16" (8" per side)
72"	18" (9" per side)	18" (9" per side)	18" (9" per side)

Simply Cordless Standard



Light Filtering Pricing

Width to:	30"	38"	54"	72"
Length to:				
48"	109	132	171	233
72"	124	146	189	257


Blackout Pricing

Width to:	30"	38"	54"	72"
Length to:				
48"	159	195	258	346
72"	175	220	293	396

Simply Cordless Standard Color Chart

Color No.	Single Cell Pattern Color	Type
1G001	Cotton	Light Filtering
1G006	Fawn	Light Filtering
1G021	Gray Sheen	Light Filtering
1G030	Anthracite	Light Filtering
1G069	White dove	Light Filtering
1G070	Winter White	Light Filtering
1G346	Antique Pewter	Light Filtering
1G492	Warm Cocoa	Light Filtering
1G514	Misty Gray	Light Filtering
1G519	Sticks & Stones	Light Filtering
7G519	Bamboo Stone	Light Filtering
7G344	Bamboo Pebble	Light Filtering
2G001	Cotton	Blackout
2G006	Fawn	Blackout
2G021	Gray Sheen	Blackout
2G030	Anthracite	Blackout
2G069	White Dove	Blackout
2G070	Winter White	Blackout
2G346	Antique Pewter	Blackout
2G492	Warm Cocoa	Blackout
2G514	Misty Gray	Blackout
2G519	Sticks & Stones	Blackout
8G519	Bamboo Stone	Blackout
8G344	Bamboo Pebble	Blackout

Simply Cordless Top Down Bottom Up



TDBU Light Filtering Pricing

Width to:	30"	38"	54"	72"
Length to:				
48"	150	173	228	318
72"	166	187	251	341


TDBU Blackout Pricing

Width to:	30"	38"	54"	72"
Length to:				
48"	201	247	315	424
72"	217	279	352	477

Simply Cordless Top Down Bottom Up Color Chart

Color No.	Single Cell Pattern Color	Type
1T001	Cotton	Light Filtering
1T006	Fawn	Light Filtering
1T021	Gray Sheen	Light Filtering
1T030	Anthracite	Light Filtering
1T069	White dove	Light Filtering
1T070	Winter White	Light Filtering
1T346	Antique Pewter	Light Filtering
1T492	Warm Cocoa	Light Filtering
1T514	Misty Gray	Light Filtering
1T519	Sticks & Stones	Light Filtering
7G519	Bamboo Stone	Light Filtering
7G344	Bamboo Pebble	Light Filtering
2T001	Cotton	Blackout
2T006	Fawn	Blackout
2T021	Gray Sheen	Blackout
2T030	Anthracite	Blackout
2T069	White Dove	Blackout
2T070	Winter White	Blackout
2T346	Antique Pewter	Blackout
2T492	Warm Cocoa	Blackout
2T514	Misty Gray	Blackout
2T519	Sticks & Stones	Blackout
8G519	Bamboo Stone	Blackout
8G344	Bamboo Pebble	Blackout

Simply Cordless Day/Night



Day/Night Light Filtering Pricing

Width to:	30"	38"	54"	72"
Length to:				
48"	228	285	374	516
72"	268	333	447	597

Simply Cordless Day/Night Color Chart

Color No.	Single Cell Pattern Color
1D001	Cotton
1D006	Fawn
1D021	Gray Sheen
1D030	Anthracite
1D069	White dove
1D070	Winter White
1D346	Antique Pewter
1D492	Warm Cocoa
1D514	Misty Gray
1D519	Sticks & Stones

Warranty

CACO, Inc. will extend a limited lifetime warranty on Cellular Shade Collection shades, a limited 3 year warranty on fabric, cord and cord locks and a limited 3 year warranty on battery motors and wands. Each shade is warranted to be free from defects in materials and workmanship to the original owner, provided that the shades were properly installed in a window, door or other interior area for which they intended, maintained and cleaned with the manufacturer recommendations.

Damage resulting from misuse, abuse, exposure to the elements, including but not limited to exposure to salty air, discoloration due to sunlight or passage of time, exposure to humidity, accidents, improper installation, alterations or normal wear and tear upon the shades are not covered by this warranty. Some fading or reduction in color intensity may occur and should not be deemed defective. Returns for the above-mentioned reasons are not warranted.

The obligation of CACO's manufactured products and its distributors is limited to repair or replacement of the blinds or components found to be defective, at our option, provided the blinds are returned to an authorized CACO dealer or distributor and accompanied by "proof of purchase". CACO is not responsible for any labor costs associated with fabricating alterations, measuring, or installation and to include shipping charges.

This warranty is exclusive and in lieu of all other obligations, liabilities, or warranties. In no event shall CACO be liable or responsible for incidental or consequential damages, or for any other direct or indirect damage, loss, cost, expense, or fee. Some states do not allow the exclusion or limitations of incidental or consequential damages, so this limitation may not apply to you. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.