

Retail Price Guide 2024 Cordless Aluminum Blinds

Version 1 6/1/2024

Table of Contents

Customer Service Polices	1-2
Horizontal Blinds	
- <u>Aluminum Horizontal Blinds</u>	
Available Colors and Limitations	3-4
1" Standard Cordless	5
1" Premium Cordless	6
1" Motorized	7
2" Cordless	8
1/2" Micro Cordless	8
Warranty	9





Window Blind Cord Can STRANGLE Your Child. Keep cords out of children's reach. Shorten cords to prevent reach. Move crib and furniture away – Children can climb furniture to reach cords.





La cuerda de la persiana puede **ESTRANGULAR** a su niño. Mantenga las cuerdas fuera del alcance de los niños. Acorte las cuerdas para evitar el alcance. Mueva la cuna y los muebles — Los niños pueden subir los muebles para alcanzar las cuerdas.

Customer Service Polices



How to place an order

For your convenience, CACO provides you with the option of placing orders by either telephone, email, online or fax (if placed by fax, CACO will provide order forms at no additional cost; customers must request forms). Orders placed after 3:00 pm EST will be forwarded to the next business day.

Telephone orders

CACO Customer Service Representatives are available between the hours of 8:30 am and 5:00 pm Eastern Standard time at

1-800-552-5278. Any order placed by phone requires a signed order confirmation returned to customer service by fax or email before proceeding with order. Keep in mind, when phoning in your order, it is important to have the following information available:

- Account number (if known)
- Individuals name that is calling
- P.O. number and/or side mark
- Color or colors
- Type of product ordered
- Measurements (width-first, length-second)
- Inside or outside mount (i.m./i.b or o.m./o.b)
- Control instructions
- Ship to address if different than sold-to
- Special instructions for shipping
- Valance instructions
- Any other special instructions
- Quote number, if order is placed from a previous quote

Fax and Email Orders

Fax orders can be placed any time of day or night including holidays at 1-866-926-5836 or email to customerservice@cacoinc.com. To ensure order accuracy for faxed orders, it is advisable to use the order forms CACO supplies or a comparable form. It is important to note the number of pages of your order, including the cover sheet to ensure that no pages will be missing. For fax or email orders please include all of the same information required for telephone orders. Any omission of pertinent information will only delay your orders manufacturing time.

Online Orders

Orders can be placed online at https://88043.picbusiness.com/. If you your account has not been set up to access our online portal, please contact support@cacoinc.com to sign up. This access allows you to quote, order as well as make payments online. Please note roller shades, aluminum blinds and shutters are not available online to quote or place as orders, you will need to contact customer service to for information about these products. Additionally, orders are released from internet hold and reviewed for credit at the daily 3:00 PM EST cutoff. Any orders submitted online after this time will be reviewed the following business day.

How to expedite an order

We can often provide a faster ship date for emergency situations, only if this is noted at the time the order is placed. Requested next day and second day shipping will move freight prepaid and will be added to your account at the time of invoicing.

Expedite cost

48-hour rush: \$7.50 per blind 72-hour rush: \$5.00 per blind

NOTE: Rush only applies to discounted orders, not on contract quotes and may not be available during high volume periods. The clock starts running after your order clears credit and enters production.

How to add on or make changes to an order

In the event that you wish to add to your original order, it is possible, as long as the order is still in production. You will be required to submit changes in writing and must be signed by a person of authority indicating the items you wish to add or change. No verbal requests can be made. You will need to refer to the original P.O. number and indicate clearly the additions or changes you're requesting. Note: because add-ons may affect production time, check with customer service for any possible delays.

How to cancel an order

Cancellations or changes require an immediate response and can only take place up until the start of fabrication. You must first identify your P.O. number or side mark and then state the cancellation or change. Cancellations must be faxed or emailed in writing only, phone calls are not permitted. If an order has already been cut, a minimum charge of 50% will apply.

Should you order for the same room at different times?

This is a frequently asked question and should be addressed and explained at the point of sale. Under normal circumstances blinds, shades and verticals should be ordered for the same room at one time to prevent color deviations, as a result of dye and paint color variations from original lot to the other. If additional blinds, shades or verticals are ordered at a later time for the same room there can be a distinct color difference from the existing product to the new product. Also, window coverings that have been previously installed can have shade differentiations from newer products due to the progress of aging.

Questions concerning an order

Once you contact customer service you must have your P.O. number and/or side mark available.

Shipping and Handling Charges

- $_{\circ}$ A \$15 minimum order charge will be added to any order with only one item.
- A \$8 per blind handling fee (except verticals) will be added for all delivery orders.
- A \$10 per blind handling fee (except verticals) will be added to drop ship orders in lieu of the \$8 per blind fee.
- \circ For Vertical Blinds, a \$14 per blind handling fee will be added for all delivery orders.
- For Vertical Blinds, a \$16 per blind handling fee will be added to drop ship orders in lieu of the \$14 per blind fee.
- Any orders with a product over 90" width (width or length for verticals) will have an oversized fee of \$85 per blind up to \$170 added to the per blind fee.
- Any orders with a product over 104" (including width or length for verticals or valances that are not ordered spliced) will ship by LTL carrier F.O.B Johnson City, TN.
- Any order to be delivered by LTL truck to an area considered residential or restricted delivery areas by freight carriers will have an additional fee of \$125. The residential fee can be avoided if you opt to pick up shipment at the freight terminal in lieu of delivery. If you opt for terminal pick up, customer service will need to be informed at the time your order is placed.
- Accessorial LTL Truck delivery charges such as liftgate, inside delivery, re-consignment, re-delivery, etc. will be the responsibility of the receiving party.



Credit and additional charges

Open accounts are established by submitting a CACO credit application. You will be required to list trade and bank references as well as a current sales tax id number. C.O.D. accounts are also obligated to submit a credit application. Invoices are due within 30 days of the date posted. After 30 days accounts will be charged 1.5% interest per month. CACO reserves the right not to ship to accounts with past due balances.

Payment Policy

Current payment methods accepted are check, emailed or faxed checks for ACH processing, credit cards (Mastercard, Visa, Discover) and online payments by credit card or bank draft. Due to additional credit card fees, effective March 8th, a 2% processing fee will be added to all credit card payments. This fee can be avoided by either mailing checks to our PO Box or to expedite payments send a copy of your check along with our Check by Fax form by email to customerservice@cacoinc.com or fax to (866) 552-5278. Please note CACO will not automatically charge any credit card or process ACH transaction without approval at the time of each transaction.

If you receive product that has been visibly damaged while in transit

Before accepting any shipments, please examine each carton carefully. If shipment shows any signs of mistreatment or damage, i.e., wheel marks, crushed or bent cartons note this on the bill of lading and have the driver sign it and note damage. Should a replacement be necessary, CACO will bill you. Your replacement invoice will enable you to file a claim with the responsible carrier. It is imperative that you count all cartons prior to signing the bill of lading; any shortages must be noted on the bill of lading with the driver's signature.

Shipping discrepancies

If the product received does not agree with your packing slip, contact a CACO customer service representative within 24 hours. Your representative will verify any action needed for a resolution and expedite any necessary replacements.

If you should receive a defective product

Your warranty protects you against defective products (please read your warranty for all information, disclaimers and liabilities). Should you receive a defective product, contact CACO customer service and provide detailed information including your P.O. number. If the product is not sent back for repair, you will be invoiced for a replacement and required to return back the original product to CACO for inspection. Any issue arising past 30 days from receipt of original order will be required to return product for repair.


How to Measure

Inside mount

A. Measure the window opening at three different places and use the narrowest dimension when ordering. Be exact! The factory will make the blind slightly narrower, so it won't rub against the window casing. (See A inside mount).

B. Measure the height of the window from the top (soffit) down to the sill. NOTE: The finished blind length may have a tolerance of based on product.


Based on product, CACO will automatically make a deduction on width for measurements submitted as inside mount.



Outside mount

Measure exact width and height of the area to be covered. It is recommended that blinds overlap the window opening by at least 1 1/2" on each side to insure privacy and control sunlight. (See A outside mount). When installation is designed for "no sill," allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blinds will be made to exact measurements given. NOTE: The finished blind length may have a tolerance of based on product.

CACO will not make any deductions for measurements submitted as outside mount.





Available Aluminum Slat Colors & Limitations

	1" Mini (6 gauge)
014	
018	White
651	Simple White
652	lvory
189	Artic Ice
665	Almost White
112	Light Alabaster
636	Vanilla
017	Alabaster
	Fawn
611	Beige Satin
502	Wisteria
255	Garnet Red
566	Light Aqua
027	Federal Blue
259	True Blue
178	Imperial Jade
091	Transparent Aluminum
569	Gray AZ
693	Gray Sheen
626	, ,
662	Char Brown
606	Raw Umber
070	Gloss Black
012	Black

	1" Mini (8 gauge)
8014	Matte White
8651	Simple White
8652	lvory
8665	Almost White
8112	Light Alabaster
8631	Fawn
8091	Transparent Aluminum
8569	Gray AZ
8662	Char Brown
8012	Black

2"	Aluminum (8 gauge)
2014	Matte White
2018	White
2665	Almost White
2112	Light Alabaster
2017	Alabaster
2631	Fawn
2091	Transparent Aluminum
2626	Smokey Gray
2606	Raw Umber
2070	Gloss Black

ווכ	beige saiiri	
502	Wisteria	
255	Garnet Red	1" Jewel/Metallix (6 gauge)
566	Light Aqua	302 Brown Gold
)27	Federal Blue	673 Umber Bronze
259	True Blue	672 Mercury Silver
178	Imperial Jade	
091	Transparent Aluminum	
569	Gray AZ	1" Alumiwood (6 gauge)
593	Gray Sheen	754 Oak Wood
326	Smokey Gray	755 Walnut Wood
662	Char Brown	
306	Raw Umber	
	OL	

٨	Aicro Mini (6 gauge)
5014	Matte White
5018	White
5665	Almost White
5017	Alabaster
5631	Fawn
5091	Transparent Aluminum
5626	Smokey Gray
5012	Black

	Mounting:	Space	Size Limitations					
			Minimum	Minimum	Maximum	Maximum		
	Minimum	Flush	Width	Length	Width	Length		
Micro (1/2") Cordless	3/4"	1-3/4"	18"	18"	96"	96"		
1" Standard Cordless	3/4"	1-3/4"	18"	18"	96"	96"		
1" Premium Cordless	7/8"	2"	24"	18"	84"	72"		
1" Simple Touch Wand (installed behind headrail)	7/8"	3-3/4"						
1" Simple Touch Wand (installed wall or frame)	7/8"	2-1/4"	0.4"	1.0"	1.10"	100"		
1" Simple Touch Remote (installed behind headrail)	7/8"	3-1/4"	24"	12"	118"	120"		
1" Simple Touch Remote (installed wall or frame)	7/8"	2"						
2" Cordless	1-1/2"	3"	24"	18"	72"	72"		

Wand Specification										
Blind Drop	Wand length									
=< 25"	12"									
25 1/8" - 45"	18"									
45 1/8" - 55"	24"									
55 1/8" - 65"	30"									
65 1/8" - 85"	40''									
85 1/8" - 96"	50"									

Micro, 1" # of hidden brackets										
Blind Width	Hidden Bracket Qty									
8" - 36"	2									
36 1/8" - 60"	3									
60 1/8" - 85"	4									
85 1/8 - 105"	5									
105 1/8" - 118"	6									

Standard bracket - hidden bracket.

	2" Blinds - # of box brackets & center supports									
Blind Width	Box Bracket qty	Center Support								
< 36"	2	0								
36" - 72"	2	1								

Standard bracket - box bracket



Color Coordination Chart

			SI	ats		Rails, valances, and brackets for different blinds							
Color Coordination Chart		1" 1/2" 2" (micro)		2"	Sta	ndard cord	ess blind	s	Premium cordless & Motorization blinds			Ladder	
				(IIIICIO)		For micro	For micro & 1" blinds		blinds	F	or 1" blinds		- Luuuci
	Cnarr	6G	8G	6G	8G	1-1/2" headrail	Box bracket*	2" rails	Box bracket	Headrail	Valance insert	Bottom rail	
	Matte white	014	8014	5014	2014	15018	005	005	005	001	No Insert	018	004
	White	018	8018	5018	2018	15018	005	005	005	001	No Insert	018	004
	Simple White	651	8651	-	-	15018	005	-	-	001	No Insert	018	004
	Ivory	652	8652	-	-	15018	005	-	-	001	No Insert	018	004
	Arctic Ice	189	-	-	2189	15018	005	005	189	001	No Insert	018	004
	Almost White	665	8665	5665	2665	15665	065	065	065	002	No Insert	665	017
	Light Alabaster	112	8112	-	2112	15665	065	065	065	002	No Insert	665	017
	Vanilla	636	-	-	-	15636	100	-	-	002	636	636	017
	Alabaster	017	-	5017	2017	15665	112	112	112	002	No Insert	665	017
	Fawn	631	8631	5631	2631	15631	031	031	031	006	No Insert	631	005
ors	Beige Satin	611	-	-	-	15611	031	-	-	800	No Insert	611	005
 	Wisteria	502	-	-	-	15502	005	-	-	026	502	502	231
p	Garnet Red	255	-	-	-	15255	233	-	-	020	255	255	255
Standard Colors	Light Aqua	566	-	-	-	15566	005	-	-	014	566	566	374
₹	Federal Blue	027	-	-	-	15027	017	-	-	028	027	027	027
	True Blue	259	-	-	-	15259	017	-	-	091	259	259	025
	Imperial Jade	178	-	-	-	151 <i>7</i> 8	061	-	-	091	178	178	178
	Transparent Aluminum	091	8091	5091	2091	15091	034	034	034	091	No Insert	091	022
	Gray AZ	569	8569	-	-	15569	026	-	-	091	No Insert	569	022
	Gray Sheen	693	-	-	-	15569	281	-	-	091	No Insert	693	022
	Smoky Gray	626	-	5626	2626	15626	026	026	026	091	626	626	022
	Char Brown	662	8662	-	-	15662	062	-	-	025	No Insert	662	662
	Raw Umber	606	-	-	2606	15012	233	033	233	025	No Insert	012	012
	Gloss Black	070	-	-	2070	15012	233	033	233	025	No Insert	012	012
	Black	012	8012	5012	-	15012	233	-	-	025	No Insert	012	012
를 장	Oak Wood	754	-	-	-	15754	233	-	-	011	754	754	302
Alumi	Walnut Wood	755	-	-	-	15755	233	-	-	012	755	755	007
ه × -	Brown Gold Jewel	302	-	-	-	15611	031	-	-	091	302	611	302
Metallix & Jewel	Mercury Silver	672	-	-	-	15091	034	-	-	091	672	091	022
Ae J	Umber Bronze	673	-	-	-	15662	233	-	-	012	673	662	662

The color of the lift cord is white.

[•] The color of 1-1/2" headrail end cap is clear.

[•] For the 1-1/2" headrail, the standard mounting bracket is a hidden bracket. A box bracket is available upon request without additional charge.



1" Standard Cordless

Standard 6 Gauge – Standard Colors

<u> Jiui</u>	<u>luulu o</u>	Guoge -	- Sidilidd	iu Coloi	<u> </u>									
Widt	th to:	23"	26"	29"	32"	36"	40''	44''	48''	52"	57''	62"	67''	72''
	42"	112	118	124	127	136	145	154	162	168	177	186	192	201
	48''	118	124	127	136	145	156	165	168	174	189	195	213	218
	54''	124	127	136	139	156	165	171	177	186	201	213	221	233
2	60''	127	136	139	154	165	171	177	186	192	216	221	236	245
£.	66''	130	139	154	162	171	177	186	195	204	227	236	245	257
Length	72"	139	145	156	165	174	186	192	201	213	233	239	248	260
	84''	145	156	165	171	183	192	204	216	227	245	257	275	286
	90"	154	162	171	183	189	201	216	227	239	257	275	286	301
	96"	162	168	177	186	201	216	227	239	251	275	289	304	319
Clar.	مامسما ٥	C===												
	ndard 8 th to:	23"	26"	29"	32"	36"	40''	44''	48''	52''	57''	62''	67''	72''
	42"	130	137	144	147	158	168	178	189	195	206	216	223	233
	48''	137	144	147	158	168	182	192	195	202	219	226	247	254
	54''	144	147	158	161	182	192	199	206	216	233	247	257	271
2	60''	147	158	161	178	192	199	206	216	223	250	257	274	285
g H	66''	151	161	178	189	199	206	216	226	237	264	274	285	298
Length to:	72"	161	168	182	192	202	216	223	233	247	271	278	288	302
	84''	168	182	192	199	213	223	237	250	264	285	298	319	333
	90"	178	189	199	213	219	233	250	264	278	298	319	333	350

206 * 1" Standard cordless blind is available up to 72" width or 96" length.

195

- * Blind ladder will be color coordinated, but inner lift cord will be white.
- * Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

250

264

278

Standard Features

96"

- Standard Cordless Module*
- 1" wide .006 gauge slats (standard)
- 1" wide .008 gauge slats (optional)

189

- 1" X 1-1/2" steel head rail
- Endcap Color Clear
- Color coordinated C-shape bottom rail
- Wand tilt only (clear wand)
- Left tilt standard
- Inside Mount 1/2" deduction
- Hidden Bracket (standard)
- Box Bracket (optional)
- Limited Lifetime Warranty
- For Color availability see page 19

Size Limitations

216

Minimum width 18"

233

- Maximum width 72"
- Minimum length 18"
- Maximum length 96"
- Minimum mounting space is 3/4"
- Minimum flush mount is 1-3/4"

*Please note due to the nature of the standard cordless module additional effort may be required when raising and lowering to maintain a level blind compared to the premium module.

Surcharges

291

Metallix/Jewel Color (6 gauge only) - 15%

336

353

370

- AlumiWood Color (6 gauge only) 45%
- AlumiWood Real Wood Wand \$13

319



Standard Cordless Headrail



Hidden Bracket (standard)



Box Bracket (optional)



Standard Cordless Module*



1" Premium Cordless

Premium 6 Gauge - Standard Colors

Width	h to:	26"	29"	32"	36"	40''	44"	48''	52"	57"	62"	67''	72"
	42"	148	165	180	202	224	249	273	292	313	337	353	369
Ö	48''	154	168	189	211	236	261	279	298	325	345	373	387
÷	54''	156	177	192	223	245	267	288	310	337	363	382	402
ngt	60''	165	180	207	232	251	273	297	316	351	372	397	413
Ге	66"	168	195	216	238	257	282	306	328	363	387	406	425
	72"	174	198	218	241	266	288	311	337	369	390	409	428

<u>Premium</u>	<u>8 G</u>	<u>auge</u>
Width to:		26"

Width to:		26"	29''	32''	36''	40''	44''	48''	52''	57''	62''	67''	72''
	42''	177	198	216	243	269	299	328	351	376	404	423	443
<u>.</u>	48''	184	202	227	253	283	314	335	358	390	415	448	464
	54''	188	213	230	267	294	321	345	372	404	436	459	482
ngt	60''	198	216	248	278	301	328	356	379	422	446	477	496
Ф	66''	202	234	259	285	308	338	367	393	436	464	487	510
	72''	209	237	262	289	319	345	374	404	443	468	491	514

^{* 1&}quot; Premium cordless blind is available up to 72" width or 72" length.

Standard Features

- Premium Cordless Module with self-leveling control
- 1" wide .006 gauge slats (standard)
- 1" wide .008 gauge slats (optional)
- 1-1/2" X 1-3/4" aluminum head rail
- Endcap Color Coordinated
- Color coordinated C-shape bottom rail
- Wand tilt only (clear wand)
- Left tilt standard
- Inside Mount 1/2" deduction
- Hidden Bracket only
- Clear Lift Handle included
- Limited Lifetime Warranty
- For Color availability see page 19

Size Limitations

- Minimum width 24"
- Maximum width 72"
- Minimum length 18"
- Maximum length 72"
- Minimum mounting space is 7/8"
- Minimum flush mount is 2"

<u>Surcharges</u>

- Metallix/Jewel Color (6 gauge only) 15%
- AluminWood Color (6 gauge only) 45%
- AlumiWood Real Wood Wand \$13



Premium Cordless Headrail



Premium Cordless Module



Hidden Bracket



Lift Handle

^{*} Blind ladder will be color coordinated, but inner lift cord will be white.

1" Motorized

1" Motorized Blinds Base Price – (For full blind price add motor surcharge to base)

Wid	dth to:	23''	26''	29''	32"	36"	40''	44''	48''	52''	57''	62''	67''	72''	82"	92''	102"	112"	118"
	42''	112	118	124	127	136	145	154	162	168	177	186	192	201	221	239	260	278	298
th to:	48''	118	124	127	136	145	156	165	168	174	189	195	213	218	239	251	283	301	319
	54''	124	127	136	139	156	165	171	177	186	201	213	221	233	251	275	301	319	345
	60''	127	136	139	154	165	171	177	186	192	216	221	236	245	272	289	319	342	363
	66"	130	139	154	162	171	177	186	195	204	227	236	245	257	286	307	342	363	396
	72''	139	145	156	165	174	186	192	201	213	233	239	248	260	301	337	360	387	
	78''	145	156	165	171	183	192	204	216	227	245	257	275	286	316	345	384		
ngth		154	162	171	183	189	201	216	227	239	257	275	286	301	337	360			
P	90''	162	168	177	186	201	216	227	239	251	275	289	304	319	351	387			
	96''	168	174	186	192	216	227	239	251	272	295	310	334	345	378	410			
	102"	171	183	192	201	221	239	248	263	283	304	325	345	360	402				
	108''	177	189	195	213	233	245	260	278	289	316	340	354	378	413				
	114"	183	192	204	218	239	251	272	286	301	334	351	372	396					
	120"	189	201	216	227	245	260	283	298	310	345	363	387						

^{*} Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- Simple Touch Rechargeable Battery Pack
- 1" wide .006 gauge slats
- 1" X 1-3/4" steel head rail
- Endcap Color Coordinated
- Color coordinated C-shape bottom rail
- Inside Mount ½" deduction
- Heavy Duty Brackets & screws provided
- Limited Lifetime Warranty on Blind
- 5 Year Warranty on motors and remote
- For Color availability see page 19

Size Limitations

- Minimum width 24"
- Maximum width 118"
- Minimum length 12"
- Maximum length 120"
- Maximum 56 sqft

\$354 Retail

- Minimum mounting space is 7/8"
- Minimum flush mount Wand Remote: Battery pack installed behind blind 3-3/4" Battery installed on wall/frame 2-1/4"
- Minimum flush mount 15-Channel Remote: Battery pack installed behind blind 3-1/4" Battery installed on wall/frame 2"

Simple Touch Wand Features

- Wand control will be color coordinated
- · Wand is clear and white cord will be visible inside
- Standard length is half of the blind drop

Wand Control Motor + Battery Pack

- Minimum Length is 12"
- Maximum Length is 60"
- Control on Right standard
- Wand control only, remote control not available
- Wand will programed with the upper and lower limits

Surcharges

- 8 gauge slat 20% surcharge
- Metallix/Jewel Color 15% surcharge
- AluminWood Color 45% surcharge

<u>Simple Touch Wireless Remote Features</u>

- 15 Channel Control Available
- At least 1 remote required per order
- Remote will programed with the upper and lower limits, please designate blind channels on your order.
- "0" on the remote will control all blinds as a group

Motor Surcharges

Remote Control Motor + Battery Pack	\$472 Retail
Optional Surcharges	
15-Channel Remote (Remote Motor Only)	\$111 Retail
Additional Battery Packs	\$140 Retail
USB Wall Adapter (Power Block+80" USB-C)	\$30 Retail
Power Extension Cord (118")	\$22 Retail
Power Adapter (70")	\$59 Retail
Solar Panel	\$317 Retail





<u>Simple Touch Motor Features</u>

- For pricing add motor surcharge to base
- Power Source Simple Touch Rechargeable Battery Pack which can be installed behind the headrail, the wall or window frame, however it is intended for indoor use and must be kept away from sunlight. Additionally, the only color available is white.
- 1 USB wall adapter and 80" USB-C charge cord will be provided with each order.
- Battery Pack can also be powered directly from a wall plug by using the power adapter, instead of recharging the battery pack.
- Optional solar panel available.
- Blind will automatically be programed with the upper and lower limits



2" & Micro (1/2") Cordless

2" Standard

<u> </u>	<u>anaara</u>												
Width	h to:	26"	29''	32"	36"	40''	44"	48''	52"	57''	62''	67''	72''
.:	42''	174	196	223	244	263	283	303	316	347	363	385	402
7	48''	182	207	236	258	278	297	313	332	366	385	406	427
Length to:	54''	192	220	245	269	289	313	326	348	382	407	428	450
	60"	202	227	258	280	304	325	345	368	402	424	449	471
	66''	210	241	266	294	317	337	363	382	418	443	468	493
	72''	221	245	276	304	328	353	376	397	437	465	490	515
	84"	238	267	300	328	354	381	406	431	474	503	533	559
2" St	andard v	vith Cloth	<u>Tape</u>										
Width	h to:	26"	29''	32"	36"	40''	44"	48''	52"	57''	62''	67''	72''
	42''	209	236	267	292	315	340	363	379	416	436	462	482
Length to:	48''	218	248	283	310	333	356	376	399	439	462	487	512
= 6	54''	230	264	294	322	347	376	391	418	459	489	514	540
e.	60''	243	273	310	337	365	390	415	441	482	508	539	565
_	66"	252	289	319	353	381	404	436	459	501	531	562	592
	72''	266	294	331	365	393	423	452	477	524	558	588	618
	84''	285	321	360	393	425	457	487	517	569	604	639	671

^{*} Blind ladder will be color coordinated, but inner lift cord will be white.

Standard Features

- 2" wide .006 gauge slats
- 2" X 2" steel head rail
- 2-Slat Standard Valance
- 1/2" deduction on inside mount
- All interior lift cords are white
- Wand tilt only (clear wand)
- Cordless with no lift handle included
- · Limited Lifetime Warranty
- For Color availability see page 3

Cloth tape available in 6 colors:

- 510 White
- 511 Duck White
- 512 Fawn
- 513 Dark Beige
- 514 Gray
- 524 Black

Size Limitations

- Minimum width 24"
- Maximum width 72"
- Minimum length 18"
- Maximum length 72"
- Minimum mounting space is 1 ½"
- Minimum flush mount is 3"

Micro ((1	<u>/2"`</u>	l

Widt	Width to:		26"	29"	32"	36"	40"	44"	48''	52"	5/"	62"	6/"	/2"	82"	92"	96"
Length to:	42"	149	155	165	170	193	204	214	223	235	255	269	282	297	326	354	390
	48''	155	165	173	182	205	218	226	241	251	276	289	306	319	351	381	425
	54''	165	173	183	193	218	230	242	254	266	294	309	326	341	379	406	458
	60''	170	182	195	201	226	241	255	269	282	310	329	348	366	404	440	489
	66''	183	193	204	217	239	254	269	285	301	332	350	369	388	431	471	523
	72''	192	201	214	224	251	266	285	301	317	350	369	390	412	458	500	554
	78''	196	210	221	235	263	282	300	317	334	369	390	412	434	483	528	585
	84''	204	218	232	245	276	294	314	332	350	388	410	433	458	508	555	617
	90"	210	226	242	254	286	307	328	348	369	404	431	458	481	536	585	652
	96''	220	235	249	264	301	320	341	365	385	425	452	480	503	564	616	685

^{*} Blind ladder will be color coordinated, but inner lift cord will be white.

Standard Features

- ∘ 1/2" wide .008 gauge slats
- 1" X 1 1/2" steel head rail
- 2-Slat Standard Valance
- 1/2" deduction on inside mount
- All interior lift cords are white
- Wand tilt only (clear wand)
- · Cordless with no lift handle included
- Limited Lifetime Warranty
- For Color availability see page 3

Size Limitations

- Minimum width 18"
- Maximum width 96"
- Minimum length 18"
- Maximum length 96"
- Minimum mounting space is 3/4"
- Minimum flush mount is 1 3/4"

^{*} Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Aluminum Horizontal Blinds



Warranty

CACO, Inc. will extend a limited lifetime warranty on Aluminum blinds, a limited lifetime warranty on blinds, cord and cord locks and a limited 5 year warranty on battery motors and wands. Each blind is warrantied to be free from defects in materials and workmanship to the original owner, provided that the blinds were properly installed in a window, door or other interior area for which they intended, maintained and cleaned with the manufacturer recommendations.

Damage resulting from misuse, abuse, exposure to the elements, including but not limited to exposure to salty air, discoloration due to sunlight or passage of time, exposure to humidity, accidents, improper installation, alterations or normal wear and tear upon the shades are not covered by this warranty. Some fading or reduction in color intensity may occur and should not be deemed defective. Returns for the above-mentioned reasons are not warrantied.

The obligation of CACO's manufactured products and its distributors is limited to repair or replacement of the blinds or components found to be defective, at our option, provided the blinds are returned to an authorized CACO dealer or distributor and accompanied by "proof of purchase". CACO is not responsible for any labor costs associated with fabricating alterations, measuring, or installation and to include shipping charges.

This warranty is exclusive and in lieu of all other obligations, liabilities, or warranties. In no event shall CACO be liable or responsible for incidental or consequential damages, or for any other direct or indirect damage, loss, cost, expense, or fee. Some states do not allow the exclusion or limitations of incidental or consequential damages, so this limitation may not apply to you. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.