



CACO, INC.
WINDOW FASHIONS

Version 3
6/9/2025

Retail Price Guide 2025

Cordless Aluminum Blinds

Table of Contents

Customer Service Policies	1-2
Horizontal Blinds	
▪ Aluminum Horizontal Blinds	
Available Colors and Limitations	3-4
1" Standard Cordless	5
1" Premium Cordless	6
1" Motorized	7
2" Cordless	8
1/2" Micro Cordless	8
Warranty	9

**WARNING**

**ADVERTENCIA**



Window Blind Cord Strangulation Risk
A damaged, loose, or missing tension device poses a strangulation risk to children.
Remove from use and repair or replace if tension device is damaged, loose, or missing.

Riesgo de estrangulamiento por cordón de persiana
Un dispositivo de tensión dañado, suelto o faltante presenta un riesgo de estrangulamiento para niños.
Retira y repare o reemplaza si el dispositivo de tensión está dañado, suelto o falta.

08/2023 ANEV/WOMA 5.1.1

How to place an order

For your convenience, CACO provides you with the option of placing orders by either telephone, email, online or fax (if placed by fax, CACO will provide order forms at no additional cost; customers must request forms). Orders placed after 3:00 pm EST will be forwarded to the next business day.

Telephone orders

CACO Customer Service Representatives are available between the hours of 8:30 am and 5:00 pm Eastern Standard time at **1-800-552-5278**. Any order placed by phone requires a signed order confirmation returned to customer service by fax or email before proceeding with order. Keep in mind, when phoning in your order, it is important to have the following information available:

- Account number (if known)
- Individuals name that is calling
- P.O. number and/or side mark
- Color or colors
- Type of product ordered
- Measurements (width-first, length-second)
- Inside or outside mount (i.m./i.b or o.m./o.b)
- Control instructions
- Ship to address if different than sold-to
- Special instructions for shipping
- Valance instructions
- Any other special instructions
- Quote number, if order is placed from a previous quote

Fax and Email Orders

Fax orders can be placed any time of day or night including holidays at **1-866-926-5836** or email to **customerservice@cacoinc.com**. To ensure order accuracy for faxed orders, it is advisable to use the order forms CACO supplies or a comparable form. It is important to note the number of pages of your order, including the cover sheet to ensure that no pages will be missing. For fax or email orders please include all of the same information required for telephone orders. Any omission of pertinent information will only delay your orders manufacturing time.

Online Orders

Orders can be placed online at <https://88043.picbusiness.com/>. If you your account has not been set up to access our online portal, please contact support@cacoinc.com to sign up. This access allows you to quote, order as well as make payments online. Please note shutters are not available online to quote or place as orders, you will need to contact customer service to for information about these products. Additionally, orders are released from internet hold and reviewed for credit at the daily 2:30 PM EST cutoff. Any orders submitted online after this time will be reviewed the following business day.

How to expedite an order

We can often provide a faster ship date with expedited shipping for emergency situations, only if this is noted at the time the order is placed. Requested next day and second day shipping will move freight prepaid and will be added to your account at the time of invoicing.

How to add on or make changes to an order

In the event that you wish to add to your original order, it is possible, as long as the order is still in production. You will be required to submit changes in writing and must be signed by a person of authority indicating the items you wish to add or change. No verbal requests can be made. You will need to refer to the original P.O. number and indicate clearly the additions or changes you're requesting. Note: because add-ons may affect production time, check with customer service for any possible delays.

How to cancel an order

Cancellations or changes require an immediate response and can only take place up until the start of fabrication. You must first identify your P.O. number or side mark and then state the cancellation or change. Cancellations must be faxed or emailed in writing only, phone calls are not permitted. If an order has already been cut, a minimum charge of 50% will apply.

Should you order for the same room at different times?

This is a frequently asked question and should be addressed and explained at the point of sale. Under normal circumstances blinds, shades and verticals should be ordered for the same room at one time to prevent color deviations, as a result of dye and paint color variations from original lot to the other. If additional blinds, shades or verticals are ordered at a later time for the same room there can be a distinct color difference from the existing product to the new product. Also, window coverings that have been previously installed can have shade differentiations from newer products due to the progress of aging.

Questions concerning an order

Once you contact customer service you must have your P.O. number and/or side mark available.

Shipping and Handling Charges

- **Minimum order Fee:** \$20 shipping and handling fee will be added to any order with 2 units or less.
- **Per Unit Fee:** \$9 per unit shipping and handling fee will be added for all delivery orders with more than 2 units in lieu of the minimum order charge.
- **>90" Oversized Fee:** Any order with a product over 90" width (including oversized items such as valances that are not ordered spliced) will have an oversized fee of \$90 per unit up to \$180 maximum fee in addition to any minimum or per unit shipping and handling fees.
- **>104" Extended Oversized Fee:** Any order with a product over 104" (including oversized items such as valances that are not ordered spliced) will ship by LTL carrier and will incur an additional \$120 extended oversized fee per order in addition to any applicable minimum order, per unit and oversized handling fees.
- Accessorial LTL Truck delivery charges such as liftgate, inside delivery, re-consignment, re-delivery, etc. will be the responsibility of the receiving party.

Credit and additional charges

Open accounts are established by submitting a CACO credit application. You will be required to list trade and bank references as well as a current sales tax id number. C.O.D. accounts are also obligated to submit a credit application. Invoices are due within 30 days of the date posted. After 30 days accounts will be charged 1.5% interest per month. CACO reserves the right not to ship to accounts with past due balances.

Payment Policy

Current payment methods accepted are check, emailed or faxed checks for ACH processing, credit cards (Mastercard, Visa, Discover) and online payments by credit card or bank draft. Due to additional credit card fees, effective March 8th, a 2% processing fee will be added to all credit card payments. This fee can be avoided by either mailing checks to our PO Box or to expedite payments send a copy of your check along with our Check by Fax form by email to customerservice@cacoinc.com or fax to (866) 552-5278. Please note CACO will not automatically charge any credit card or process ACH transaction without a current, on file preauthorization forms, otherwise approval will be required at the time of each transaction.

If you receive product that has been visibly damaged while in transit

Before accepting any shipments, please examine each carton carefully. If shipment shows any signs of mistreatment or damage, i.e., wheel marks, crushed or bent cartons note this on the bill of lading and have the driver sign it and note damage. Should a replacement be necessary, CACO will bill you. Your replacement invoice will enable you to file a claim with the responsible carrier. It is imperative that you count all cartons prior to signing the bill of lading; any shortages must be noted on the bill of lading with the driver's signature.

Shipping discrepancies

If the product received does not agree with your packing slip, contact a CACO customer service representative within 24 hours. Your representative will verify any action needed for a resolution and expedite any necessary replacements.

If you should receive a defective product

Your warranty protects you against defective products (please read your warranty for all information, disclaimers and liabilities). Should you receive a defective product, contact CACO customer service and provide detailed information including your P.O. number. If the product is not sent back for repair, you will be invoiced for a replacement and required to return back the original product to CACO for inspection. Any issue arising past 30 days from receipt of original order will be required to return product for repair.


How to Measure

Inside mount

A. Measure the window opening at three different places and use the narrowest dimension when ordering. Be exact! The factory will make the blind slightly narrower, so it won't rub against the window casing. (See A inside mount).

B. Measure the height of the window from the top (soffit) down to the sill. NOTE: The finished blind length may have a tolerance of based on product.


Based on product, CACO will automatically make a deduction on width for measurements submitted as inside mount.



Outside mount

Measure exact width and height of the area to be covered. It is recommended that blinds overlap the window opening by at least 1 1/2" on each side to insure privacy and control sunlight. (See A outside mount). When installation is designed for "no sill," allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blinds will be made to exact measurements given. NOTE: The finished blind length may have a tolerance of based on product.

CACO will not make any deductions for measurements submitted as outside mount.



Available Aluminum Slat Colors & Limitations

1" Mini (6 gauge)	
014	Matte White
018	White
651	Simple White
652	Ivory
189	Artic Ice
665	Almost White
112	Light Alabaster
636	Vanilla
017	Alabaster
631	Fawn
611	Beige Satin
502	Wisteria
255	Garnet Red
566	Light Aqua
027	Federal Blue
259	True Blue
178	Imperial Jade
091	Transparent Aluminum
569	Gray AZ
693	Gray Sheen
626	Smokey Gray
662	Char Brown
606	Raw Umber
070	Gloss Black
012	Black

1" Mini (8 gauge)	
8014	Matte White
8018	White
8651	Simple White
8652	Ivory
8665	Almost White
8112	Light Alabaster
8631	Fawn
8091	Transparent Aluminum
8569	Gray AZ
8662	Char Brown
8012	Black

2" Aluminum (8 gauge)	
2014	Matte White
2018	White
2665	Almost White
2112	Light Alabaster
2017	Alabaster
2631	Fawn
2091	Transparent Aluminum
2626	Smokey Gray
2606	Raw Umber
2070	Gloss Black

1" Jewel/Metallix (6 gauge)	
302	Brown Gold
673	Umber Bronze
672	Mercury Silver

Micro Mini (6 gauge)	
5014	Matte White
5018	White
5665	Almost White
5017	Alabaster
5631	Fawn
5091	Transparent Aluminum
5626	Smokey Gray
5012	Black

1" Alumiwood (6 gauge)	
754	Oak Wood
755	Walnut Wood

	Mounting Space		Size Limitations			
	Minimum	Flush	Minimum Width	Minimum Length	Maximum Width	Maximum Length
Micro (1/2") Cordless	3/4"	1-3/4"	18"	18"	96"	96"
1" Standard Cordless	3/4"	1-3/4"	18"	18"	72"	96"
1" Premium Cordless	7/8"	2"	24"	18"	92"	72"
1" Simple Touch Wand (installed behind headrail)	7/8"	3-3/4"	24"	12"	118"	120"
1" Simple Touch Wand (installed wall or frame)	7/8"	2-1/4"				
1" Simple Touch Remote (installed behind headrail)	7/8"	3-1/4"				
1" Simple Touch Remote (installed wall or frame)	7/8"	2"				
2" Cordless	1-1/2"	3"	24"	18"	82"	84"

Wand Specification	
Blind Drop	Wand length
=< 25"	12"
25 1/8" - 45"	18"
45 1/8" - 55"	24"
55 1/8" - 65"	30"
65 1/8" - 85"	40"
85 1/8" - 96"	50"

Micro, 1"	
# of hidden brackets	
Blind Width	Hidden Bracket Qty
8" - 36"	2
36 1/8" - 60"	3
60 1/8" - 85"	4
85 1/8" - 105"	5
105 1/8" - 118"	6

• Standard bracket - hidden bracket.

2" Blinds -		
# of box brackets & center supports		
Blind Width	Box Bracket qty	Center Support
< 36"	2	0
36" - 72"	2	1

• Standard bracket - box bracket

Aluminum Horizontal Blinds

Color Coordination Chart

Color Coordination Chart		Slats				Rails, valances, and brackets for different blinds							Ladder
		1"		1/2" (micro)	2"	Standard cordless blinds				Premium cordless & Motorization blinds			
						For micro & 1" blinds		For 2" blinds		For 1" blinds			
		6G	8G	6G	8G	1-1/2" headrail	Box bracket*	2" rails	Box bracket	Headrail	Valance insert	Bottom rail	
Standard Colors	Matte white	014	8014	5014	2014	15018	005	005	005	001	No Insert	018	004
	White	018	8018	5018	2018	15018	005	005	005	001	No Insert	018	004
	Simple White	651	8651	-	-	15018	005	-	-	001	No Insert	018	004
	Ivory	652	8652	-	-	15018	005	-	-	001	No Insert	018	004
	Arctic Ice	189	-	-	2189	15018	005	005	189	001	No Insert	018	004
	Almost White	665	8665	5665	2665	15665	065	065	065	002	No Insert	665	017
	Light Alabaster	112	8112	-	2112	15665	065	065	065	002	No Insert	665	017
	Vanilla	636	-	-	-	15636	100	-	-	002	636	636	017
	Alabaster	017	-	5017	2017	15665	112	112	112	002	No Insert	665	017
	Fawn	631	8631	5631	2631	15631	031	031	031	006	No Insert	631	005
	Beige Satin	611	-	-	-	15611	031	-	-	008	No Insert	611	005
	Wisteria	502	-	-	-	15502	005	-	-	026	502	502	231
	Garnet Red	255	-	-	-	15255	233	-	-	020	255	255	255
	Light Aqua	566	-	-	-	15566	005	-	-	014	566	566	374
	Federal Blue	027	-	-	-	15027	017	-	-	028	027	027	027
	True Blue	259	-	-	-	15259	017	-	-	091	259	259	025
	Imperial Jade	178	-	-	-	15178	061	-	-	091	178	178	178
	Transparent Aluminum	091	8091	5091	2091	15091	034	034	034	091	No Insert	091	022
	Gray AZ	569	8569	-	-	15569	026	-	-	091	No Insert	569	022
	Gray Sheen	693	-	-	-	15569	281	-	-	091	No Insert	693	022
	Smoky Gray	626	-	5626	2626	15626	026	026	026	091	626	626	022
	Char Brown	662	8662	-	-	15662	062	-	-	025	No Insert	662	662
	Raw Umber	606	-	-	2606	15012	233	033	233	025	No Insert	012	012
	Gloss Black	070	-	-	2070	15012	233	033	233	025	No Insert	012	012
	Black	012	8012	5012	-	15012	233	-	-	025	No Insert	012	012
Alumi wood	Oak Wood	754	-	-	-	15754	233	-	-	011	754	754	302
	Walnut Wood	755	-	-	-	15755	233	-	-	012	755	755	007
Metallix & Jewel	Brown Gold Jewel	302	-	-	-	15611	031	-	-	091	302	611	302
	Mercury Silver	672	-	-	-	15091	034	-	-	091	672	091	022
	Umber Bronze	673	-	-	-	15662	233	-	-	012	673	662	662

- The color of the lift cord is white.
- The color of 1-1/2" headrail end cap is clear.
- For the 1-1/2" headrail, the standard mounting bracket is a hidden bracket. A box bracket is available upon request without additional charge.

1" Aluminum

6 Gauge – Standard Colors

Width to:	8"	12"	18"	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"
Length to:																						
42"	197	157	92	117	123	130	133	142	152	161	169	176	185	194	201	210	221	239	260	241	260	282
48"	204	164	99	123	130	133	142	152	163	172	176	182	197	204	222	228	239	251	283	265	285	305
54"	211	171	106	130	133	142	145	163	172	179	185	194	210	222	231	243	251	275	301	284	305	332
60"	214	174	109	133	142	145	161	172	179	185	194	201	226	231	246	256	272	289	319	303	330	350
66"	217	177	112	136	145	161	169	179	185	194	204	213	237	246	256	268	286	307	342	327	350	384
72"	227	187	122	145	152	163	172	182	194	201	210	222	243	250	259	271	301	337	360	346	375	400
84"	234	194	129	152	163	172	179	191	201	213	226	237	256	268	287	299	316	345	384	371	395	425
90"	243	203	138	161	169	179	191	197	210	226	237	250	268	287	299	314	316	345	384	382	423	453
96"	252	212	147	169	176	185	194	210	226	237	250	262	287	302	317	333	337	360	399	386	450	487
102"	255	215	150	150	162	173	181	203	221	230	246	267	288	310	332	348	391	428	474	474	481	524
108"	261	221	156	156	167	175	192	214	227	242	260	274	302	327	341	366	403	450	499	499	515	560
114"	267	227	162	162	173	184	199	221	234	255	271	285	320	338	360	384	428	468	521	521	538	585
120"	272	232	167	167	181	196	209	227	242	267	282	296	332	350	375	398	446	487	543	543	567	608

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

8 Gauge

Width to:	8"	12"	18"	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"
Length to:																						
42"	236	188	110	136	143	151	154	165	176	186	197	204	215	226	233	243	246	269	295	289	312	338
48"	245	197	119	143	151	154	165	176	190	21	204	211	229	236	258	265	299	314	324	318	342	366
54"	253	205	127	151	154	165	168	190	201	208	215	226	243	258	268	283	314	344	346	341	366	398
60"	257	209	131	154	165	168	186	201	208	215	226	233	261	268	286	297	340	361	369	364	396	420
66"	260	212	134	158	168	186	197	208	215	226	236	247	276	286	297	311	357	383	397	392	420	461
72"	272	224	146	168	176	190	201	211	226	233	243	258	283	290	301	315	376	405	425	415	450	480
84"	281	233	155	176	190	201	208	222	233	247	261	276	297	311	333	347	395	427	453	445	474	510
90"	292	244	166	186	197	208	222	229	247	261	276	290	311	333	347	365	414	436	481	458	508	544
96"	302	254	176	197	204	215	226	243	261	276	290	304	333	351	368	386	433	455	509	463	540	584
102"	306	258	180	180	194	208	217	244	265	276	295	320	346	372	398	418	469	514	569	569	577	629
108"	313	265	187	187	200	210	230	257	272	290	312	329	362	392	409	439	484	540	599	599	618	672
114"	320	272	194	194	208	221	239	265	281	306	325	342	384	406	432	461	514	562	625	625	646	702
120"	326	278	200	200	217	235	251	272	290	320	338	355	398	420	450	478	535	584	652	652	680	730

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- 1" wide .006 gauge slats (standard)
- 1" wide .008 gauge slats (optional)
- 1" X 1-1/2" steel head rail
- Endcap Color Clear
- Color coordinated C-shape bottom rail
- Blind ladder will be color coordinated, but inner lift cord will be white.
- Wand tilt only (clear wand)
- Inside Mount 1/2" deduction
- Hidden Bracket (standard)
- Box Bracket (optional)
- Limited Lifetime Warranty
- For Color availability see page 20

Mounting Space

Size Limitations

- Minimum mounting space is 3/4"
- Minimum flush mount is 1-3/4"

Surcharges

- Metallix/Jewel Color (6 gauge only) - 15%
- AlumiWood Color (6 gauge only) - 45%
- AlumiWood Real Wood Wand - \$14

Cordless Standard Features

- Standard Cordless Module*
- Left tilt standard

*Please note due to the nature of the standard cordless module additional effort may be required when raising and lowering to maintain a level blind compared to the premium module.

Cordless Size Limitations

- Minimum width 18"
- Maximum width 72"
- Minimum length 18"
- Maximum length 96"

Tilt Only Standard Features

- Left tilt standard on blinds > 12" wide
- Center tilt only for blinds 12" wide or less

**Warning: To be complaint with the ANSI/WCMA A100.1-2022 Window Covering Standard Aluminum Tilt Only Blinds must be installed using all hardware and components including holddown brackets provided with this product and properly installed according to instructions provided in the blind package.

Tilt Only Size Limitations

- Minimum width 7"
- Maximum width 120"
- Minimum length 18"
- Maximum length 120"



Hidden Bracket (standard)



Box Bracket (optional)



Standard Headrail

Standard Cordless Module*



1" Premium Cordless

Premium 6 Gauge – Standard Colors

Width to:	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"
Length to:														
42"	155	172	188	211	234	260	285	305	327	352	368	385	417	449
48"	161	176	197	220	246	272	291	311	339	360	389	404	436	460
54"	163	185	201	233	256	279	301	324	352	379	399	419	449	485
60"	172	188	216	242	262	285	310	330	366	388	414	431	469	501
66"	176	204	226	248	268	294	319	342	379	404	424	443	485	518
72"	182	207	228	252	278	301	325	352	385	407	427	446	501	550

Premium 8 Gauge

Width to:	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"
Length to:														
42"	185	207	226	254	281	312	342	366	392	421	441	462	501	537
48"	192	211	237	264	295	328	350	374	407	433	467	484	523	553
54"	196	222	240	279	307	335	360	388	421	455	479	503	537	582
60"	207	226	259	290	314	342	371	395	440	465	498	517	563	601
66"	211	244	270	297	321	353	383	410	455	484	508	532	582	623
72"	218	247	274	302	333	360	390	421	462	488	512	536	601	659

* 1" Premium cordless blind is available up to 72" width or 92" length.

* Blind ladder will be color coordinated, but inner lift cord will be white.

Standard Features

- Premium Cordless Module with self-leveling control
- 1" wide .006 gauge slats (standard)
- 1" wide .008 gauge slats (optional)
- 1-1/2" X 1-3/4" aluminum head rail
- Endcap Color Coordinated
- Color coordinated C-shape bottom rail
- Wand tilt only (clear wand)
- Left tilt standard
- Inside Mount 1/2" deduction
- Hidden Bracket only
- Clear Lift Handle included
- Limited Lifetime Warranty
- For Color availability see page 20

Size Limitations

- Minimum width 23"
- Maximum width 96"
- Minimum length 18"
- Maximum length 72"
- Minimum mounting space is 7/8"
- Minimum flush mount is 2"

Surcharges

- Metallix/Jewel Color (6 gauge only) - 15%
- AluminWood Color (6 gauge only) - 45%
- AlumiWood Real Wood Wand - \$14



Premium Cordless Headrail



Hidden Bracket



Premium Cordless Module



Lift Handle

1" Motorized

1" Motorized Blinds Base Price – (For full blind price add motor surcharge to base)

Width to:	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	118"
Length to:																	
42"	123	130	133	142	152	161	169	176	185	194	201	210	231	250	271	290	311
48"	130	133	142	152	163	172	176	182	197	204	222	228	250	262	295	314	333
54"	133	142	145	163	172	179	185	194	210	222	231	243	262	287	314	333	360
60"	142	145	161	172	179	185	194	201	226	231	246	256	284	302	333	357	379
66"	145	161	169	179	185	194	204	213	237	246	256	268	299	320	357	379	413
72"	152	163	172	182	194	201	210	222	243	250	259	271	314	352	376	404	
78"	163	172	179	191	201	213	226	237	256	268	287	299	330	360	401		
84"	169	179	191	197	210	226	237	250	268	287	299	314	352	376			
90"	176	185	194	210	226	237	250	262	287	302	317	333	366	404			
96"	182	194	201	226	237	250	262	284	308	324	349	360	394	428			
102"	191	201	210	231	250	259	275	295	317	339	360	376	419				
108"	197	204	222	243	256	271	290	302	330	355	369	394	431				
114"	201	213	228	250	262	284	299	314	349	366	388	413					
120"	210	226	237	256	271	295	311	324	360	379	404						

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- Simple Touch Rechargeable Battery Pack
- 1" wide .006 gauge slats
- 1" X 1-3/4" steel head rail
- Endcap Color Coordinated
- Color coordinated C-shape bottom rail
- Inside Mount 1/2" deduction
- Heavy Duty Brackets & screws provided
- Limited Lifetime Warranty on Blind
- 5 Year Warranty on motors and remote
- For Color availability see page 20

Size Limitations

- Maximum 56 sqft
- Minimum mounting space is 7/8"
- Minimum flush mount Wand Remote:
 - Battery pack installed behind blind 3-3/4"
 - Battery installed on wall/frame 2-1/4"
- Minimum flush mount 15-Channel Remote:
 - Battery pack installed behind blind 3-1/4"
 - Battery installed on wall/frame 2"

Surcharges

- 8 gauge slat - 20% surcharge
- Metallix/Jewel Color - 15% surcharge
- AluminWood Color - 45% surcharge

Simple Touch Wand Features

Size Limitations

- Minimum width 24"
- Maximum width 118"
- Minimum length 18"
- Maximum length 120"
- Wand control will be color coordinated
- Wand is clear and white cord will be visible inside
- Standard length is half of the blind drop
- Minimum Wand Length is 12"
- Maximum Wand Length is 60"
- Control on Right standard
- Wand control only, remote control not available
- Wand will programed with the upper and lower limits

Simple Touch Wireless Remote Features

Size Limitations


- Minimum width 24"
- Maximum width 118"
- Minimum length 12"
- Maximum length 120"
- 15 Channel Control Available
- At least 1 remote required per order
- Remote will programed with the upper and lower limits, please designate blind channels on your order.
- "0" on the remote will control all blinds as a group

Motor Surcharges

Wand Control Motor + Battery Pack	\$396 Retail
Remote Control Motor + Battery Pack	\$492 Retail

Optional Surcharges

15-Channel Remote (Remote Motor Only)	\$116 Retail
Additional Battery Packs	\$146 Retail
USB Wall Adapter (Power Block+80" USB-C)	\$31 Retail
Power Extension Cord (118")	\$23 Retail
Power Adapter (70")	\$61 Retail
Solar Panel	\$330 Retail



Simple Touch Motor Features

- For pricing add motor surcharge to base
- Power Source – Simple Touch Rechargeable Battery Pack which can be installed behind the headrail, the wall or window frame, however it is intended for indoor use and must be kept away from sunlight. Additionally, the only color available is white.
- 1 USB wall adapter and 80" USB-C charge cord will be provided with each order.
- Battery Pack can also be powered directly from a wall plug by using the power adapter, instead of recharging the battery pack.
- Optional solar panel available.
- Blind will automatically be programed with the upper and lower limits

Aluminum Horizontal Blinds



2" & Micro (1/2") Cordless

2" Standard

Width to:	12"	24"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"
Length to:																				
42"	221	156	181	204	232	254	274	295	316	329	362	378	401	419	460	507	559	534	589	649
48"	230	165	190	216	246	269	290	309	326	346	381	401	423	445	485	529	577	552	604	661
54"	240	175	200	229	255	280	301	326	340	363	398	424	446	469	514	565	618	593	652	716
60"	250	185	210	237	269	292	317	339	359	383	419	442	468	491	538	593	649	624	688	758
66"	259	194	219	251	277	306	330	351	378	398	436	462	488	514	563	618	677	652	723	787
72"	270	205	230	255	288	317	342	368	392	414	455	485	511	537	590	652	717	692	759	816
84"	288	223	248	278	313	342	369	397	423	449	494	524	555	582	618	656	697	720	761	830
96"	293	228	253	284	318	348	376	404	431	458	503	536	567	595	630	729	773	748	795	845
108"	347	282	282	318	356	391	421	452	483	514	565	599	635	668	708	817	867	842	894	949
120"	362	297	297	339	381	421	455	491	526	561	619	659	699	736	782	906	964	964	1021	1085

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

2" Standard with Cloth Tape

Width to:	12"	24"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"
Length to:																				
42"	248	183	208	234	267	293	315	339	363	378	416	435	462	481	528	584	642	617	680	750
48"	258	193	218	248	282	309	333	356	375	398	439	462	487	512	557	609	664	639	699	764
54"	270	205	230	264	294	322	346	375	391	417	457	488	513	540	591	649	711	686	754	827
60"	282	217	242	272	309	336	365	390	414	441	481	508	538	565	618	681	746	721	795	875
66"	292	227	252	289	319	352	380	404	435	457	501	530	561	591	647	711	779	754	836	909
72"	305	240	265	294	330	365	393	423	450	476	524	557	588	617	678	750	824	799	876	942
84"	326	261	286	320	359	393	424	456	487	517	568	602	639	670	711	755	857	832	878	959
96"	331	266	291	327	366	400	432	465	496	527	578	616	652	685	725	839	889	864	918	975
108"	365	300	325	366	410	449	485	520	556	591	649	689	729	768	814	940	997	972	1032	1095
120"	362	297	345	393	443	488	527	568	609	648	716	761	808	850	902	1045	1112	1112	1179	1251

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- 2" wide .008 gauge slats
- 2" X 2" steel head rail
- 2-Slat Standard Valance
- 1/2" deduction on inside mount
- Blind ladder will be color coordinated, but inner lift cord will be white.
- Wand tilt only (clear wand)
- Cordless with no lift handle included
- Limited Lifetime Warranty
- For Color availability see page 19

Cordless Features & Limitations

- Standard Cordless Module
- Left tilt standard
- Minimum width 18"
- Maximum width 96"
- Minimum length 18"
- Maximum length 108"

Tilt Only** Features & Limitations

- Left tilt standard on blinds > 12" wide
- Center tilt only for blinds 12" wide or less
- Minimum width 8"
- Maximum width 120"
- Minimum length 18"
- Maximum length 120"

Cloth tape available in 6 colors:

- 510 White
- 511 Duck White
- 512 Fawn
- 513 Dark Beige
- 514 Gray
- 524 Black

**Warning: To be complaint with the ANSI/WCMA A100.1-2022 Window Covering Standard Aluminum Tilt Only Blinds must be installed using all hardware and components including holddown brackets provided with this product and properly installed according to instructions provided in the blind package.

Micro (1/2")

Width to:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"
Length to:															
42"	162	172	177	201	213	223	232	245	266	280	294	309	340	369	162
48"	172	180	190	214	227	235	251	262	288	301	319	332	366	397	172
54"	180	191	201	227	240	252	265	277	306	322	340	355	395	423	180
60"	190	203	209	235	251	266	280	294	323	343	363	381	421	458	190
66"	201	213	226	249	265	280	297	314	346	365	384	404	449	491	201
72"	209	223	233	262	277	297	314	330	365	384	406	429	477	521	209
78"	219	230	245	274	294	313	330	348	384	406	429	452	503	550	219
84"	227	242	255	288	306	327	346	365	404	427	451	477	529	578	227
90"	235	252	265	298	320	342	363	384	421	449	477	501	559	610	235
96"	245	259	275	314	333	355	380	401	443	471	500	524	588	642	245

* Blind ladder will be color coordinated, but inner lift cord will be white.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- 1/2" wide .006 gauge slats
- 1" X 1 1/2" steel head rail
- 2-Slat Standard Valance
- 1/2" deduction on inside mount
- All interior lift cords are white
- Wand tilt only (clear wand)
- Cordless with no lift handle included
- Limited Lifetime Warranty
- For Color availability see page 19

Size Limitations

- Minimum width 18"
- Maximum width 96"
- Minimum length 18"
- Maximum length 96"
- Minimum mounting space is 3/4"

Warranty

CACO, Inc. will extend a limited lifetime warranty on Aluminum blinds, a limited lifetime warranty on blinds and operating cords and a limited 5 year warranty on battery motors and wands. Each blind is warranted to be free from defects in materials and workmanship to the original owner, provided that the blinds were properly installed in a window, door or other interior area for which they intended, maintained and cleaned with the manufacturer recommendations.

Damage resulting from misuse, abuse, exposure to the elements, including but not limited to exposure to salty air, discoloration due to sunlight or passage of time, exposure to humidity, accidents, improper installation, alterations or normal wear and tear upon the shades are not covered by this warranty. Some fading or reduction in color intensity may occur and should not be deemed defective. Returns for the above-mentioned reasons are not warranted.

The obligation of CACO's manufactured products and its distributors is limited to repair or replacement of the blinds or components found to be defective, at our option, provided the blinds are returned to an authorized CACO dealer or distributor and accompanied by "proof of purchase". CACO is not responsible for any labor costs associated with fabricating alterations, measuring, or installation and to include shipping charges.

This warranty is exclusive and in lieu of all other obligations, liabilities, or warranties. In no event shall CACO be liable or responsible for incidental or consequential damages, or for any other direct or indirect damage, loss, cost, expense, or fee. Some states do not allow the exclusion or limitations of incidental or consequential damages, so this limitation may not apply to you. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.