



CACO, INC.
WINDOW FASHIONS

Version 1
3/1/2026

Retail Price Guide 2026


Avalon Faux Woods

Table of Contents

<u>Customer Service Policies</u>	1-2
▪ <u>Avalon Faux Wood</u>	
Price Charts	3
Features & Options	4
Warranty	5

⚠ WARNING

⚠ ADVERTENCIA



Window Blind Cord Strangulation Risk

A damaged, loose, or missing tension device poses a strangulation risk to children. Remove from use and repair or replace if tension device is damaged, loose, or missing.

Riesgo de estrangulamiento por cordón de persiana

Un dispositivo de tensión dañado, suelto o faltante presenta un riesgo de estrangulamiento para niños. Retira y repare o reemplaza si el dispositivo de tensión está dañado, suelto o falta.

08/2023 ANBUWOMA 5.1.1

How to place an order

For your convenience, CACO provides you with the option of placing orders by either telephone, email, online or fax (if placed by fax, CACO will provide order forms at no additional cost; customers must request forms). Orders placed after 3:00 pm EST will be forwarded to the next business day.

Telephone orders

CACO Customer Service Representatives are available between the hours of 8:30 am and 5:00 pm Eastern Standard time at **1-800-552-5278**. Any order placed by phone requires a signed order confirmation returned to customer service by fax or email before proceeding with order. Keep in mind, when phoning in your order, it is important to have the following information available:

- Account number (if known)
- Individuals name that is calling
- P.O. number and/or side mark
- Color or colors
- Type of product ordered
- Measurements (width-first, length-second)
- Inside or outside mount (i.m./i.b or o.m./o.b)
- Control instructions
- Ship to address if different than sold-to
- Special instructions for shipping
- Valance instructions
- Any other special instructions
- Quote number, if order is placed from a previous quote

Fax and Email Orders

Fax orders can be placed any time of day or night including holidays at **1-866-926-5836** or email to **customerservice@cacoinc.com**. To ensure order accuracy for faxed orders, it is advisable to use the order forms CACO supplies or a comparable form. It is important to note the number of pages of your order, including the cover sheet to ensure that no pages will be missing. For fax or email orders please include all of the same information required for telephone orders. Any omission of pertinent information will only delay your orders manufacturing time.

Online Orders

Orders can be placed online at <https://88043.picbusiness.com/>. If you your account has not been set up to access our online portal, please contact support@cacoinc.com to sign up. This access allows you to quote, order as well as make payments online. Please note shutters are not available online to quote or place as orders, you will need to contact customer service for information about these products. Additionally, orders are released from internet hold and reviewed for credit at the daily 2:30 PM EST cutoff. Any orders submitted online after this time will be reviewed the following business day.

How to expedite an order

In some occasions we may be able to provide a faster ship date for emergency situations, however customer service must be contacted when placing this type of order to verify. Additionally, if next day and second day shipping are required the customer will incur any additional shipping cost for expedited shipping.

How to add on or make changes to an order

In the event that you wish to add to your original order, it is possible, if the order has not moved into fabrication. You will be required to submit changes in writing and must be signed by a person of authority indicating the items you wish to add or change. No verbal requests can be made. You will need to refer to the original P.O. number and indicate clearly the additions or changes you're requesting. Note: because add-ons may affect production time, check with customer service for any possible delays.

How to cancel an order

Cancellations or changes require an immediate response and can only take place up until the start of fabrication. You must first identify your P.O. number or side mark and then state the cancellation or change. Cancellations must be faxed or emailed in writing only, phone calls are not permitted. If an order has already been cut, a minimum charge of 50% will apply.

Should you order for the same room at different times?

This is a frequently asked question and should be addressed and explained at the point of sale. Under normal circumstances blinds, shades and verticals should be ordered for the same room at one time to prevent color deviations, as a result of dye and paint color variations from original lot to the other. If additional blinds, shades or verticals are ordered at a later time for the same room there can be a distinct color difference from the existing product to the new product. Also, window coverings that have been previously installed can have shade differentiations from newer products due to the progress of aging.

Questions concerning an order

Once you contact customer service you must have your P.O. number and/or side mark available.

Shipping and Handling Charges

- **Minimum order Fee:** \$25 shipping and handling fee will be added to any order with 2 units or less.
- **Per Unit Fee:** \$10 per unit shipping and handling fee will be added for all delivery orders with more than 2 units in lieu of the minimum order charge.
- **>90" Oversized Fee:** Any order with a product over 90" width (including oversized items such as valances that are not ordered spliced) will have an oversized fee of \$90 per unit up to \$180 maximum fee in addition to any minimum or per unit shipping and handling fees.
- **>104" Extended Oversized Fee:** Any order with a product over 104" (including oversized items such as valances that are not ordered spliced) will ship by LTL carrier and will incur an additional \$120 extended oversized fee per order in addition to any applicable minimum order, per unit and oversized handling fees.
- Accessorial LTL Truck delivery charges such as liftgate, inside delivery, re-consignment, re-delivery, etc. will be the responsibility of the receiving party.

Credit and additional charges

Open accounts are established by submitting a CACO credit application. You will be required to list trade and bank references as well as a current sales tax id number. C.O.D. accounts are also obligated to submit a credit application. Invoices are due within 30 days of the date posted. After 30 days accounts will be charged 1.5% interest per month. CACO reserves the right not to ship to accounts with past due balances.

Payment Policy

Current payment methods accepted are check, emailed or faxed checks for ACH processing, credit cards (Mastercard, Visa, Discover) and online payments by credit card or bank draft. Due to additional credit card fees, effective March 8th, a 2% processing fee will be added to all credit card payments. This fee can be avoided by either mailing checks to our PO Box or to expedite payments send a copy of your check along with our Check by Fax form by email to customerservice@cacoinc.com or fax to (866) 552-5278. Please note CACO will not automatically charge any credit card or process ACH transaction without a current, on file preauthorization forms, otherwise approval will be required at the time of each transaction.

If you receive product that has been visibly damaged while in transit

Before accepting any shipments, please examine each carton carefully. If shipment shows any signs of mistreatment or damage, i.e., wheel marks, crushed or bent cartons note this on the bill of lading and have the driver sign it and note damage. Should a replacement be necessary, CACO will bill you. Your replacement invoice will enable you to file a claim with the responsible carrier. It is imperative that you count all cartons prior to signing the bill of lading; any shortages must be noted on the bill of lading with the driver's signature.

Shipping discrepancies

If the product received does not agree with your packing slip, contact a CACO customer service representative within 24 hours. Your representative will verify any action needed for a resolution and expedite any necessary replacements.

If you should receive a defective product

Your warranty protects you against defective products (please read your warranty for all information, disclaimers and liabilities). Should you receive a defective product, contact CACO customer service and provide detailed information including your P.O. number. If the product is not sent back for repair, you will be invoiced for a replacement and required to return back the original product to CACO for inspection. Any issue arising past 30 days from receipt of original order will be required to return product for repair.


How to Measure

Inside mount

A. Measure the window opening at three different places and use the narrowest dimension when ordering. Be exact! The factory will make the blind slightly narrower, so it won't rub against the window casing. (See A inside mount).

B. Measure the height of the window from the top (soffit) down to the sill. NOTE: The finished blind length may have a tolerance of based on product.


Based on product, CACO will automatically make a deduction on width for measurements submitted as inside mount.



Outside mount

Measure exact width and height of the area to be covered. It is recommended that blinds overlap the window opening by at least 1 1/2" on each side to insure privacy and control sunlight. (See A outside mount). When installation is designed for "no sill," allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blinds will be made to exact measurements given. NOTE: The finished blind length may have a tolerance of based on product.

CACO will not make any deductions for measurements submitted as outside mount.



Avalon Faux Wood

2" Faux Wood - Whites

FW-01 Bright White		FW-02 Snow White					FW-03 Antique White				FW-04 Alabaster			
EFW-01 Embossed Bright White		EFW-02 Embossed Snow White					EFW-03 Embossed Antique White				EFW-04 Embossed Alabaster			
Width to:	21	24	29	32	36	42	48	54	60	66	72	78	84	
Length to:	30	148	160	166	181	192	210	219	234	290	316	351	365	378
	36	160	166	181	196	209	228	242	258	314	340	376	402	425
	42	165	181	196	209	216	242	260	277	328	358	400	428	458
	48	181	193	209	216	231	258	277	295	350	386	425	457	484
	54	191	206	216	231	247	275	295	310	376	406	448	483	517
	61	196	212	228	243	262	283	310	328	389	429	476	511	545
	66	209	219	242	260	277	304	324	346	411	471	499	538	576
	73	218	233	251	271	287	317	339	366	432	476	527	570	608
	78	228	243	264	282	299	336	363	384	457	498	551	593	633
	84	233	249	270	288	311	343	370	396	464	510	566	610	654
	96	271	294	322	335	371	412	481	509	579				

2 1/2" Faux Wood

FW-01 Bright White		FW-02 Snow White					FW-03 Antique White				FW-04 Alabaster			
Width to:	21	24	29	32	36	42	48	54	60	66	72	78	84	
Length to:	30	154	162	172	186	195	213	227	242	298	320	357	373	387
	36	162	172	186	206	212	233	247	264	319	348	386	409	437
	42	170	186	206	212	225	247	265	282	337	370	406	439	466
	48	186	196	212	225	236	264	282	300	356	398	437	465	496
	54	194	210	225	236	253	280	300	315	386	419	461	493	527
	61	206	216	233	248	267	292	315	336	400	440	489	524	559
	66	212	227	247	266	282	313	334	357	423	484	514	550	589
	73	226	237	259	279	295	328	347	376	441	489	543	584	628
	78	233	248	270	288	310	345	370	395	465	511	568	608	646
	84	237	258	278	297	316	353	381	404	476	522	579	629	669

2" Faux Wood - Colors

FW-26 Slate		FW-28 Smoke					EFW-08 Embossed Cherry				EFW-09 Embossed Mahogany			
EFW-06 Embossed Birch		EFW-07 Embossed Maple					EFW-08 Embossed Cherry				EFW-09 Embossed Mahogany			
Width to:	21	24	29	32	36	42	48	54	60	66	72	78	84	
Length to:	30	164	172	188	199	212	233	245	262	319	349	386	402	423
	36	172	188	199	219	229	257	267	287	348	374	421	443	475
	42	186	199	219	229	240	267	289	310	365	400	441	477	509
	48	199	214	229	240	259	287	310	330	385	428	475	506	541
	54	210	226	240	259	275	308	330	343	421	452	500	538	575
	61	219	236	257	270	292	316	343	366	432	481	532	570	608
	66	229	245	267	289	310	340	363	389	457	525	555	603	640
	73	243	260	280	307	322	358	383	410	482	532	587	636	679
	78	257	270	293	315	336	378	404	432	506	554	616	661	718
	84	260	279	298	323	345	385	416	444	515	569	632	681	734
	96	305	328	349	371	404	455	535	569	635				

2" Faux Wood Premium Printed

PFW-351 Natural		PFW-353 Pecan					PFW-354 Oak				PFW-356 Chestnut				PFW-357 Mahogany			
Width to:	21	24	29	32	36	42	48	54	60	66	72	78	84					
Length to:	30	172	184	196	212	225	243	259	279	335	367	406	425	443				
	36	184	196	212	233	242	268	283	305	366	395	442	471	498				
	42	195	212	233	242	257	283	307	325	383	422	465	501	538				
	48	212	226	242	257	273	305	325	349	403	453	498	536	571				
	54	223	237	257	273	290	324	349	363	442	479	530	570	610				
	61	233	252	268	285	311	336	363	389	457	508	562	604	642				
	66	242	259	283	307	325	360	386	413	483	555	590	636	681				
	73	258	278	296	323	341	379	403	438	509	562	626	676	724				
	78	268	285	312	335	356	401	430	457	536	587	657	703	750				
	84	278	293	321	343	366	409	442	472	547	603	668	725	779				
	96	330	337	387	399	430	484	580	598	686								

Avalon Faux Wood Features

Standard Features

- Valance, slat and bottom rail are manufactured from space age PVC foam along UV inhibitors to provide longer color fastness with a UV rating of 500+ hours
- Flame retardant (meets NFPA small scale flame test)
- Moisture, heat and fade resistant
- Slats are solid color all the way through
- 2" Designer whites in both smooth and embossed finishes along with optional wood stain finishes;
- 2 1/2" available in smooth white finishes only
- Rectangle Bottom rail
- Color coordinated components, ladders and wands
- Durable 2" x 2" steel headrail
- Wand tilt only
- Limited Lifetime Warranty

Optional items

- Valance returns for inside mount installation n/c when requested
- Motorized tilt feature
- Cut outs per side or center \$19.50
- Extra valance material \$8.00 per foot retail

Special Notes

- Blind ladder will be color coordinated, but inner lift cord will be white.
- Standard valance returns for outside mount installation 2 3/4"
- Valance measurements are from inside miter to inside miter
- Smallest return size is 1/2"
- Single Blinds only, no multiple blinds on one headrail
- Allowances Blind width inside mount 1/2", length +/- 1/8"

Cordless Size Limitations

- Minimum width 14.5" O.M.
- Maximum width 84"
- Minimum length 24"
- Maximum length 96"
- Maximum single blind 84" Length - 84" x 84"
- 96" Length - 60" x 96"

Tilt Only** Size Limitations

- Minimum width 7.5" O.M.
- Maximum width 14.375" O.M.
- Minimum length 24"
- Maximum length 96"

**Warning: To be compliant with the ANSI/WCMA A100.1-2022 Window Covering Standard Avalon Tilt Only Blinds must be installed using all hardware and components including holddown brackets provided with this product and properly installed according to instructions provided in the blind package.

Stacking Chart (these are approximate measurements)	
	Braided Ladder
12"	4"
24"	5"
36"	5 7/8"
48"	6 3/4"
60"	7 5/8"
72"	8 1/2"
84"	9 5/8"
96"	10 1/4"

Wand Schedule	
Wand Length	Blind Length
12"	< 26"
24"	26 1/8" – 60"
36"	60 1/8" – 78"
48"	> 78 1/8"
60"	By request only

Ladder/Tape Schedule	
2 Ladder	9"-23"
3 Ladder	23 1/8"-36"
4 Ladder	36"-49"
5 Ladder	49 1/8"-62"
6 Ladder	62 1/8"-75"
7 Ladder	75 1/8"-88"
8 Ladder	88 1/8"-101"

Tilt Motorization

AUTOMATE | ARC™ (Automate Radio Communication) motors offer a wire free or wired motorization option that is an easy to use and program solution to suit a large range of applications, with varying torques and speed levels.



Features include:

- Automate tilt motorization available
- Leveling control
- Simple limit setting and adjustment
- 3 operational speed settings available
- Favorite position
- 2-way RF communication
- 5-year motor warranty

Automate ARC Li-ion Motors:

- VT 1.0 Tilt DC motor (including battery wand and batteries) Retail \$530
- VT 1.0 Tilt DC motor only \$331

Optional Power Supply:

- Plug in Power Supply \$91
- Li-ion Rechargeable Battery Pack \$264
- 12 V Wall Charger \$89

Automate Remote Control:

- Push 5 Remote – Available in White or Black Retail \$218
- Push 15 Remote – Available in White or Black \$250
- Push Pro Remote – Available in White or Black \$524
- Push Pro Charging Cable \$11
- 1 Channel Remote \$214
- 1 Channel Cut in Wall Switch \$166
- 2 Channel Cut in Wall Switch \$288
- 15 Channel Cut in Wall Switch \$212
- Automate Pro Hub \$696
- Automate Interior Sun Sensor \$88

Lithium Ion Battery Wire Free Motorization

AUTOMATE™ | ARC™ Venetian blind motor enables motorized tilting function of most 2" venetian blinds. Precisely control the openness of blind slats or simply recall a favorite position.

- Rechargeable battery pack with Li-ion battery
- Minimum Widths 18"
- Maximum sizes.
2" Avalon Faux Wood Blinds 36 sq. ft.

Wireless Controls

Automate | Compatible with all ARC motors, Paradigm remotes and switches feature a contemporary design with touch sensitive controls.

- Controls include 3 remote styles and 3 cut in wall switches
- Optional Automate Pulse Hub with Wi-Fi built in can be used to control blinds with most smart devices and some home automation systems. A local wireless network will be required.

Avalon Faux Wood Warranty

CACO, Inc. will extend a limited lifetime warranty on Avalon Faux Wood, a limited lifetime warranty on the head rail and components for Avalon Faux Wood; a limited 3-year warranty on Avalon Faux Wood operating cords, valance, slats and bottom rail; Rollease Acmeda **2" Tilt Motor** has a limited 7 year warranty.

Each blind is warranted to be free from defects in materials and workmanship to the original owner and limited to manually operated products only, provided that the blinds were: 1.) Installed in a residential dwelling. 2.) Properly installed in accordance with the installation instructions which accompany each blind to be installed in a window, door or other interior area for which they were intended. 3.) Maintained and cleaned in compliance with the **manufacturer's** recommendations.

Damage resulting from misuse, abuse, exposure to the elements, including but not limited to exposure to salty air, discoloration due to sunlight or passage of time, exposure to humidity, accidents, the use of steam, bleach, or any caustic abrasive, or solvent based cleaners, alterations or normal wear and tear upon the blinds are not covered by this warranty. Cord wear shall be considered as normal wear and tear. Avalon Faux Wood blinds are manufactured with PVC foam and contain no lead additives. Variations in grain and texture may appear randomly in slats, valance and bottom rail. Slight variations in color, as well as minimal warping may also occur. These are all natural occurring tendencies when dealing with PVC foam products and are considered acceptable. Returns for the above-mentioned reasons are not warranted.

The obligation of CACO's manufactured products and its distributors is limited to repair or replacement of the blinds or components found to be defective, at our option, provided the blinds are returned to an authorized CACO dealer or distributor and accompanied by "proof of purchase". CACO is not responsible for any shipping or labor costs associated for measuring, removing and re-installing blind from installed windows or fabricating alterations.

This warranty is exclusive and in lieu of all other obligations, liabilities, or warranties. In no event shall CACO be liable or responsible for incidental or consequential damages, or for any other direct or indirect damage, loss, cost, expense or fee. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.