



CACO, INC.
WINDOW FASHIONS

Version 1
3/1/2026

Retail Price Guide 2026

Aluminum Blinds

Table of Contents

Customer Service Policies	1-2
Horizontal Blinds	
▪ Aluminum Horizontal Blinds	
Available Colors and Limitations	3-4
1" Standard Cordless	5
1" Premium Cordless	6
1" Motorized	7
2" Cordless	8
1/2" Micro Cordless	8
Warranty	9

⚠ WARNING

⚠ ADVERTENCIA



Window Blind Cord Strangulation Risk

A damaged, loose, or missing tension device poses a strangulation risk to children. Remove from use and repair or replace if tension device is damaged, loose, or missing.

Riesgo de estrangulamiento por cordón de persiana

Un dispositivo de tensión dañado, suelto o faltante presenta un riesgo de estrangulamiento para niños. Retira y repare o reemplaza si el dispositivo de tensión está dañado, suelto o falta.

08/2023 ANEV/NCMA 5.1.1

How to place an order

For your convenience, CACO provides you with the option of placing orders by either telephone, email, online or fax (if placed by fax, CACO will provide order forms at no additional cost; customers must request forms). Orders placed after 3:00 pm EST will be forwarded to the next business day.

Telephone orders

CACO Customer Service Representatives are available between the hours of 8:30 am and 5:00 pm Eastern Standard time at **1-800-552-5278**. Any order placed by phone requires a signed order confirmation returned to customer service by fax or email before proceeding with order. Keep in mind, when phoning in your order, it is important to have the following information available:

- Account number (if known)
- Individuals name that is calling
- P.O. number and/or side mark
- Color or colors
- Type of product ordered
- Measurements (width-first, length-second)
- Inside or outside mount (i.m./i.b or o.m./o.b)
- Control instructions
- Ship to address if different than sold-to
- Special instructions for shipping
- Valance instructions
- Any other special instructions
- Quote number, if order is placed from a previous quote

Fax and Email Orders

Fax orders can be placed any time of day or night including holidays at **1-866-926-5836** or email to **customerservice@cacoinc.com**. To ensure order accuracy for faxed orders, it is advisable to use the order forms CACO supplies or a comparable form. It is important to note the number of pages of your order, including the cover sheet to ensure that no pages will be missing. For fax or email orders please include all of the same information required for telephone orders. Any omission of pertinent information will only delay your orders manufacturing time.

Online Orders

Orders can be placed online at <https://88043.picbusiness.com/>. If you your account has not been set up to access our online portal, please contact support@cacoinc.com to sign up. This access allows you to quote, order as well as make payments online. Please note shutters are not available online to quote or place as orders, you will need to contact customer service for information about these products. Additionally, orders are released from internet hold and reviewed for credit at the daily 2:30 PM EST cutoff. Any orders submitted online after this time will be reviewed the following business day.

How to expedite an order

In some occasions we may be able to provide a faster ship date for emergency situations, however customer service must be contacted when placing this type of order to verify. Additionally, if next day and second day shipping are required the customer will incur any additional shipping cost for expedited shipping.

How to add on or make changes to an order

In the event that you wish to add to your original order, it is possible, if the order has not moved into fabrication. You will be required to submit changes in writing and must be signed by a person of authority indicating the items you wish to add or change. No verbal requests can be made. You will need to refer to the original P.O. number and indicate clearly the additions or changes you're requesting. Note: because add-ons may affect production time, check with customer service for any possible delays.

How to cancel an order

Cancellations or changes require an immediate response and can only take place up until the start of fabrication. You must first identify your P.O. number or side mark and then state the cancellation or change. Cancellations must be faxed or emailed in writing only, phone calls are not permitted. If an order has already been cut, a minimum charge of 50% will apply.

Should you order for the same room at different times?

This is a frequently asked question and should be addressed and explained at the point of sale. Under normal circumstances blinds, shades and verticals should be ordered for the same room at one time to prevent color deviations, as a result of dye and paint color variations from original lot to the other. If additional blinds, shades or verticals are ordered at a later time for the same room there can be a distinct color difference from the existing product to the new product. Also, window coverings that have been previously installed can have shade differentiations from newer products due to the progress of aging.

Questions concerning an order

Once you contact customer service you must have your P.O. number and/or side mark available.

Shipping and Handling Charges

- **Minimum order Fee:** \$25 shipping and handling fee will be added to any order with 2 units or less.
- **Per Unit Fee:** \$10 per unit shipping and handling fee will be added for all delivery orders with more than 2 units in lieu of the minimum order charge.
- **>90" Oversized Fee:** Any order with a product over 90" width (including oversized items such as valances that are not ordered spliced) will have an oversized fee of \$90 per unit up to \$180 maximum fee in addition to any minimum or per unit shipping and handling fees.
- **>104" Extended Oversized Fee:** Any order with a product over 104" (including oversized items such as valances that are not ordered spliced) will ship by LTL carrier and will incur an additional \$120 extended oversized fee per order in addition to any applicable minimum order, per unit and oversized handling fees.
- Accessorial LTL Truck delivery charges such as liftgate, inside delivery, re-consignment, re-delivery, etc. will be the responsibility of the receiving party.

Credit and additional charges

Open accounts are established by submitting a CACO credit application. You will be required to list trade and bank references as well as a current sales tax id number. C.O.D. accounts are also obligated to submit a credit application. Invoices are due within 30 days of the date posted. After 30 days accounts will be charged 1.5% interest per month. CACO reserves the right not to ship to accounts with past due balances.

Payment Policy

Current payment methods accepted are check, emailed or faxed checks for ACH processing, credit cards (Mastercard, Visa, Discover) and online payments by credit card or bank draft. Due to additional credit card fees, effective March 8th, a 2% processing fee will be added to all credit card payments. This fee can be avoided by either mailing checks to our PO Box or to expedite payments send a copy of your check along with our Check by Fax form by email to customerservice@cacoinc.com or fax to (866) 552-5278. Please note CACO will not automatically charge any credit card or process ACH transaction without a current, on file preauthorization forms, otherwise approval will be required at the time of each transaction.

If you receive product that has been visibly damaged while in transit

Before accepting any shipments, please examine each carton carefully. If shipment shows any signs of mistreatment or damage, i.e., wheel marks, crushed or bent cartons note this on the bill of lading and have the driver sign it and note damage. Should a replacement be necessary, CACO will bill you. Your replacement invoice will enable you to file a claim with the responsible carrier. It is imperative that you count all cartons prior to signing the bill of lading; any shortages must be noted on the bill of lading with the driver's signature.

Shipping discrepancies

If the product received does not agree with your packing slip, contact a CACO customer service representative within 24 hours. Your representative will verify any action needed for a resolution and expedite any necessary replacements.

If you should receive a defective product

Your warranty protects you against defective products (please read your warranty for all information, disclaimers and liabilities). Should you receive a defective product, contact CACO customer service and provide detailed information including your P.O. number. If the product is not sent back for repair, you will be invoiced for a replacement and required to return back the original product to CACO for inspection. Any issue arising past 30 days from receipt of original order will be required to return product for repair.


How to Measure

Inside mount

A. Measure the window opening at three different places and use the narrowest dimension when ordering. Be exact! The factory will make the blind slightly narrower, so it won't rub against the window casing. (See A inside mount).

B. Measure the height of the window from the top (soffit) down to the sill. NOTE: The finished blind length may have a tolerance of based on product.


Based on product, CACO will automatically make a deduction on width for measurements submitted as inside mount.



Outside mount

Measure exact width and height of the area to be covered. It is recommended that blinds overlap the window opening by at least 1 1/2" on each side to insure privacy and control sunlight. (See A outside mount). When installation is designed for "no sill," allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blinds will be made to exact measurements given. NOTE: The finished blind length may have a tolerance of based on product.

CACO will not make any deductions for measurements submitted as outside mount.



Available Aluminum Slat Colors & Limitations

1" Mini (6 gauge)	
014	Matte White
018	White
651	Simple White
652	Ivory
189	Artic Ice
665	Almost White
112	Light Alabaster
636	Vanilla
017	Alabaster
631	Fawn
611	Beige Satin
502	Wisteria
255	Garnet Red
566	Light Aqua
027	Federal Blue
259	True Blue
178	Imperial Jade
091	Transparent Aluminum
569	Gray AZ
693	Gray Sheen
626	Smokey Gray
662	Char Brown
606	Raw Umber
070	Gloss Black
012	Black

1" Mini (8 gauge)	
8014	Matte White
8018	White
8651	Simple White
8652	Ivory
8665	Almost White
8112	Light Alabaster
8631	Fawn
8091	Transparent Aluminum
8569	Gray AZ
8662	Char Brown
8012	Black

2" Aluminum (8 gauge)	
2014	Matte White
2018	White
2665	Almost White
2112	Light Alabaster
2017	Alabaster
2631	Fawn
2091	Transparent Aluminum
2626	Smokey Gray
2606	Raw Umber
2070	Gloss Black

1" Jewel/Metallix (6 gauge)	
302	Brown Gold
673	Umber Bronze
672	Mercury Silver

Micro Mini (6 gauge)	
5014	Matte White
5018	White
5665	Almost White
5017	Alabaster
5631	Fawn
5091	Transparent Aluminum
5626	Smokey Gray
5012	Black

1" Alumiwood (6 gauge)	
754	Oak Wood
755	Walnut Wood

	Mounting Space		Size Limitations			
	Minimum	Flush	Minimum Width	Minimum Length	Maximum Width	Maximum Length
Micro (1/2") Cordless	3/4"	1-3/4"	18"	18"	96"	96"
1" Standard Cordless	3/4"	1-3/4"	18"	18"	72"	96"
1" Premium Cordless	7/8"	2"	24"	18"	92"	72"
1" Simple Touch Wand (installed behind headrail)	7/8"	3-3/4"	24"	12"	118"	120"
1" Simple Touch Wand (installed wall or frame)	7/8"	2-1/4"				
1" Simple Touch Remote (installed behind headrail)	7/8"	3-1/4"				
1" Simple Touch Remote (installed wall or frame)	7/8"	2"				
2" Cordless	1-1/2"	3"	24"	18"	82"	84"

Wand Specification	
Blind Drop	Wand length
=< 25"	12"
25 1/8" - 45"	18"
45 1/8" - 55"	24"
55 1/8" - 65"	30"
65 1/8" - 85"	40"
85 1/8" - 96"	50"

Micro, 1"	
# of hidden brackets	
Blind Width	Hidden Bracket Qty
8" - 36"	2
36 1/8" - 60"	3
60 1/8" - 85"	4
85 1/8" - 105"	5
105 1/8" - 118"	6

2" Blinds - # of box brackets & center supports		
Blind Width	Box Bracket qty	Center Support
< 36"	2	0
36" - 72"	2	1

• Standard bracket - box bracket

• Standard bracket - hidden bracket.

Color Coordination Chart

Color Coordination Chart		Slats				Rails, valances, and brackets for different blinds							Ladder
		1"		1/2" (micro)		Standard cordless blinds				Premium cordless & Motorization blinds			
		2"				For micro & 1" blinds		For 2" blinds		For 1" blinds			
		6G	8G	6G	8G	1-1/2" headrail	Box bracket*	2" rails	Box bracket	Headrail	Valance insert	Bottom rail	
Standard Colors	Matte white	014	8014	5014	2014	15018	005	005	005	001	No Insert	018	004
	White	018	8018	5018	2018	15018	005	005	005	001	No Insert	018	004
	Simple White	651	8651	-	-	15018	005	-	-	001	No Insert	018	004
	Ivory	652	8652	-	-	15018	005	-	-	001	No Insert	018	004
	Arctic Ice	189	-	-	2189	15018	005	005	189	001	No Insert	018	004
	Almost White	665	8665	5665	2665	15665	065	065	065	002	No Insert	665	017
	Light Alabaster	112	8112	-	2112	15665	065	065	065	002	No Insert	665	017
	Vanilla	636	-	-	-	15636	100	-	-	002	636	636	017
	Alabaster	017	-	5017	2017	15665	112	112	112	002	No Insert	665	017
	Fawn	631	8631	5631	2631	15631	031	031	031	006	No Insert	631	005
	Beige Satin	611	-	-	-	15611	031	-	-	008	No Insert	611	005
	Wisteria	502	-	-	-	15502	005	-	-	026	502	502	231
	Garnet Red	255	-	-	-	15255	233	-	-	020	255	255	255
	Light Aqua	566	-	-	-	15566	005	-	-	014	566	566	374
	Federal Blue	027	-	-	-	15027	017	-	-	028	027	027	027
	True Blue	259	-	-	-	15259	017	-	-	091	259	259	025
	Imperial Jade	178	-	-	-	15178	061	-	-	091	178	178	178
	Transparent Aluminum	091	8091	5091	2091	15091	034	034	034	091	No Insert	091	022
	Gray AZ	569	8569	-	-	15569	026	-	-	091	No Insert	569	022
	Gray Sheen	693	-	-	-	15569	281	-	-	091	No Insert	693	022
Smoky Gray	626	-	5626	2626	15626	026	026	026	091	626	626	022	
Char Brown	662	8662	-	-	15662	062	-	-	025	No Insert	662	662	
Raw Umber	606	-	-	2606	15012	233	033	233	025	No Insert	012	012	
Gloss Black	070	-	-	2070	15012	233	033	233	025	No Insert	012	012	
Black	012	8012	5012	-	15012	233	-	-	025	No Insert	012	012	
Alumi wood	Oak Wood	754	-	-	-	15754	233	-	-	011	754	754	302
	Walnut Wood	755	-	-	-	15755	233	-	-	012	755	755	007
Metallix & Jewel	Brown Gold Jewel	302	-	-	-	15611	031	-	-	091	302	611	302
	Mercury Silver	672	-	-	-	15091	034	-	-	091	672	091	022
	Umber Bronze	673	-	-	-	15662	233	-	-	012	673	662	662

- The color of the lift cord is white.
- The color of 1-1/2" headrail end cap is clear.
- For the 1-1/2" headrail, the standard mounting bracket is a hidden bracket. A box bracket is available upon request without additional charge.

1" Aluminum

6 Gauge – Standard Colors

Width to:	8"	12"	18"	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"
42"	217	173	101	129	135	143	146	156	167	177	186	194	204	213	221	231	243	263	286	265	286	310
48"	224	180	109	135	143	146	156	167	179	189	194	200	217	224	244	251	263	276	311	292	314	336
54"	232	188	117	143	146	156	160	179	189	197	204	213	231	244	254	267	276	303	331	312	336	365
60"	235	191	120	146	156	160	177	189	197	204	213	221	249	254	271	282	299	318	351	333	363	385
66"	239	195	123	150	160	177	186	197	204	213	224	234	261	271	282	295	315	338	376	360	385	422
72"	250	206	134	160	167	179	189	200	213	221	231	244	267	275	285	298	331	371	396	381	413	440
84"	257	213	142	167	179	189	197	210	221	234	249	261	282	295	316	329	348	380	422	408	435	468
90"	267	223	152	177	186	197	210	217	231	249	261	275	295	316	329	345	348	380	422	420	465	498
96"	277	233	162	186	194	204	213	231	249	261	275	288	316	332	349	366	371	396	439	425	495	536
102"	281	237	165	165	178	190	199	223	243	253	271	294	317	341	365	383	430	471	521	521	529	576
108"	287	243	172	172	184	193	211	235	250	266	286	301	332	360	375	403	443	495	549	549	567	616
114"	294	250	178	178	190	202	219	243	257	281	298	314	352	372	396	422	471	515	573	573	592	644
120"	299	255	184	184	199	216	230	250	266	294	310	326	365	385	413	438	491	536	597	597	624	669

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.
 * Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

8 Gauge

Width to:	8"	12"	18"	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"
42"	260	207	121	150	157	166	169	182	194	205	217	224	237	249	256	267	271	296	325	318	343	372
48"	270	217	131	157	166	169	182	194	209	23	224	232	252	260	284	292	329	345	356	350	376	403
54"	278	226	140	166	169	182	185	209	221	229	237	249	267	284	295	311	345	378	381	375	403	438
60"	283	230	144	169	182	185	205	221	229	237	249	256	287	295	315	327	374	397	406	400	436	462
66"	286	233	147	174	185	205	217	229	237	249	260	272	304	315	327	342	393	421	437	431	462	507
72"	299	246	161	185	194	209	221	232	249	256	267	284	311	319	331	347	414	446	468	457	495	528
84"	309	256	171	194	209	221	229	244	256	272	287	304	327	342	366	382	435	470	498	490	521	561
90"	321	268	183	205	217	229	244	252	272	287	304	319	342	366	382	402	455	480	529	504	559	598
96"	332	279	194	217	224	237	249	267	287	304	319	334	366	386	405	425	476	501	560	509	594	642
102"	337	284	198	198	213	229	239	268	292	304	325	352	381	409	438	460	516	565	626	626	635	692
108"	344	292	206	206	220	231	253	283	299	319	343	362	398	431	450	483	532	594	659	659	680	739
114"	352	299	213	213	229	243	263	292	309	337	358	376	422	447	475	507	565	618	688	688	711	772
120"	359	306	220	220	239	259	276	299	319	352	372	391	438	462	495	526	589	642	717	717	748	803

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.
 * Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- 1" wide .006 gauge slats (standard)
- 1" wide .008 gauge slats (optional)
- 1" X 1-1/2" steel head rail
- Endcap Color Clear
- Color coordinated C-shape bottom rail
- Blind ladder will be color coordinated, but inner lift cord will be white.
- Wand tilt only (clear wand)
- Inside Mount 1/2" deduction
- Hidden Bracket (standard)
- Box Bracket (optional)
- Limited Lifetime Warranty
- For Color availability see page 20

Mounting Space

Size Limitations

- Minimum mounting space is 3/4"
- Minimum flush mount is 1-3/4"

Surcharges

- Metallix/Jewel Color (6 gauge only) - 15%
- AlumiWood Color (6 gauge only) - 45%

Cordless Standard Features

- Standard Cordless Module*
 - Left tilt standard
- *Please note due to the nature of the standard cordless module additional effort may be required when raising and lowering to maintain a level blind compared to the premium module.*

Cordless Size Limitations

- Minimum width 18"
- Maximum width 72"
- Minimum length 18"
- Maximum length 96"

Tilt Only Standard Features

- Left tilt standard on blinds > 12" wide
- Center tilt only for blinds 12" wide or less

**Warning: To be compliant with the ANSI/WCMA A100.1-2022 Window Covering Standard Aluminum Tilt Only Blinds must be installed using all hardware and components including hold-down brackets provided with this product and properly installed according to instructions provided in the blind package.

Tilt Only Size Limitations

- Minimum width 7"
- Maximum width 120"
- Minimum length 18"
- Maximum length 120"



Hidden Bracket (standard)



Box Bracket (optional)



Standard Headrail

Standard Cordless Module*



1" Premium Cordless

Premium 6 Gauge – Standard Colors

Width to:	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"
Length to: 42"	171	189	207	232	257	286	314	336	360	387	405	424	459	494
48"	177	194	217	242	271	299	320	342	373	396	428	444	480	506
54"	179	204	221	256	282	307	331	356	387	417	439	461	494	534
60"	189	207	238	266	288	314	341	363	403	427	455	474	516	551
66"	194	224	249	273	295	323	351	376	417	444	466	487	534	570
72"	200	228	251	277	306	331	358	387	424	448	470	491	551	605

Premium 8 Gauge

Width to:	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"
Length to: 42"	204	228	249	279	309	343	376	403	431	463	485	508	551	591
48"	211	232	261	290	325	361	385	411	448	476	514	532	575	608
54"	216	244	264	307	338	369	396	427	463	501	527	553	591	640
60"	228	249	285	319	345	376	408	435	484	512	548	569	619	661
66"	232	268	297	327	353	388	421	451	501	532	559	585	640	685
72"	240	272	301	332	366	396	429	463	508	537	563	590	661	725

* 1" Premium cordless blind is available up to 72" width or 92" length.

* Blind ladder will be color coordinated, but inner lift cord will be white.

Standard Features

- Premium Cordless Module with self-leveling control
- 1" wide .006 gauge slats (standard)
- 1" wide .008 gauge slats (optional)
- 1-1/2" X 1-3/4" aluminum head rail
- Endcap Color Coordinated
- Color coordinated C-shape bottom rail
- Wand tilt only (clear wand)
- Left tilt standard
- Inside Mount 1/2" deduction
- Hidden Bracket only
- Clear Lift Handle included
- Limited Lifetime Warranty
- For Color availability see page 20

Size Limitations

- Minimum width 23"
- Maximum width 96"
- Minimum length 18"
- Maximum length 72"
- Minimum mounting space is 7/8"
- Minimum flush mount is 2"

Surcharges

- Metallix/Jewel Color (6 gauge only) - 15%
- AluminWood Color (6 gauge only) - 45%



Premium Cordless Headrail



Hidden Bracket



Premium Cordless Module



Lift Handle

1" Motorized

1" Motorized Blinds Base Price – (For full blind price add motor surcharge to base)

Width to:	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	118"
42"	135	143	146	156	167	177	186	194	204	213	221	231	254	275	298	319	342
48"	143	146	156	167	179	189	194	200	217	224	244	251	275	288	325	345	366
54"	146	156	160	179	189	197	204	213	231	244	254	267	288	316	345	366	396
60"	156	160	177	189	197	204	213	221	249	254	271	282	312	332	366	393	417
66"	160	177	186	197	204	213	224	234	261	271	282	295	329	352	393	417	454
72"	167	179	189	200	213	221	231	244	267	275	285	298	345	387	414	444	
78"	179	189	197	210	221	234	249	261	282	295	316	329	363	396	441		
84"	186	197	210	217	231	249	261	275	295	316	329	345	387	414			
90"	194	204	213	231	249	261	275	288	316	332	349	366	403	444			
96"	200	213	221	249	261	275	288	312	339	356	384	396	433	471			
102"	210	221	231	254	275	285	303	325	349	373	396	414	461				
108"	217	224	244	267	282	298	319	332	363	391	406	433	474				
114"	221	234	251	275	288	312	329	345	384	403	427	454					
120"	231	249	261	282	298	325	342	356	396	417	444						

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- Simple Touch Rechargeable Battery Pack
- 1" wide .006 gauge slats
- 1" X 1-3/4" steel head rail
- Endcap Color Coordinated
- Color coordinated C-shape bottom rail
- Inside Mount 1/2" deduction
- Heavy Duty Brackets & screws provided
- Limited Lifetime Warranty on Blind
- 5 Year Warranty on motors and remote
- For Color availability see page 20

Size Limitations

- Maximum 56 sqft
- Minimum mounting space is 7/8"
- Minimum flush mount Wand Remote:
 - Battery pack installed behind blind 3-3/4"
 - Battery installed on wall/frame 2-1/4"
- Minimum flush mount 15-Channel Remote:
 - Battery pack installed behind blind 3-1/4"
 - Battery installed on wall/frame 2"

Surcharges

- 8 gauge slat - 20% surcharge
- Metallix/Jewel Color - 15% surcharge
- AluminWood Color - 45% surcharge

Simple Touch Wand Features

Size Limitations

- Minimum width 24"
- Maximum width 118"
- Minimum length 18"
- Maximum length 120"
- Wand control will be color coordinated
- Wand is clear and white cord will be visible inside
- Standard length is half of the blind drop
- Minimum Wand Length is 12"
- Maximum Wand Length is 60"
- Control on Right standard
- Wand control only, remote control not available
- Wand will be programmed with the upper and lower limits

Simple Touch Wireless Remote Features

Size Limitations


- Minimum width 24"
- Maximum width 118"
- Minimum length 12"
- Maximum length 120"
- 15 Channel Control Available
- At least 1 remote required per order
- Remote will be programmed with the upper and lower limits, please designate blind channels on your order.
- "0" on the remote will control all blinds as a group

Motor Surcharges

Wand Control Motor + Battery Pack	\$436 Retail
Remote Control Motor + Battery Pack	\$541 Retail

Optional Surcharges

15-Channel Remote (Remote Motor Only)	\$128 Retail
Additional Battery Packs	\$161 Retail
USB Wall Adapter (Power Block+80" USB-C)	\$34 Retail
Power Extension Cord (118")	\$25 Retail
Power Adapter (70")	\$67 Retail
Solar Panel	\$363 Retail



Simple Touch Motor Features

- For pricing add motor surcharge to base
- Power Source – Simple Touch Rechargeable Battery Pack which can be installed behind the headrail, the wall or window frame, however it is intended for indoor use and must be kept away from sunlight. Additionally, the only color available is white.
- 1 USB wall adapter and 80" USB-C charge cord will be provided with each order.
- Battery Pack can also be powered directly from a wall plug by using the power adapter, instead of recharging the battery pack.
- Optional solar panel available.
- Blind will automatically be programmed with the upper and lower limits

2" Aluminum

2" Standard

Width to:	12"	24"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"	
Length to:	42"	243	172	199	224	255	279	301	325	348	362	398	416	441	461	506	558	615	587	648	714
	48"	253	182	209	238	271	296	319	340	359	381	419	441	465	490	534	582	635	607	664	727
	54"	264	193	220	252	281	308	331	359	374	399	438	466	491	516	565	622	680	652	717	788
	60"	275	204	231	261	296	321	349	373	395	421	461	486	515	540	592	652	714	686	757	834
	66"	285	213	241	276	305	337	363	386	416	438	480	508	537	565	619	680	745	717	795	866
	72"	297	226	253	281	317	349	376	405	431	455	501	534	562	591	649	717	789	761	835	898
	84"	317	245	273	306	344	376	406	437	465	494	543	576	611	640	680	722	767	792	837	913
	96"	322	251	278	312	350	383	414	444	474	504	553	590	624	655	693	802	850	823	875	930
	108"	382	310	310	350	392	430	463	497	531	565	622	659	699	735	779	899	954	926	983	1044
	120"	398	327	327	373	419	463	501	540	579	617	681	725	769	810	860	997	1060	1060	1123	1194

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

2" Standard with Cloth Tape

Width to:	12"	24"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"	
Length to:	42"	273	201	229	257	294	322	347	373	399	416	458	479	508	529	581	642	706	679	748	825
	48"	284	212	240	273	310	340	366	392	413	438	483	508	536	563	613	670	730	703	769	840
	54"	297	226	253	290	323	354	381	413	430	459	503	537	564	594	650	714	782	755	829	910
	60"	310	239	266	299	340	370	402	429	455	485	529	559	592	622	680	749	821	793	875	963
	66"	321	250	277	318	351	387	418	444	479	503	551	583	617	650	712	782	857	829	920	1000
	72"	336	264	292	323	363	402	432	465	495	524	576	613	647	679	746	825	906	879	964	1036
	84"	359	287	315	352	395	432	466	502	536	569	625	662	703	737	782	831	943	915	966	1055
	96"	364	293	320	360	403	440	475	512	546	580	636	678	717	754	798	923	978	950	1010	1073
	108"	402	330	358	403	451	494	534	572	612	650	714	758	802	845	895	1034	1097	1069	1135	1205
	120"	398	327	380	432	487	537	580	625	670	713	788	837	889	935	992	1150	1223	1223	1297	1376

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- 2" wide .008 gauge slats
- 2" X 2" steel head rail
- 2-Slat Standard Valance
- 1/2" deduction on inside mount
- Blind ladder will be color coordinated, but inner lift cord will be white.
- Wand tilt only (clear wand)
- Cordless with no lift handle included
- Limited Lifetime Warranty
- For Color availability see page 19

Cordless Features & Limitations

- Standard Cordless Module
- Left tilt standard
- Minimum width 18"
- Maximum width 96"
- Minimum length 18"
- Maximum length 108"

Tilt Only Features & Limitations**

- Left tilt standard on blinds > 12" wide
- Center tilt only for blinds 12" wide or less
- Minimum width 8"
- Maximum width 120"
- Minimum length 18"
- Maximum length 120"

Cloth tape available in 6 colors:

- 510 White
- 511 Duck White
- 512 Fawn
- 513 Dark Beige
- 514 Gray
- 524 Black

**Warning: To be compliant with the ANSI/WCMA A100.1-2022 Window Covering Standard Aluminum Tilt Only Blinds must be installed using all hardware and components including holddown brackets provided with this product and properly installed according to instructions provided in the blind package.

Micro (1/2") Aluminum

Micro (1/2")

Width to:	12"	18"	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"	
Length to:																						
42"	202	140	167	178	189	195	221	234	245	255	270	293	308	323	340	374	406	438	410	464	518	
48"	216	153	180	189	198	209	235	250	259	276	288	317	331	351	365	403	437	471	443	499	556	
54"	221	158	186	198	210	221	250	264	277	292	305	337	354	374	391	435	465	496	469	521	574	
60"	230	167	195	209	223	230	259	276	293	308	323	355	377	399	419	463	504	545	517	580	642	
66"	243	180	208	221	234	249	274	292	308	327	345	381	402	422	444	494	540	586	559	627	695	
72"	250	187	215	230	245	256	288	305	327	345	363	402	422	447	472	525	573	622	594	664	735	
78"	264	201	229	241	253	270	301	323	344	363	383	422	447	472	497	553	605	657	629	703	777	
84"	268	206	233	250	266	281	317	337	360	381	402	444	470	496	525	582	636	690	662	738	814	
90"	275	212	240	259	277	292	328	352	376	399	422	463	494	525	551	615	671	727	700	778	856	
96"	289	227	254	270	285	303	345	366	391	418	441	487	518	550	576	647	706	766	738	820	901	
102"	304	241	268	281	293	314	363	381	405	437	460	512	542	575	602	679	741	804	777	861	946	
108"	318	255	283	292	300	325	381	395	419	455	479	536	567	601	627	711	777	843	815	903	991	

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- 1/2" wide .006 gauge slats
- 1" X 1 1/2" steel head rail
- 2-Slat Standard Valance
- 1/2" deduction on inside mount
- All interior lift cords are white
- Wand tilt only (clear wand)
- Cordless with no lift handle included
- Limited Lifetime Warranty
- For Color availability see page 19

Cordless Features & Limitations

- Standard Cordless Module
- Left tilt standard
- Minimum width 18"
- Maximum width 96"
- Minimum length 18"
- Maximum length 96"

Size Limitations

- Minimum width 8"
- Maximum width 120"
- Minimum length 18"
- Maximum length 108"
- Minimum mounting space is 3/4"
- Minimum flush mount is 1 3/4"

Warranty

CACO, Inc. will extend a limited lifetime warranty on Aluminum blinds, a limited lifetime warranty on blinds and operating cords and a limited 5 year warranty on battery motors and wands. Each blind is warranted to be free from defects in materials and workmanship to the original owner, provided that the blinds were properly installed in a window, door or other interior area for which they intended, maintained and cleaned with the manufacturer recommendations.

Damage resulting from misuse, abuse, exposure to the elements, including but not limited to exposure to salty air, discoloration due to sunlight or passage of time, exposure to humidity, accidents, improper installation, alterations or normal wear and tear upon the shades are not covered by this warranty. Some fading or reduction in color intensity may occur and should not be deemed defective. Returns for the above-mentioned reasons are not warranted.

The obligation of CACO's manufactured products and its distributors is limited to repair or replacement of the blinds or components found to be defective, at our option, provided the blinds are returned to an authorized CACO dealer or distributor and accompanied by "proof of purchase". CACO is not responsible for any labor costs associated with fabricating alterations, measuring, or installation and to include shipping charges.

This warranty is exclusive and in lieu of all other obligations, liabilities, or warranties. In no event shall CACO be liable or responsible for incidental or consequential damages, or for any other direct or indirect damage, loss, cost, expense, or fee. Some states do not allow the exclusion or limitations of incidental or consequential damages, so this limitation may not apply to you. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.