



**CACO, INC.**  
WINDOW FASHIONS

*Version 1*  
3/1/2026

# **Retail Price Guide 2026**

## **Serenity Roller Shades Shades**


## Table of Contents

---

<b>Customer Service Policies</b>	1-2
<b>Serenity Roller Shades</b>	
Features, Options, Care & Operating Instructions	3
Pricing	4-7
Motorization	8-9
Warranty	10

**⚠ WARNING**

**⚠ ADVERTENCIA**



### Window Blind Cord Strangulation Risk

A damaged, loose, or missing tension device poses a strangulation risk to children. Remove from use and repair or replace if tension device is damaged, loose, or missing.

### Riesgo de estrangulamiento por cordón de persiana

Un dispositivo de tensión dañado, suelto o faltante presenta un riesgo de estrangulamiento para niños. Retira y repare o reemplaza si el dispositivo de tensión está dañado, suelto o falta.

08/2023 ANEV/NCMA 5.1.1

## How to place an order

For your convenience, CACO provides you with the option of placing orders by either telephone, email, online or fax (if placed by fax, CACO will provide order forms at no additional cost; customers must request forms). Orders placed after 3:00 pm EST will be forwarded to the next business day.

## Telephone orders

CACO Customer Service Representatives are available between the hours of 8:30 am and 5:00 pm Eastern Standard time at **1-800-552-5278**. Any order placed by phone requires a signed order confirmation returned to customer service by fax or email before proceeding with order. Keep in mind, when phoning in your order, it is important to have the following information available:

- Account number (if known)
- Individuals name that is calling
- P.O. number and/or side mark
- Color or colors
- Type of product ordered
- Measurements (width-first, length-second)
- Inside or outside mount (i.m./i.b or o.m./o.b)
- Control instructions
- Ship to address if different than sold-to
- Special instructions for shipping
- Valance instructions
- Any other special instructions
- Quote number, if order is placed from a previous quote

## Fax and Email Orders

Fax orders can be placed any time of day or night including holidays at **1-866-926-5836** or email to **customerservice@cacoinc.com**. To ensure order accuracy for faxed orders, it is advisable to use the order forms CACO supplies or a comparable form. It is important to note the number of pages of your order, including the cover sheet to ensure that no pages will be missing. For fax or email orders please include all of the same information required for telephone orders. Any omission of pertinent information will only delay your orders manufacturing time.

## Online Orders

Orders can be placed online at <https://88043.picbusiness.com/>. If you your account has not been set up to access our online portal, please contact [support@cacoinc.com](mailto:support@cacoinc.com) to sign up. This access allows you to quote, order as well as make payments online. Please note shutters are not available online to quote or place as orders, you will need to contact customer service for information about these products. Additionally, orders are released from internet hold and reviewed for credit at the daily 2:30 PM EST cutoff. Any orders submitted online after this time will be reviewed the following business day.

## How to expedite an order

In some occasions we may be able to provide a faster ship date for emergency situations, however customer service must be contacted when placing this type of order to verify. Additionally, if next day and second day shipping are required the customer will incur any additional shipping cost for expedited shipping.

## How to add on or make changes to an order

In the event that you wish to add to your original order, it is possible, if the order has not moved into fabrication. You will be required to submit changes in writing and must be signed by a person of authority indicating the items you wish to add or change. No verbal requests can be made. You will need to refer to the original P.O. number and indicate clearly the additions or changes you're requesting. Note: because add-ons may affect production time, check with customer service for any possible delays.

## How to cancel an order

Cancellations or changes require an immediate response and can only take place up until the start of fabrication. You must first identify your P.O. number or side mark and then state the cancellation or change. Cancellations must be faxed or emailed in writing only, phone calls are not permitted. If an order has already been cut, a minimum charge of 50% will apply.

## Should you order for the same room at different times?

This is a frequently asked question and should be addressed and explained at the point of sale. Under normal circumstances blinds, shades and verticals should be ordered for the same room at one time to prevent color deviations, as a result of dye and paint color variations from original lot to the other. If additional blinds, shades or verticals are ordered at a later time for the same room there can be a distinct color difference from the existing product to the new product. Also, window coverings that have been previously installed can have shade differentiations from newer products due to the progress of aging.

## Questions concerning an order

Once you contact customer service you must have your P.O. number and/or side mark available.

## Shipping and Handling Charges

- **Minimum order Fee:** \$25 shipping and handling fee will be added to any order with 2 units or less.
- **Per Unit Fee:** \$10 per unit shipping and handling fee will be added for all delivery orders with more than 2 units in lieu of the minimum order charge.
- **>90" Oversized Fee:** Any order with a product over 90" width (including oversized items such as valances that are not ordered spliced) will have an oversized fee of \$90 per unit up to \$180 maximum fee in addition to any minimum or per unit shipping and handling fees.
- **>104" Extended Oversized Fee:** Any order with a product over 104" (including oversized items such as valances that are not ordered spliced) will ship by LTL carrier and will incur an additional \$120 extended oversized fee per order in addition to any applicable minimum order, per unit and oversized handling fees.
- Accessorial LTL Truck delivery charges such as liftgate, inside delivery, re-consignment, re-delivery, etc. will be the responsibility of the receiving party.

## Credit and additional charges

Open accounts are established by submitting a CACO credit application. You will be required to list trade and bank references as well as a current sales tax id number. C.O.D. accounts are also obligated to submit a credit application. Invoices are due within 30 days of the date posted. After 30 days accounts will be charged 1.5% interest per month. CACO reserves the right not to ship to accounts with past due balances.

## Payment Policy

Current payment methods accepted are check, emailed or faxed checks for ACH processing, credit cards (Mastercard, Visa, Discover) and online payments by credit card or bank draft. Due to additional credit card fees, effective March 8<sup>th</sup>, a 2% processing fee will be added to all credit card payments. This fee can be avoided by either mailing checks to our PO Box or to expedite payments send a copy of your check along with our Check by Fax form by email to customerservice@cacoinc.com or fax to (866) 552-5278. Please note CACO will not automatically charge any credit card or process ACH transaction without a current, on file preauthorization forms, otherwise approval will be required at the time of each transaction.

## If you receive product that has been visibly damaged while in transit

Before accepting any shipments, please examine each carton carefully. If shipment shows any signs of mistreatment or damage, i.e., wheel marks, crushed or bent cartons note this on the bill of lading and have the driver sign it and note damage. Should a replacement be necessary, CACO will bill you. Your replacement invoice will enable you to file a claim with the responsible carrier. It is imperative that you count all cartons prior to signing the bill of lading; any shortages must be noted on the bill of lading with the driver's signature.

## Shipping discrepancies

If the product received does not agree with your packing slip, contact a CACO customer service representative within 24 hours. Your representative will verify any action needed for a resolution and expedite any necessary replacements.

## If you should receive a defective product

Your warranty protects you against defective products (please read your warranty for all information, disclaimers and liabilities). Should you receive a defective product, contact CACO customer service and provide detailed information including your P.O. number. If the product is not sent back for repair, you will be invoiced for a replacement and required to return back the original product to CACO for inspection. Any issue arising past 30 days from receipt of original order will be required to return product for repair.


# How to Measure

## Inside mount

A. Measure the window opening at three different places and use the narrowest dimension when ordering. Be exact! The factory will make the blind slightly narrower, so it won't rub against the window casing. (See A inside mount).

B. Measure the height of the window from the top (soffit) down to the sill. NOTE: The finished blind length may have a tolerance of based on product.


**Based on product, CACO will automatically make a deduction on width for measurements submitted as inside mount.**



## Outside mount

Measure exact width and height of the area to be covered. It is recommended that blinds overlap the window opening by at least 1 1/2" on each side to insure privacy and control sunlight. (See A outside mount). When installation is designed for "no sill," allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blinds will be made to exact measurements given. NOTE: The finished blind length may have a tolerance of based on product.

**CACO will not make any deductions for measurements submitted as outside mount.**



## Features, Options & Care

### Features

- Manual Clutch system operated via #10 stainless steel, plastic or painted steel bead chain.
- Varying diameters of aluminum tube to accommodate most any width.
- 1" aluminum internal hem bar.
- Available in many styles in Textstyle, Mermet decorative fabric and blackout fabrics. Fabric opaqueness varies from translucent to room darkening.
- Textstyle and Mermet solar shading fabrics can still keep the view while blocking harmful UV rays from the sun. Easy to clean.

### Options

- 3" or 4" flat
- Rollease Cassette System
  - o Curved: CD120 or CD 110 (fabric insert only)
  - o Square: CD 110 (available unwrapped or wrapped)
- Rollease 5" Fascia Dual Shade System Colors available
- Fabric Wrapped Fascia available for 4" Fascia with skyline clutch only
- Aluminum external bottom bar Colors available
- Motorization 5 volt rechargeable, 12 volt DC or 110 volt AC with multiple control options. See motorized roller shade section

	Options Color Availability				
	White	Alabaster	Aluminum	Bronze	Black
3" Fascia	Y	Y	Y	Y	Y
4" Fascia	Y	Y	Y	Y	Y
Curved CD 100	Y	Y	Y	Y	Y
Square CD 110	Y	Y	Y	Y	Y
Curved CD 120	Y	Y	Y	Y	Y
5" Fascia	Y	N	Y	Y	Y
External Bottom Bar	Y	Y	Y	Y	Y

### Surcharges

- External Clutch \$13.00 per shade
  - Galaxy Clutch \$25.50 per shade
  - Fabric Wrapped Fascia 25% upcharge on 4" fascia charge
  - Side Channels\* \$39.50 per ft (length of shade)
  - Sill Channels\* \$16.30 per ft (width of shade)
- Customer discount will be applied to additional charges for Clutches, Side and Sill channels.

\* Round up to nearest foot<sup>1</sup>


### Cordless Options:

Minimum Width	Maximum Width	Maximum Length
12"	84"	96"

## CARE AND OPERATION

Make sure brackets are mounted level or shade will roll crooked.

### IF YOUR SHADE DOES NOT ROLL STRAIGHT, CORRECT AS FOLLOWS:



Example:

(Fig. A)

(Fig. B)

(Fig. A) - Shade veers toward right. Correct by lowering shade completely and place a piece of paper, indicated by arrow, as close to the roller as possible. It acts as a shim.

(Fig. B) - Shade veers toward left. Correct by lowering shade completely and place a piece of paper, indicated by arrow, as close to the roller as possible. It acts as a shim.

Fabric Style	Type	Width	Railroad	Chart
3000 Privacy	Screen	118"	N	4
3000 Net 1%	Screen	118"	N	4
3000 Net 3%	Screen	118"	N	3
3000 Net 5%	Screen	118"	N	3
3000 Net 10%	Screen	118"	N	2
3000 HT 3%	Screen	98"	N	3
3000 HT 5%	Screen	98"	N	3
3000 RR	Screen	98"	N	3
4000 Net 3%	Screen	118"	N	3
4000 Net 5%	Screen	118"	N	3
Ambient Renew 1%	Screen	118"	N	6
Ambient Renew 5%	Screen	118"	N	5
Balmoral*	Blackout	118"	N	8*
Balmoral*	Light Filtering	118"	N	6*
Broad Lines	Translucent	110"	Y	5
Chateau	Light Filtering	118"	N	1
Chateau	Blackout	118"	N	3
E Screen .5%	Screen	122"	Y	9
E Screen 1%	Screen	122"	Y	8
E Screen 3%	Screen	122"	Y	7
E Screen 5%	Screen	122"	Y	6
E Screen 10%	Screen	122"	Y	6
E Screen Deco 1%	Screen	122"	Y	9
E Screen Deco 3%	Screen	122"	Y	8
E Screen Koolblack 1%	Screen	122"	Y	11
E Screen Koolblack 3%	Screen	122"	Y	11
E Screen Koolblack 5%	Screen	122"	Y	10
Illusion	Translucent	110"	Y	5
Jersey	Blackout	118"	N	8
Jersey	Light Filtering	118"	N	6
Kleen Screen 1%	Screen	118"	N	2
Kleen Screen 3%	Screen	118"	N	1
Kleen Screen 5%	Screen	118"	N	1
Kleen Screen Blackout	Blackout	118"	N	4
Linen	Translucent	110"	Y	6
M Screen 1%	Screen	122"	Y	8
M Screen 3%	Screen	122"	Y	7
M Screen 5%	Screen	122"	Y	6
Mesa	Blackout	118"	N	7
Mesa	Light Filtering	118"	N	5
Pinpointe	Blackout	98"	N	1
S Screen 1%	Screen	122"	N	9
S Screen 4%	Screen	122"	N	9
Sanctuary	Blackout	118"	N	7
Sanctuary	Light Filtering	118"	N	5
Slender Lines	Translucent	110"	Y	5
Slight	Translucent	110"	Y	4
T Screen 1%	Screen	122"	N	9
T Screen 3%	Screen	122"	N	8
T Screen Koolblack 1%	Screen	122"	Y	10
T Screen Koolblack 3%	Screen	122"	Y	10
Tempe	Blackout	118"	N	5
Tusk	Blackout	118"	N	5
Tusk	Light Filtering	118"	N	2

\*Add 10% surcharge: Balmoral Armour, Chrome & Platinum

Price Charts – Group 1, Group 2 & Group 3

	25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
3" Fascia	90	99	107	114	124	132	141	149	157	166	176	191	206	225
4" Fascia	89	102	110	122	131	144	154	163	176	186	195	218	239	259
4" Fabric Wrapped Fascia – Skyline only	110	126	136	152	163	179	192	204	218	233	244	271	295	324
CD100 or CD110-(No Fabric Wrap)	93	110	127	146	163	180	197	216	233	251	268	305	341	n/a
CD120 or CD110-(Fabric Wrap)	98	118	136	156	176	193	215	233	253	270	292	330	356	n/a
5" Fascia Dual Shade	166	179	191	203	216	227	240	251	265	276	288	313	n/a	n/a
Cordless	99	99	99	113	113	113	131	131	131	131	131	n/a	n/a	n/a
External Bottomrail	25	28	32	37	43	48	52	56	62	69	72	81	89	99

<b>Group 1</b>		Chateau Light Filtering (118")		Kleenscreen 3% (118")		Kleenscreen 5% (118")		Pinpointe (98")		(Fabric Width)					
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	173	195	215	234	253	270	289	309	327	355	375	411	622	672
	42"	179	203	221	242	262	282	301	322	341	372	392	431	644	694
	48"	184	208	230	251	272	292	313	334	355	386	407	450	665	718
	54"	188	214	237	259	282	302	325	348	370	402	424	470	687	742
	60"	193	219	243	267	291	313	337	360	383	418	441	488	706	765
	66"	198	226	251	275	300	324	349	374	399	432	457	505	728	787
	72"	204	232	258	284	310	334	360	386	411	448	474	525	750	811
	78"	208	238	265	292	320	347	373	400	427	463	490	543	770	834
	84"	213	244	272	300	328	356	383	411	441	478	507	563	789	858
	90"	217	251	279	309	338	368	396	426	455	494	524	582	811	881
	96"	221	257	286	316	348	378	407	438	470	510	539	599	832	904
	108"	232	268	301	333	367	400	431	464	498	540	571	638	875	950
	120"	241	280	315	350	384	421	455	490	526	570	606	675	916	997
	132"	252	292	329	367	404	443	478	516	553	599	638	713	959	1043
144"	261	303	345	383	423	463	502	542	582	632	671	751	999	1091	

<b>Group 2</b>		3000 Net 10% (118")		Kleenscreen 1% (118")		Tusk Light Filtering (118")		(Fabric Width)							
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	181	205	225	245	266	286	306	326	348	377	399	438	652	704
	42"	187	212	233	256	276	299	321	341	364	396	418	461	677	731
	48"	191	218	241	265	288	311	334	356	380	414	435	482	702	758
	54"	197	226	251	274	299	324	348	373	397	431	456	504	726	785
	60"	204	233	259	285	310	336	361	387	414	449	475	527	751	812
	66"	210	240	267	294	322	349	376	403	430	467	494	548	775	841
	72"	215	246	275	303	332	360	391	419	447	486	514	570	800	868
	78"	219	254	284	313	345	374	403	433	463	503	534	593	824	895
	84"	226	261	292	324	354	386	418	449	480	521	552	615	849	922
	90"	232	268	300	333	367	399	431	463	497	539	571	637	874	949
	96"	238	275	309	343	377	410	446	478	513	557	591	660	899	976
	108"	249	289	326	363	400	435	473	510	545	593	631	703	946	1032
	120"	260	302	343	381	422	461	500	540	580	629	667	747	996	1086
	132"	272	316	359	402	444	486	528	570	612	664	706	793	1044	1140
144"	283	330	376	421	465	511	556	599	645	701	746	835	1094	1197	

<b>Group 3</b>		3000 Net 3% (118")		3000 Net 5% (118")		3000 HT 3% (98")		3000 HT 5% (98")		(Fabric Width)					
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	184	208	229	249	270	292	312	333	354	384	406	448	663	716
	42"	189	215	238	260	283	305	327	350	373	404	427	472	689	746
	48"	194	221	245	270	294	318	341	365	391	423	447	495	715	774
	54"	202	231	256	280	306	330	356	381	406	443	468	517	741	802
	60"	207	238	264	291	318	345	372	399	424	461	488	541	767	832
	66"	213	244	273	301	329	356	384	414	443	480	509	565	794	860
	72"	218	252	282	312	341	372	401	430	459	499	528	589	820	890
	78"	225	260	291	322	353	383	415	446	477	517	549	611	846	918
	84"	232	267	300	332	364	397	430	462	495	537	569	635	872	946
	90"	238	274	309	343	376	409	445	478	512	556	590	659	896	975
	96"	243	283	318	352	387	423	458	494	529	575	610	680	922	1005
	108"	256	297	336	374	410	450	488	526	565	613	651	728	973	1063
	120"	267	312	353	394	434	476	517	559	598	651	691	774	1025	1119
	132"	279	326	372	415	458	502	546	591	635	689	732	821	1078	1177
144"	291	341	388	434	482	529	575	622	670	727	773	867	1130	1234	

Any product to the right or below dark line are manufactured with heavy duty clutch and tube. Any product in gray shaded area will require seam (not all fabrics can be seamed, check with customer service). Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Price Charts – Group 4, Group 5 & Group 6

	25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
3" Fascia	90	99	107	114	124	132	141	149	157	166	176	191	206	225
4" Fascia	89	102	110	122	131	144	154	163	176	186	195	218	239	259
4" Fabric Wrapped Fascia – Skyline only	110	126	136	152	163	179	192	204	218	233	244	271	295	324
CD100 or CD110-(No Fabric Wrap)	93	110	127	146	163	180	197	216	233	251	268	305	341	n/a
CD120 or CD110-(Fabric Wrap)	98	118	136	156	176	193	215	233	253	270	292	330	356	n/a
5" Fascia Dual Shade	166	179	191	203	216	227	240	251	265	276	288	313	n/a	n/a
Cordless	99	99	99	113	113	113	131	131	131	131	131	n/a	n/a	n/a
External Bottomrail	25	28	32	37	43	48	52	56	62	69	72	81	89	99

<b>Group 4</b>		3000 Net Privacy (118")				3000 Net 1% (118")				Kleenscreen Blackout (118")				Slight (110")		(Fabric Width)	
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"		
Length to:	36"	187	212	234	256	276	299	321	343	364	396	419	461	678	732		
	42"	192	219	243	266	289	313	337	359	382	417	440	487	705	762		
	48"	199	229	253	278	302	327	352	377	402	435	461	512	733	795		
	54"	206	235	262	288	314	341	368	395	421	457	483	537	760	825		
	60"	213	243	272	299	327	355	382	410	440	477	504	562	787	855		
	66"	218	252	282	311	340	370	400	429	458	498	527	586	816	887		
	72"	225	260	291	322	352	383	415	446	476	517	548	611	845	917		
	78"	232	267	300	332	365	399	430	463	495	538	570	636	873	948		
	84"	238	275	310	345	378	411	446	480	514	558	592	661	900	980		
	90"	244	284	320	354	391	426	462	498	534	580	615	686	928	1011		
	96"	251	292	328	367	403	440	477	514	552	598	636	711	955	1041		
	108"	264	307	348	387	428	468	509	549	590	639	679	759	1011	1103		
	120"	276	323	367	409	453	497	540	584	626	679	724	809	1066	1163		
	132"	289	339	384	432	478	525	570	618	664	721	767	860	1121	1226		
144"	302	354	404	454	503	553	604	652	702	760	810	910	1177	1286			

<b>Group 5</b>		Ambient Renew 5% (118")				Broad Lines (110")				Illusion (110")				(Fabric Width)			
		Mesa Light Filtering (118")				Sanctuary Light Filtering (118")				Tusk Blackout (118")							
		Slender Lines (110")				Tempe (118")											
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"		
Length to:	36"	195	225	251	275	300	325	350	376	401	434	459	511	727	786		
	42"	205	235	262	289	316	345	372	399	424	461	488	542	761	827		
	48"	213	245	274	303	333	361	392	420	449	488	516	573	798	867		
	54"	220	257	287	318	349	380	410	443	474	514	544	608	834	906		
	60"	230	266	299	332	365	399	431	464	498	540	572	639	869	946		
	66"	239	276	312	347	381	418	451	487	522	566	600	671	905	987		
	72"	246	287	324	360	399	434	472	510	545	593	631	704	942	1026		
	78"	256	297	336	376	414	454	492	532	570	619	659	735	976	1066		
	84"	264	307	349	391	430	472	513	553	594	645	687	769	1014	1106		
	90"	272	318	360	404	447	489	534	575	619	671	715	800	1049	1147		
	96"	280	328	374	419	463	509	553	597	643	698	742	833	1084	1186		
	108"	297	349	397	447	495	544	593	643	691	751	799	896	1157	1266		
	120"	313	369	422	475	528	582	635	687	740	802	855	962	1229	1346		
	132"	329	391	447	503	561	618	675	731	787	855	913	1025	1300	1425		
144"	347	409	472	534	593	654	715	777	836	907	969	1091	1372	1506			

<b>Group 6</b>		Ambient Renew 1% (118")				Balmoral Light Filtering* (118")				E Screen 5% (122")				(Fabric Width)			
		E Screen 10% (122")				Jersey Light Filtering (118")											
		Linen (110")				M Screen 5% (122")											
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"		
Length to:	36"	202	231	258	284	311	338	364	392	418	454	480	534	748	811		
	42"	211	242	270	300	328	357	386	415	445	482	512	568	787	856		
	48"	219	254	285	315	348	378	408	440	472	512	542	606	827	901		
	54"	230	265	299	332	365	399	431	464	498	541	573	640	867	945		
	60"	238	276	312	348	382	419	454	489	525	569	606	676	907	989		
	66"	246	288	326	364	401	438	476	514	552	598	637	712	947	1034		
	72"	257	299	339	379	420	458	499	539	580	627	667	748	987	1078		
	78"	266	311	353	395	437	480	521	564	607	658	700	783	1026	1121		
	84"	275	323	367	410	455	500	543	589	633	687	730	820	1067	1166		
	90"	284	333	380	427	474	519	566	613	660	715	761	855	1106	1210		
	96"	293	346	394	444	491	540	589	638	687	745	794	891	1147	1255		
	108"	312	368	421	474	527	581	634	687	740	802	855	962	1226	1342		
	120"	329	392	449	505	564	621	678	735	795	861	918	1035	1306	1431		
	132"	349	414	476	538	599	662	725	785	849	919	982	1105	1386	1520		
144"	368	437	503	569	636	702	770	835	902	976	1043	1177	1466	1608			

Any product to the right or below dark line are manufactured with heavy duty clutch and tube. Any product in gray shaded area will require seam (not all fabrics can be seamed, check with customer service). Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

# Serenity Roller Shades



## Price Charts – Group 7, Group 8 & Group 9

	25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
3" Fascia	90	99	107	114	124	132	141	149	157	166	176	191	206	225
4" Fascia	89	102	110	122	131	144	154	163	176	186	195	218	239	259
4" Fabric Wrapped Fascia – Skyline only	110	126	136	152	163	179	192	204	218	233	244	271	295	324
CD100 or CD110-(No Fabric Wrap)	93	110	127	146	163	180	197	216	233	251	268	305	341	n/a
CD120 or CD110-(Fabric Wrap)	98	118	136	156	176	193	215	233	253	270	292	330	356	n/a
5" Fascia Dual Shade	166	179	191	203	216	227	240	251	265	276	288	313	n/a	n/a
Cordless	99	99	99	113	113	113	131	131	131	131	131	n/a	n/a	n/a
External Bottomrail	25	28	32	37	43	48	52	56	62	69	72	81	89	99

<b>Group 7</b>		E Screen 3% (122") Mesa Blackout (118")		M Screen 3% (122") Sanctuary Blackout (118")		(Fabric Width)									
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	208	239	267	296	324	352	380	408	437	475	503	559	778	845
	42"	217	252	283	313	345	375	405	435	467	507	538	598	821	892
	48"	229	265	298	330	364	397	430	463	497	539	571	638	864	941
	54"	238	276	312	348	382	419	454	490	526	570	607	677	907	989
	60"	248	289	327	365	403	441	478	516	556	604	640	716	950	1038
	66"	258	301	341	382	423	463	503	543	584	635	675	755	995	1086
	72"	268	314	356	400	443	486	528	570	613	665	708	795	1039	1134
	78"	278	326	373	418	462	507	553	597	643	698	743	833	1082	1183
	84"	288	339	386	434	482	529	578	624	672	729	778	873	1126	1231
	90"	299	352	402	451	502	552	600	652	702	760	811	912	1169	1280
	96"	309	364	418	470	521	573	626	679	731	794	847	950	1212	1328
	108"	328	388	447	503	562	618	676	732	789	856	915	1029	1300	1425
	120"	349	415	476	539	599	663	726	786	850	920	984	1107	1388	1522
	132"	369	440	505	572	640	706	774	841	908	985	1052	1185	1473	1619
144"	388	464	537	608	679	752	824	895	967	1048	1120	1263	1561	1716	

<b>Group 8</b>		Balmoral Blackout* (118") Jersey Blackout (118")		E Screen 1% (122") M Screen 1% (122")		E Screen Deco 3% (122") T Screen 3% (122")		10% surcharge on Balmoral Patterns Armor, Chrome & Platinum							(Fabric Width)	
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"	
Length to:	36"	213	245	275	306	336	365	395	426	455	494	524	583	801	873	
	42"	225	260	292	325	356	388	422	454	487	528	561	624	849	923	
	48"	235	273	309	345	378	414	448	483	518	563	597	667	895	976	
	54"	245	287	325	361	400	437	475	513	551	597	635	711	943	1029	
	60"	257	300	340	380	421	462	502	542	583	633	672	753	990	1081	
	66"	268	314	356	400	444	486	528	571	615	666	708	796	1038	1134	
	72"	279	327	374	419	464	510	556	599	646	701	747	837	1084	1186	
	78"	289	341	388	437	486	535	582	631	678	735	783	880	1132	1239	
	84"	300	354	405	456	507	558	609	660	711	771	822	922	1179	1292	
	90"	312	369	422	475	528	582	636	689	742	805	858	966	1227	1345	
	96"	323	381	437	494	549	607	662	718	774	839	895	1009	1274	1396	
	108"	345	408	471	532	593	654	715	777	837	908	970	1093	1368	1502	
	120"	367	435	502	569	636	702	770	835	902	976	1044	1177	1463	1607	
	132"	387	463	536	607	678	751	823	894	966	1047	1119	1261	1557	1712	
144"	409	490	567	644	723	799	876	953	1029	1116	1194	1347	1652	1818		

<b>Group 9</b>		E Screen 5% (122") S Screen 1 & 4% (118")		E Screen Deco 1% (122") T Screen 1% (122")		(Fabric Width)									
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	221	258	289	322	354	386	419	451	483	525	557	621	842	917
	42"	234	273	309	343	378	414	449	483	518	564	597	669	895	975
	48"	246	288	326	364	402	441	478	516	554	600	640	716	947	1036
	54"	259	303	345	384	427	467	509	549	591	640	681	762	1000	1093
	60"	270	318	363	406	450	494	539	583	626	679	724	811	1054	1152
	66"	284	333	380	428	474	521	568	616	662	718	765	859	1107	1211
	72"	296	349	399	449	499	548	597	647	699	757	807	906	1160	1270
	78"	309	364	418	470	522	575	629	680	733	796	849	954	1212	1329
	84"	321	379	434	490	545	604	659	714	770	834	890	1001	1266	1389
	90"	332	395	453	512	570	629	688	747	806	874	932	1049	1319	1446
	96"	346	409	472	534	594	656	717	780	841	913	973	1096	1372	1506
	108"	369	440	507	575	643	711	778	846	913	989	1056	1191	1479	1624
	120"	394	471	543	617	690	765	837	912	985	1067	1140	1286	1583	1741
	132"	419	501	581	660	739	819	896	976	1056	1144	1225	1383	1690	1859
144"	444	530	617	702	786	873	958	1042	1128	1223	1307	1477	1796	1977	

Any product to the right or below dark line are manufactured with heavy duty clutch and tube. Any product in gray shaded area will require seam (not all fabrics can be seamed, check with customer service). Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Price Charts – Group 10, Group 11 & Group 12

	25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
3" Fascia	90	99	107	114	124	132	141	149	157	166	176	191	206	225
4" Fascia	89	102	110	122	131	144	154	163	176	186	195	218	239	259
4" Fabric Wrapped Fascia – Skyline only	110	126	136	152	163	179	192	204	218	233	244	271	295	324
CD100 or CD110-(No Fabric Wrap)	93	110	127	146	163	180	197	216	233	251	268	305	341	n/a
CD120 or CD110-(Fabric Wrap)	98	118	136	156	176	193	215	233	253	270	292	330	356	n/a
5" Fascia Dual Shade	166	179	191	203	216	227	240	251	265	276	288	313	n/a	n/a
Cordless	99	99	99	113	113	113	131	131	131	131	131	n/a	n/a	n/a
External Bottomrail	25	28	32	37	43	48	52	56	62	69	72	81	89	99

<b>Group 10</b>		E Screen Koolblack 5% (122")											T Screen Koolblack 1% & 3% (122")				(Fabric Width)	
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"			
Length to:	36"	251	293	333	373	411	451	491	530	570	619	660	739	968	1057			
	42"	267	313	356	401	445	488	530	573	618	671	714	801	1039	1135			
	48"	284	333	380	429	476	524	570	618	665	723	770	864	1108	1213			
	54"	299	353	405	456	509	559	611	662	713	773	825	928	1179	1292			
	60"	315	374	429	485	540	594	650	705	760	825	880	990	1250	1369			
	66"	332	394	453	513	571	632	690	750	808	876	935	1053	1319	1447			
	72"	349	414	477	540	604	666	729	794	855	928	990	1117	1390	1526			
	78"	364	433	501	568	635	702	770	835	903	977	1045	1179	1459	1604			
	84"	380	455	525	595	666	738	808	879	949	1030	1101	1242	1530	1682			
	90"	397	475	549	623	699	774	849	922	997	1081	1156	1306	1601	1759			
	96"	411	495	572	652	730	809	888	967	1044	1132	1211	1368	1670	1838			
	108"	446	536	621	707	795	880	967	1054	1140	1234	1321	1495	1811	1993			
	120"	477	575	670	762	858	953	1045	1140	1234	1338	1432	1620	1952	2149			
	132"	511	616	717	821	921	1023	1126	1228	1329	1441	1542	1746	2092	2306			
144"	542	656	766	876	986	1095	1205	1315	1425	1543	1653	1873	2230	2461				

<b>Group 11</b>		E Screen Koolblack 1% & 3% (122")											(Fabric Width)		
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	276	325	372	418	463	510	556	600	647	702	748	840	1081	1183
	42"	297	350	401	451	502	553	605	653	704	765	815	916	1164	1278
	48"	315	375	429	485	540	595	651	706	761	826	881	993	1251	1371
	54"	336	399	458	518	580	639	699	758	820	888	947	1068	1336	1466
	60"	354	423	488	552	617	681	747	811	877	949	1015	1144	1419	1558
	66"	375	447	516	586	656	725	795	864	934	1012	1081	1221	1504	1653
	72"	394	472	545	619	693	769	842	916	990	1074	1148	1296	1588	1746
	78"	414	495	573	653	732	810	890	969	1048	1135	1214	1372	1673	1841
	84"	433	519	605	687	771	854	939	1021	1105	1198	1281	1447	1758	1935
	90"	453	543	633	721	809	896	986	1074	1161	1259	1347	1525	1842	2029
	96"	473	568	662	754	848	941	1034	1126	1220	1321	1415	1601	1928	2123
	108"	512	617	719	822	923	1026	1129	1231	1334	1445	1547	1752	2096	2311
	120"	551	665	778	889	1000	1113	1225	1337	1447	1568	1680	1904	2266	2499
	132"	590	714	835	956	1078	1199	1320	1442	1562	1692	1814	2056	2434	2687
144"	629	761	893	1023	1155	1284	1416	1545	1677	1817	1946	2206	2603	2875	

*Any product to the right or below dark line will manufacture with heavy duty clutch & tube. Any product in gray shaded area will require seam (not all fabrics can be seamed, check with customer service. Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.*

## Automate Motorization

AUTOMATE | ARCTM (Automate Radio Communication) motors offer a wire free or wired motorization option that is an easy to use and program solution to suit a large range of applications, with varying torques and speed levels. Features include:

- Automate motorization available in rechargeable Li-ion battery, DC wired and AC wired options
- Simple limit setting and adjustment
- 3 operational speed settings available
- Favorite position
- 2-way RF communication
- 5-year motor warranty



**ROLLEASE  
ACME**  
PRECISION IN MOTION



### Lithium-Ion Battery Motorization

AUTOMATE | Li-ion ARC motors offer a wire free, rechargeable, easy to use and program solution. Automate motors feature a charge-management circuit that adjusts the amount of electrical current feeding the battery. As a battery reaches its maximum charge, the circuit will limit the current eventually shutting off power once the battery is fully charged.

- Rechargeable built-in Li-ion battery with up to 500 up and down cycles per charge. These numbers are impacted by shade size and fabric, but on average size shades are able to last about a year and half under normal operation (one cycle per day).
- Minimum Widths:
  - LI-ION 1.1nm 21.5"
  - LI-ION 2.0nm 30"
  - LI-ION 3.0nm 34"
- Maximum sizes. Please note sizes listed are based on average and can vary based on fabric:
  - LI-ION 1.1nm 84" x 84"
  - LI-ION 2.0nm 108" x 120"
  - LI-ION 3.0nm 118" x 144"

#### Automate ARC Li-ion Motors:

• LI-ION 1.1nm DCQRF	\$423	Retail
• LI-ION 2.0nm DCQRF	\$549	Retail
• LI-ION 3.0nm DCQRF	\$869	Retail
• 12v Standard Wall Charger	\$88	Retail
• 5v Magnetic Charger (expect longer charge time of 9-12 hours)	\$88	Retail
• 8" Charger Cable Extender	\$18	Retail
• 48" Charger Cable Extender	\$37	Retail
• Battery Tube Only (DCRF Motors Only) requires 8 AA batteries – lithium recommended	\$116	Retail
• 8 Lithium Batteries for Battery Tube	\$112	Retail
• Solar Panel	\$304	Retail

### DC Low Voltage Motorization

Automate DC motors offer a wired option power option for both residential and light commercial projects. Connected using low voltage cables this motor also allows a lower installation cost since a certified electrician is not required for set-up.

- Minimum Widths:
  - 1.1nm 17"
  - 2.0nm 22"
- Maximum sizes. Please note sizes listed are based on average and can vary based on fabric:
  - 1.1nm 84" x 84"
  - 2.0nm 108" x 120"

#### Automate DC Motors:

• 1.1nm DCQRF	\$423	Retail
• 2.0nm DCQRF	\$549	Retail
• 12v DC Plugin Power Supply (single DC motor)	\$93	Retail
• 12v DC Power Panel (up to 18 DC motors)	\$757	Retail
• 12v DC Connection Harness	\$14	Retail

### AC Line Voltage Motorization

Automate AC motors are a wired power option for large windows and larger commercial applications.

- Minimum width: 34"
- Maximum size based on average and can vary based on fabric: 120" x 144"

#### Automate ARC AC Motors:

• ACRF	\$902	Retail
--------	-------	--------

### Automate Wireless Controls

Compatible with all ARC motors above. Remotes and switches feature a contemporary design with touch sensitive controls.

- Controls include 3 remote styles and 3 cut in wall switches
- Optional Automate Pulse Hub with Wi-Fi built in can be used control shades with most smart devices and some home automation systems. A local wireless network will be required.

#### Automate Remote Control:

• Push 5 Remote – Available in White or Black	\$218	Retail
• Push 15 Remote – Available in White or Black	\$250	Retail
• Push Pro Remote (30 Channels) – Available in White or Black	\$524	Retail
• Push Pro Charging Cable	\$11	Retail
• 1 Channel Remote	\$214	Retail
• 1 Channel Cut in Wall Switch	\$166	Retail
• 2 Channel Cut in Wall Switch	\$228	Retail
• 15 Channel Cut in Wall Switch	\$212	Retail
• Automate Pro Hub	\$696	Retail
• Automate Interior Sun Sensor	\$88	Retail

## Basics Motorization

BASICS AUTOMATE | ARC™ (Automate Radio Communication) motors offer an entry level, wire free rechargeable option for simple motorization needs.



### Features and Notes:

- Only available in a 1.1 NM motor
- Can only be operated using the 5 Channel BASICS Remote
- Does not integrate with the Pulse 2 Hub
- Simple limit setting and adjustment
- 2-way RF communication
- 3-year motor warranty

### BASICS Lithium-Ion Battery Wire Free Motorization

BASICS AUTOMATE | Li-ion ARC motors offer a wire free, rechargeable, easy to use and program solution. Automate motors feature a charge-management circuit that adjusts the amount of electrical current feeding the battery. As a battery reaches its maximum charge, the circuit will limit the current eventually shutting off power once the battery is fully charged.

- Rechargeable built-in Li-ion battery with up to 500 up and down cycles per charge. These numbers are impacted by shade size and fabric weight, but on average our motors in prevalent size shades are able to last about a year and half under normal operation (one cycle per day).
- Minimum Widths: Basics LI-ION 1.1nm                      21"
- Maximum sizes. 84" x 84" Please note sizes listed are based on average and can vary based on fabric:

### BASICS Automate Li-ion Options:

• BASICS Automate LI-ION 1.1nm	\$215	Retail
• Wall Charger	\$92	Retail
• 5 Channel Remote	\$52	Retail
• Solar Panel	\$304	Retail

---

## Warranty

CACO, Inc. will extend a limited lifetime warranty on Serenity Roller Shade clutches not to exceed 25 years, 3 years on chain for roller shade operation, a limited lifetime warranty on interior use Textstyle fabrics not to exceed 25 years, a limited 10 year warranty on interior use Mermet Fabrics, a limited 5 year warranty on interior use vinyl fabrics and BASICS Automate motors provide a limited 3 year warranty, Rollease Acmeda Automate motors provide a limited 5 year warranty on battery motors and a limited 7 year warranty on direct wired motors. Each shade is warranted to be free from defects in materials and workmanship to the original owner, provided that the shades were properly installed in a window, door or other interior area for which they intended, maintained and cleaned with the manufacturer recommendations.

Damage resulting from misuse, abuse, exposure to the elements, including but not limited to exposure to salty air, discoloration due to sunlight or passage of time, exposure to humidity, accidents, the use of steam, bleach, or any caustic abrasive, or solvent based cleaners, improper installation, alterations or normal wear and tear upon the shades are not covered by this warranty. Some fading or reduction in color intensity may occur and should not be deemed defective. Returns for the above-mentioned reasons are not warranted.

The obligation of CACO's manufactured products and its distributors is limited to repair or replacement of the shades or components found to be defective, at our option, provided the shades are returned to an authorized CACO dealer or distributor and accompanied by "proof of purchase CACO is not responsible for any shipping or labor costs associated for measuring, removing and re-installing blind from installed windows or fabricating alterations.

This warranty is exclusive and in lieu of all other obligations, liabilities, or warranties. In no event shall CACO be liable or responsible for incidental or consequential damages, or for any other direct or indirect damage, loss, cost, expense, or fee. Some states do not allow the exclusion or limitations of incidental or consequential damages, so this limitation may not apply to you. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.