



CACO, INC.
WINDOW FASHIONS

Version 1
3/1/2026

Retail Price Guide 2026

Sheerview Shades

<u>Customer Service Policies</u>	1-2
<u>Sheerview Horizontal Shade Collection</u>	
Features, Benefits Fabric Reference & Measuring Instructions	3
Design and Operation	4
Shade Components	5
Fabric Selection	6
Price Charts	7-8
Operating Systems, Options & Motorization Surcharges	9
Child Safety, Care & Warranty	10

<p>⚠ WARNING</p> <p>⚠ ADVERTENCIA</p>		03/2023 ANB/VICMA 5.1.1
		<p>Window Blind Cord Strangulation Risk A damaged, loose, or missing tension device poses a strangulation risk to children. Remove from use and repair or replace if tension device is damaged, loose, or missing.</p> <hr/> <p>Riesgo de estrangulamiento por cordón de persiana Un dispositivo de tensión dañado, suelto o faltante presenta un riesgo de estrangulamiento para niños. Retire y repare o reemplace si el dispositivo de tensión está dañado, suelto o falta.</p>

How to place an order

For your convenience, CACO provides you with the option of placing orders by either telephone, email, online or fax (if placed by fax, CACO will provide order forms at no additional cost; customers must request forms). Orders placed after 3:00 pm EST will be forwarded to the next business day.

Telephone orders

CACO Customer Service Representatives are available between the hours of 8:30 am and 5:00 pm Eastern Standard time at **1-800-552-5278**. Any order placed by phone requires a signed order confirmation returned to customer service by fax or email before proceeding with order. Keep in mind, when phoning in your order, it is important to have the following information available:

- Account number (if known)
- Individuals name that is calling
- P.O. number and/or side mark
- Color or colors
- Type of product ordered
- Measurements (width-first, length-second)
- Inside or outside mount (i.m./i.b or o.m./o.b)
- Control instructions
- Ship to address if different than sold-to
- Special instructions for shipping
- Valance instructions
- Any other special instructions
- Quote number, if order is placed from a previous quote

Fax and Email Orders

Fax orders can be placed any time of day or night including holidays at **1-866-926-5836** or email to **customerservice@cacoinc.com**. To ensure order accuracy for faxed orders, it is advisable to use the order forms CACO supplies or a comparable form. It is important to note the number of pages of your order, including the cover sheet to ensure that no pages will be missing. For fax or email orders please include all of the same information required for telephone orders. Any omission of pertinent information will only delay your orders manufacturing time.

Online Orders

Orders can be placed online at <https://88043.picbusiness.com/>. If you your account has not been set up to access our online portal, please contact support@cacoinc.com to sign up. This access allows you to quote, order as well as make payments online. Please note shutters are not available online to quote or place as orders, you will need to contact customer service for information about these products. Additionally, orders are released from internet hold and reviewed for credit at the daily 2:30 PM EST cutoff. Any orders submitted online after this time will be reviewed the following business day.

How to expedite an order

In some occasions we may be able to provide a faster ship date for emergency situations, however customer service must be contacted when placing this type of order to verify. Additionally, if next day and second day shipping are required the customer will incur any additional shipping cost for expedited shipping.

How to add on or make changes to an order

In the event that you wish to add to your original order, it is possible, if the order has not moved into fabrication. You will be required to submit changes in writing and must be signed by a person of authority indicating the items you wish to add or change. No verbal requests can be made. You will need to refer to the original P.O. number and indicate clearly the additions or changes you're requesting. Note: because add-ons may affect production time, check with customer service for any possible delays.

How to cancel an order

Cancellations or changes require an immediate response and can only take place up until the start of fabrication. You must first identify your P.O. number or side mark and then state the cancellation or change. Cancellations must be faxed or emailed in writing only, phone calls are not permitted. If an order has already been cut, a minimum charge of 50% will apply.

Should you order for the same room at different times?

This is a frequently asked question and should be addressed and explained at the point of sale. Under normal circumstances blinds, shades and verticals should be ordered for the same room at one time to prevent color deviations, as a result of dye and paint color variations from original lot to the other. If additional blinds, shades or verticals are ordered at a later time for the same room there can be a distinct color difference from the existing product to the new product. Also, window coverings that have been previously installed can have shade differentiations from newer products due to the progress of aging.

Questions concerning an order

Once you contact customer service you must have your P.O. number and/or side mark available.

Shipping and Handling Charges

- **Minimum order Fee:** \$25 shipping and handling fee will be added to any order with 2 units or less.
- **Per Unit Fee:** \$10 per unit shipping and handling fee will be added for all delivery orders with more than 2 units in lieu of the minimum order charge.
- **>90" Oversized Fee:** Any order with a product over 90" width (including oversized items such as valances that are not ordered spliced) will have an oversized fee of \$90 per unit up to \$180 maximum fee in addition to any minimum or per unit shipping and handling fees.
- **>104" Extended Oversized Fee:** Any order with a product over 104" (including oversized items such as valances that are not ordered spliced) will ship by LTL carrier and will incur an additional \$120 extended oversized fee per order in addition to any applicable minimum order, per unit and oversized handling fees.
- Accessorial LTL Truck delivery charges such as liftgate, inside delivery, re-consignment, re-delivery, etc. will be the responsibility of the receiving party.

Credit and additional charges

Open accounts are established by submitting a CACO credit application. You will be required to list trade and bank references as well as a current sales tax id number. C.O.D. accounts are also obligated to submit a credit application. Invoices are due within 30 days of the date posted. After 30 days accounts will be charged 1.5% interest per month. CACO reserves the right not to ship to accounts with past due balances.

Payment Policy

Current payment methods accepted are check, emailed or faxed checks for ACH processing, credit cards (Mastercard, Visa, Discover) and online payments by credit card or bank draft. Due to additional credit card fees, effective March 8th, a 2% processing fee will be added to all credit card payments. This fee can be avoided by either mailing checks to our PO Box or to expedite payments send a copy of your check along with our Check by Fax form by email to customerservice@cacoinc.com or fax to (866) 552-5278. Please note CACO will not automatically charge any credit card or process ACH transaction without a current, on file preauthorization forms, otherwise approval will be required at the time of each transaction.

If you receive product that has been visibly damaged while in transit

Before accepting any shipments, please examine each carton carefully. If shipment shows any signs of mistreatment or damage, i.e., wheel marks, crushed or bent cartons note this on the bill of lading and have the driver sign it and note damage. Should a replacement be necessary, CACO will bill you. Your replacement invoice will enable you to file a claim with the responsible carrier. It is imperative that you count all cartons prior to signing the bill of lading; any shortages must be noted on the bill of lading with the driver's signature.

Shipping discrepancies

If the product received does not agree with your packing slip, contact a CACO customer service representative within 24 hours. Your representative will verify any action needed for a resolution and expedite any necessary replacements.

If you should receive a defective product

Your warranty protects you against defective products (please read your warranty for all information, disclaimers and liabilities). Should you receive a defective product, contact CACO customer service and provide detailed information including your P.O. number. If the product is not sent back for repair, you will be invoiced for a replacement and required to return back the original product to CACO for inspection. Any issue arising past 30 days from receipt of original order will be required to return product for repair.

How to Measure

Inside mount

A. Measure the window opening at three different places and use the narrowest dimension when ordering. Be exact! The factory will make the blind slightly narrower, so it won't rub against the window casing. (See A inside mount).



B. Measure the height of the window from the top (soffit) down to the sill. NOTE: The finished blind length may have a tolerance of based on product.

Outside mount

Measure exact width and height of the area to be covered. It is recommended that blinds overlap the window opening by at least 1 1/2" on each side to insure privacy and control sunlight. (See A outside mount). When installation is designed for "no sill," allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blinds will be made to exact measurements given. NOTE: The finished blind length may have a tolerance of based on product.

Based on product, CACO will automatically make a deduction on width for measurements submitted as inside mount.

CACO will not make any deductions for measurements submitted as outside mount.



Sheerview Horizontal Shade Collection

Features, Benefits & Measuring Instructions

SHEER SHADE FEATURES & BENEFITS

- Horizontal fabric vanes float between two layers of soft, knitted fabric sheers, to soften your view outside fabrics.
- All Sheer fabric vane colors are featured between two layers of sheer fabric.
- Available to widths of 116" and drops to 144" to provide visual elegance to the widest of windows.
- Vanes glide from open to closed to "out of sight" with elegant hardware.
- Four distinctly different variations of vane positions are available for numerous combinations of privacy, view and light control.
- An adjustable weight system in the bottom rail for on-the-spot skew adjustment for a balance appearance in the window.
- One headrail style to maintain your sophisticated look.
- Low side light gap provides minimal light leakage on shading sides and above the headrail for increased privacy.
- Easy to install hardware and brackets allows for effortless installations and easy removal for cleaning.
- May be ultrasonically or traditionally cleaned to stay bright and beautiful.
- Lifetime Limited Warranty as a commitment to your satisfaction.
- Sheer fabrics may be processed with a topical treatment to resist flames and to adhere to strict flammability codes. For more information, contact CACO, Inc.
- Available with multiple operating systems including standard loop control, cordless and several motorization options.

Fabric Collections:

Sheer Shades are available with three different fabric vane sizes, 2", 2 ½" and 3". Light filtering fabric gently filters light while room darkening casts deep room darkening shadows. Please note that room darkening is not a blackout fabric.

Viewing Options

Sheerview Horizontal shades provide a number of varied views to the outside for controlling light and privacy. Consequently, there are variations in visibility through the shades when the vanes are tilted to their maximum open positions. The following four modes can be obtained with standard shading operation when viewing the shading at eye level.

- Closed top, open bottom - By partially lowering the shade from the fully raised position, the upper portion of your window will become semi-opaque while allowing a clear view below.
- Fully private - When lowered completely, the shade provides complete privacy and softly diffuses light.
- Partially open - Opening the shade slightly will gradually increase the level of light and allow varying levels of "view-through."
- View-through when lowered - By completely opening the vanes, the shade provides a softened, veiled view to the outside.

Measuring

Inside Mount


Measure across the width of your window opening in three different places - top, middle and bottom. Measurements should be taken within the window jamb. Provide the smallest of the three measurements to your fabricator. Be exact. Your fabricator will make the necessary deductions to fit the window opening.

Measure the height of the window opening from the underside of the soffit to the surface of the windowsill in two places - use the smallest of these two measurements.

Outside Mount

Measure the exact width and height of the area to be covered. On the width, allow at least 1 ½" of an overlap on each side. An overlap of 3" on each side is recommended.


Be sure to take into consideration any obstructions such as window trim, molding, locks and window cranks. such as window trim, molding, locks and window cranks.



Design & Operation

Shade Operation

Sheer shades feature the Continuous Cord System or the Motorized System. Both Systems provide the ability to manipulate the shade into various viewing positions. From the closed and retracted position (fabric inside the headrail), lower the fabric by pulling down on the rear of the loop cord until you reach the desired shading position or press the down arrow of the remote control. Once lowered completely to the windowsill, continuing to pull the cord in the same direction, or pressing the down arrow on the remote control, will open the horizontal fabric vanes, offering varied views to the outside. To retract the shading, simply pull down on the front of the cord, or press the up arrow of the remote control, until the shade reaches the desired viewing mode or fabric position.



Headrail Information:

The Sheerview comes with a standard headrail wrapped in a color coordinated fabric with an option of color coordinated aluminum, unless otherwise specified. Headrail measurements include end caps and will measure ordered width minus: 1/8"

Side-by-Side Alignment:


When sheer shades are installed side-by-side, vane alignment can be guaranteed within 1/4" only if:

- The shades are the same color and ordered at the same time.
- The sum total of the widths of all shades needing alignment is less than 102".
- Side-by-side lineup must be specified when the order is placed.

Vane Closure

Sheer shade fabric vanes overlap and provide privacy when closed. However, the inherent nature of the fabric will cause a slight increase in the distance from the front sheer to back sheer as you move further down the shade. These vanes do not form a perfect seal against light leakage which is most visible toward the bottom of the shade.

Vane closure is measured as the distance between the front and rear fabric sheers 6" up from the lowest point of the bottom rail, with the shade fully lowered and the vanes closed. For sheer shades, the maximum distance from the front sheer to the back sheer when closed is 7/8". On room darkening fabrics, the distance is 5/8". Vane closure on all 3" fabrics will have a distance of 1"



Finished Dimensions:

Once ordered and manufactured, the width of the fabric cannot be altered. The Manufacturer makes deductions to the width of window shadings depending on the type of mounting indicated. For all mounting types, the fabric will measure exactly the length ordered when the vanes are in the open or "view-through" position. When the vanes are rotated to the closed position, the shading will become 3/8" longer.

Height Considerations:

Your will be fabricated to the exact height ordered, when the vanes are in the closed position. When the vanes are rotated to the open position, the shade will become slightly longer.

When opened on an inside mount, the shading will be slightly longer than the ordered length. A slight puckering may occur when the vanes are in the open position. Rotating the vanes closed will cause the bottom rail to touch the windowsill before it begins to raise.

Length Considerations:

When closed on an inside mount, a slight furrow may occur on the lowermost sheer section because of contact with the sill. To compensate, slightly raise the shading until the rail begins to lift off the window sill. If preferred, the shading can be ordered 3/8" less than the measured height of the window opening. In this case, the bottom rail will be positioned 3/8" above the sill when the vanes are in the open position. Rotating the vanes closed will cause the bottom rail to touch the window sill and thus closing any unwanted space.

Fabric Considerations:

Due to variations in fabric weave and environmental conditions, the finished dimensions for both width and height may vary, plus or minus 1/8", from your order measurements. (1B) Fabric will measure ordered width minus: 15/16" (OB) Fabric will measure ordered width minus: 13/16"

Leveling Sheerview Horizontal Shades:

Sheer shades are leveled and weighted in the factory. When installed level, the fabric will not skew when raised. If the headrail is not installed level, skewing can occur that can damage the edge of the fabric. Be sure to follow the installation instructions carefully to ensure correct and balanced operation.



Note: Adjustable counter weight keeps sheer shade level.

Skew Adjusting Bottom Rail:

After installation, windows that are not square and level may cause the shadings to shift to one side as it rolls up, requiring adjustment of the bottom rail. To adjust the fabric, the weight in the bottom rail can be slid from one end to the other. If the fabric is skewing to the right, loosen the weight with a screwdriver and slide the weight to the right etc.

Design & Operation

BRACKETS

Easy to install One Clip Brackets, come with shims to even the shade if the window jamb is uneven.



STOPPERS

Prevents the bottom-rail from looping up into the headrail when raised up, or with motorization.





CURVED HEADRAIL
(standard option)

Matching fabric wrapped comes standard



FLAT HEADRAIL
(upgrade option)

Metal or matching fabric wrapped



BOTTOM-RAIL
PATENT PENDING

Bottom-Rail features a superior design that reduces light gap when the SHEERVIEW SHADINGS is in the lowered/closed position.

Adjustable counter weight keeps sheer shade level

Fabric Selections

2" Non-Woven Light Filtering

S50PN100	Bright White
S50PN112	Alabaster
S50PN113	Winter White
S50PN206	Blossom
S60PN302	Sesame
S50PN322	Beige
S50PN378	Java
S50PN823	Granite

2.5" Non-Woven Light Filtering

S65BN206	Blossom
S65BN311	Heather
S65BN312	Blush
S65BN322	Beige
S65BN627	Waterfall
S65BN823	Granite

3" Non-Woven Light Filtering

S70PN100	Bright White
S70PN112	Alabaster
S70PN322	Beige
S70PN113	Winter White
S70PN206	Blossom
S70PN302	Sesame
S70PN823	Granite
S70PN378	Java
S70PN126	Luna
S70PN323	Romance
S70PN824	Rhinestone
S70PN821	Dusty Blue
S70PN503	Coastal Plain
S70PN507	Celadon
S70PN317	Plank


2" Non-Woven Room Darkening

S50PN100D	Bright White
S50PN125D	Linen
S50PN145D	Biscuit
S50PN322D	Beige
S50PN378D	Java
S50PN414D	Cornsilk
S50PN823D	Granite


3" Non-Woven Room Darkening

S70PN016D	Midnight
S70PN029D	Royal Blue
S70PN100D	Bright White
S70PN111D	Eggshell
S70PN114D	Greek Villa
S70PN125D	Linen
S70PN145D	Biscuit
S70PN303D	Khaki
S70PN312D	Barcelona Beige
S70PN321D	Natural Tan
S70PN322D	Beige
S70PN334D	Brick
S70PN378D	Java
S70PN414D	Cornsilk
S70PN823D	Granite
S70PN822D	Lazy Gray

System	Mount	Headrail Deduction	Fabric Deduction
Cordless	Inside	1/8"	1 1/8"
	Outside	None	3/4"
Clutch	Inside	1/8"	1"
	Outside	None	7/8"
Motorized	Inside	1/8"	1 1/8"
	Outside	None	7/8"



Standard Bracket



Square Bracket

Sheerview Horizontal Shade Collection

Price Charts Non-Woven - Light Filtering

Chart 1 2" Non-Woven Light Filtering

		Alabaster	Beige	Blossom	Bright White		Granite	Java	Winter White					
Width to:		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"
Length to:	36"	645	719	794	865	942	1017	1089	1167	1350	1507	1656	1821	2095
	42"	675	755	833	919	996	1084	1167	1250	1435	1604	1768	1944	2235
	48"	715	794	883	969	1061	1150	1247	1339	1528	1703	1886	2076	2387
	54"	738	832	927	1024	1125	1223	1323	1428	1620	1806	2011	2214	2544
	60"	770	876	975	1079	1179	1290	1401	1512	1697	1919	2142	2354	2706
	66"	799	913	1023	1133	1250	1364	1490	1606	1792	2037	2276	2502	2879
	72"	833	954	1069	1186	1313	1443	1576	1697	1886	2144	2404	2644	3040
	78"	853	984	1109	1234	1365	1506	1638	1777	1974	2249	2517	2771	3186
	84"	890	1023	1151	1296	1437	1579	1731	1872	2073	2368	2654	2916	3356
	90"	926	1061	1200	1352	1501	1660	1808	1962	2170	2482	2786	3066	3525
	96"	956	1107	1253	1409	1576	1731	1893	2052	2270	2597	2914	3208	3688
	102"	1084	1250	1415	1589	1752	1909	2122	2332	2486	2817	3137	3454	3970
	108"	1140	1310	1483	1670	1837	2006	2229	2446	2611	2958	3300	3632	4176
	114"	1207	1388	1570	1768	1956	2132	2365	2597	2771	3137	3501	3852	4427
120"	1290	1480	1684	1890	2081	2276	2524	2771	2962	3357	3740	4116	4730	
132"	1483	1703	1938	2173	2391	2618	2903	3188	3405	3860	4302	4730	5441	
144"	1707	1956	2227	2499	2751	3015	3337	3664	3917	4441	4946	5441	6260	

Chart 2 2 1/2" Non-Woven Printed Light Filtering

		Beige	Blossom	Blush	Granite	Heather	Waterfall							
Width to:		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"
Length to:	36"	741	826	913	995	1081	1169	1253	1344	1553	1730	1906	2080	2409
	42"	778	868	959	1059	1148	1250	1344	1435	1652	1844	2034	2236	2562
	48"	822	913	1016	1115	1220	1323	1434	1538	1758	1958	2171	2387	2744
	54"	849	956	1066	1179	1294	1403	1522	1644	1863	2079	2313	2544	2927
	60"	883	1009	1123	1241	1356	1483	1611	1740	1953	2205	2461	2706	3113
	66"	919	1072	1178	1302	1435	1569	1715	1847	2058	2341	2618	2879	3311
	72"	959	1094	1230	1365	1510	1658	1811	1953	2171	2465	2765	3040	3496
	78"	980	1131	1275	1420	1570	1729	1885	2044	2269	2584	2898	3188	3664
	84"	1022	1178	1324	1491	1653	1815	1990	2151	2382	2726	3052	3357	3859
	90"	1064	1220	1379	1555	1726	1911	2080	2257	2508	2852	3204	3525	4053
	96"	1099	1273	1442	1620	1811	1990	2179	2360	2608	2984	3353	3688	4239
	102"	1250	1435	1625	1826	2014	2195	2440	2679	2861	3239	3608	3971	4565
	108"	1312	1507	1707	1920	2111	2307	2566	2811	3002	3403	3797	4176	4801
	114"	1389	1597	1805	2034	2249	2451	2717	2984	3188	3608	4026	4428	5091
120"	1483	1703	1938	2173	2391	2618	2903	3188	3405	3860	4302	4730	5441	
132"	1707	1956	2227	2499	2751	3010	3337	3664	3917	4441	4946	5441	6260	
144"	1960	2250	2562	2874	3164	3460	3838	4214	4504	5107	5688	6258	7197	

Chart 3 3" Non-Woven Light Filtering

		Alabaster	Beige	Blossom	Bright White		Celadon	Coastal Plain		Dusty Blue		Luna		
		Luna	Granite	Java	Plank		Rhinestone	Romance	Winter White					
Width to:		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"
Length to:	36"	727	806	891	972	1059	1144	1226	1313	1520	1693	1863	2051	2355
	42"	757	851	937	1034	1123	1221	1313	1403	1616	1803	1988	2188	2514
	48"	804	894	994	1091	1191	1295	1401	1506	1722	1915	2121	2334	2683
	54"	831	936	1043	1155	1261	1373	1488	1607	1821	2033	2265	2489	2865
	60"	865	987	1095	1212	1324	1449	1578	1702	1909	2158	2408	2649	3047
	66"	899	1024	1153	1277	1403	1536	1679	1806	2014	2289	2562	2817	3238
	72"	937	1071	1202	1336	1479	1624	1770	1844	2121	2412	2703	2972	3419
	78"	959	1108	1250	1388	1538	1693	1845	1999	2218	2530	2835	3117	3586
	84"	1001	1153	1295	1458	1616	1774	1947	2107	2332	2668	2984	3284	3777
	90"	1042	1191	1350	1522	1690	1871	2035	2210	2440	2793	3133	3446	3964
	96"	1077	1244	1402	1584	1770	1948	2132	2309	2552	2921	3280	3609	4150
	102"	1221	1407	1590	1788	1974	2146	2388	2620	2795	3169	3529	3883	4465
	108"	1282	1475	1669	1877	2066	2257	2509	2751	2938	3330	3712	4085	4696
	114"	1358	1562	1768	1988	2200	2395	2661	2916	3116	3529	3938	4331	4981
120"	1450	1662	1892	2127	2339	2560	2839	3116	3330	3777	4208	4629	5323	
132"	1669	1912	2176	2446	2691	2944	3266	3586	3830	4344	4841	5322	6120	
144"	1919	2200	2502	2811	3096	3385	3756	4121	4403	4993	5566	6118	7042	

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details

Sheerview Horizontal Shade Collection

Price Charts Woven – Room Darkening



Chart 4 2" Non-Woven Room Darkening

		Beige	Biscuit	Bright White	Cornsilk	Granite	Java	Linen						
Width to:		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"
Length to:	36"	727	788	872	954	1034	1119	1198	1283	1485	1656	1821	2006	2306
	42"	742	831	917	1011	1095	1194	1283	1373	1579	1761	1944	2137	2458
	48"	785	872	972	1066	1164	1265	1372	1471	1683	1873	2076	2283	2625
	54"	811	916	1021	1128	1236	1345	1457	1572	1780	1987	2214	2435	2802
	60"	847	964	1074	1185	1297	1418	1540	1664	1869	2110	2354	2591	2979
	66"	881	1002	1126	1245	1373	1501	1639	1767	1970	2242	2501	2754	3167
	72"	917	1048	1177	1305	1444	1587	1731	1866	2076	2359	2644	2908	3343
	78"	937	1081	1221	1360	1501	1653	1801	1956	2170	2473	2771	3048	3505
	84"	977	1126	1267	1427	1582	1739	1905	2057	2278	2605	2920	3211	3693
	90"	1017	1164	1321	1488	1652	1827	1989	2158	2387	2731	3066	3371	3875
	96"	1052	1215	1375	1550	1731	1905	2083	2257	2496	2854	3208	3528	4058
	102"	1194	1373	1555	1746	1927	2100	2335	2565	2735	3100	3454	3797	4366
	108"	1254	1442	1631	1837	2021	2205	2453	2689	2874	3256	3632	3994	4593
	114"	1327	1527	1725	1944	2152	2343	2601	2854	3048	3454	3851	4236	4872
	120"	1290	1628	1851	2080	2286	2501	2776	3048	3258	3693	4116	4526	3554
132"	1631	1873	2131	2390	2631	2879	3192	3505	3747	4245	4730	5205	5984	
144"	1707	2152	2449	2749	3026	3308	3671	4031	3312	4884	5441	5984	6882	

Chart 5 3" Non-Woven Room Darkening -

		Beige Khaki	Brick Java	Biscuit Linen	Bright White Natural Tan	Cornsilk Royal Blue	Egg Shell	Granite	Greek Villa					
Width to:		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"
Length to:	36"	799	888	980	1069	1163	1258	1347	1444	1670	1863	2051	2254	2592
	42"	835	936	1030	1136	1234	1344	1444	1544	1777	1983	2188	2405	2767
	48"	883	984	1092	1199	1312	1423	1542	1653	1893	2108	2334	2567	2951
	54"	914	1029	1148	1269	1390	1511	1637	1770	2004	2233	2492	2739	3150
	60"	954	1084	1207	1333	1458	1592	1734	1872	2100	2376	2649	2913	3350
	66"	988	1128	1268	1403	1544	1688	1845	1988	2215	2517	2817	3099	3562
	72"	1030	1179	1323	1469	1626	1785	1946	2100	2334	2654	2972	3270	3761
	78"	1053	1217	1373	1527	1690	1863	2029	2200	2439	2786	3117	3428	3943
	84"	1102	1268	1423	1605	1777	1953	2143	2317	2565	2933	3284	3614	4154
	90"	1144	1312	1485	1676	1861	2055	2237	2431	2685	3072	3446	3790	4359
	96"	1183	1368	1550	1744	1946	2145	2346	2541	2809	3214	3609	3970	4565
	102"	1344	1547	1751	1967	2170	2362	2627	2883	3075	3484	3882	4269	4912
	108"	1409	1624	1836	2065	2274	2483	2759	3026	3232	3664	4082	4492	5167
	114"	1493	1717	1944	2188	2418	2637	2927	3211	3427	3882	4331	4766	5478
	120"	1596	1828	2082	2338	2574	2817	3126	3427	3664	4154	4629	5093	5858
132"	1836	2107	2393	2690	2962	3239	3593	3942	4211	4777	5322	5856	6734	
144"	2110	2419	2752	3093	3405	3726	4133	4534	4844	5493	6118	6734	7746	

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details

Operating Systems, Options & Motorization Surcharges

Standard Features

- Fabric wrapped headrail
- Easy to install one clip brackets with shims to level shim
- Installed stoppers to prevent bottom rail from looping up into headrail when fully raised
- Bottom rail design reduces light gap when shade is in the fully lowered/closed position
- Adjustable counter weight helps to keep sheer shade level
- Braided polyester cord control loops
- Safety Cord loop tensioner
- Aluminum color coordinated headrail with fabric insert and color coordinated end caps

Shade Limitations				
	Minimum		Maximum	
	Width	Length	Width	Length
Cord Loop	7 1/2"	11"	116"	144"
Cordless	20"	11"	96"	96"
Motorized	24"	11"	96"	96"

Fabric Width Deductions			
	Idle End	Clutch End	Motor End
Cord Loop	3/8"	5/8"	n/a
Cordless	1/4"	1/4"	n/a
Motorized	3/8"	n/a	3/4"

Minimum Mounting Requirements	
Inside Mount	3 3/4"
Outside Mount	3/4"

No Charge Options

- Control position
- Extension Brackets – 4 1/2" L Brackets
- Spacer Blocks - 3/8"
- Hold down brackets
- Custom cord lengths up to 15'. Available in 12" increments only

Manual Operating System



- Standard Cord Loop Standard Price Grids
- Cordless \$73 Net

Standard Control Lengths	
Shade Height	Standard Loop
12" - 36"	24"
36" - 48"	36"
48" - 72"	48"
72" - 96"	60"
96" - 120"	72"

Motorization

Two available options: Wand Remote or Rechargeable Lithium Battery Motor

- Wand Remote including USB cable for charging \$112 Net
- Lithium Rechargeable battery motor installed \$225 Net
 - USB Charger \$23 Net
 - Single Channel Remote \$33 Net
 - 15 Channel Remote \$52 Net
 - Please Specify number of remotes, at least one remote control will be required.



Child Safety, Care and Warranty

Child Safety

Our Sheer Shadings are designed with child safety as a priority. To reduce the risk of strangulation, our fabrication methods incorporate features to comply with the current ANSI cord safety standard. Fabrication methods include cord stops, Cord-Shield cording, and tension devices.

Caring for Shades

The soft, delicate feel of the fabric belies the durability of the material. It is made from a sturdy, knitted polyester fabric which can be feather dusted or vacuumed at a low setting. Spots or stains can be lightly rubbed clean with a damp sponge and mild soap. To avoid discoloration of the material, we recommend against the use of chemical cleaners. The sheer fabric may also be ultrasonically cleaned. **Important: Do not clean the fabric using electrostatic wipes such as Swiffer® or Pledge Grab-It®.**

Policies & Warranties

Sheer Fabric

Knitted fabric may experience minor weave variations due to heat, humidity and other room conditions. These variations can result in light bowing, puckering and dimpling of the material. This is considered normal and does not constitute a failure in either workmanship or materials. The possible variations are minor and have been shown through case study, not to detract from the beauty of the product.

Limited Lifetime Warranty

The manufactured product is warranted against original defects in materials or workmanship for as long as the original purchaser owns the product provided that:

- The product was properly installed in a residential or commercial dwelling;
- The product was made or assembled exclusively from the original manufacturer's materials and components;
- The manufacturer's recommendations were followed regarding limitations and specifications.

This warranty extends only the original purchaser of the above stated products.

Obligations to the Consumer are limited to the repair or replacement of parts or products found to be defective. The manufacturer is not responsible for handling shipping charges or labor costs, for measuring and taking the product down.

If repairs are made under this warranty, the repairs will be made with like or similar parts.

Motorization Components and accessories have a five-year limited warranty. Batteries not included.

What the Warranty Does Not Cover

This warranty does not cover conditions or damages caused by abuse, accidents, alterations, misuse, or failure to follow instructions for measurement, installation, use, cleaning, or maintenance. Normal wear and tear, including but not limited to the items or occurrences below, is not covered by the warranty.

All fabrics can lose original intensity after long exposure to the sun. When left for extended periods in direct sunlight, plastics tend to yellow or crack over time. Some loss of color intensity or discoloration may occur in plastic materials or wood finishes when exposed to direct sunlight over long periods of time.

Colors may vary from lot to lot and may not exactly match samples of previous purchases.

The manufacturer considers these items or occurrences normal wear and tear, and they are not covered by this warranty.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WRITTEN OR ORAL WARRANTIES OR OBLIGATIONS AND LIABILITIES. No person is authorized to extend or alter this warranty. The manufacturer SHALL HAVE NO LIABILITY WHATSOEVER FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you. For Service Warranty claims: Please contact the original dealer for warranty assistance.

Conditions of Sale

All products are custom fabricated to your exact specifications. We cannot accept responsibility for errors in ordering or cancellations and changes after the order is in production.

Service and Repair

Service may be obtained by contacting our Customer Service Department. No products, parts, components or other materials will be authorized for return or repair without prior approval from the manufacturer. A Return Authorization (RA) may be obtained by contacting our Customer Service Department. In order to provide the quickest service possible, please have your Work Order number and original order information available when you call.