



CACO, INC.
WINDOW FASHIONS

Version 2
10/12/2026

Retail Price Guide 2026

Aluminum Blinds

Table of Contents

Customer Service Policies	1-2
Horizontal Blinds	
▪ Aluminum Horizontal Blinds	
Available Colors and Limitations	3-4
1" Standard Cordless	5
1" Premium Cordless	6
1" Motorized	7
2" Cordless	8
1/2" Micro Cordless	8
Warranty	9

 WARNING		Window Blind Cord Strangulation Risk A damaged, loose, or missing tension device poses a strangulation risk to children. Remove from use and repair or replace if tension device is damaged, loose, or missing.	08/2023 ANEV/WOMA 5.1.1
		Riesgo de estrangulamiento por cordón de persiana Un dispositivo de tensión dañado, suelto o faltante presenta un riesgo de estrangulamiento para niños. Retira y repare o reemplaza si el dispositivo de tensión está dañado, suelto o falta.	
 ADVERTENCIA			

How to place an order

For your convenience, CACO provides you with the option of placing orders by either telephone, email, online or fax (if placed by fax, CACO will provide order forms at no additional cost; customers must request forms). Orders placed after 3:00 pm EST will be forwarded to the next business day.

Telephone orders

CACO Customer Service Representatives are available between the hours of 8:30 am and 5:00 pm Eastern Standard time at **1-800-552-5278**. Any order placed by phone requires a signed order confirmation returned to customer service by fax or email before proceeding with order. Keep in mind, when phoning in your order, it is important to have the following information available:

- Account number (if known)
- Individuals name that is calling
- P.O. number and/or side mark
- Color or colors
- Type of product ordered
- Measurements (width-first, length-second)
- Inside or outside mount (i.m./i.b or o.m./o.b)
- Control instructions
- Ship to address if different than sold-to
- Special instructions for shipping
- Valance instructions
- Any other special instructions
- Quote number, if order is placed from a previous quote

Fax and Email Orders

Fax orders can be placed any time of day or night including holidays at **1-866-926-5836** or email to **customerservice@cacoinc.com**. To ensure order accuracy for faxed orders, it is advisable to use the order forms CACO supplies or a comparable form. It is important to note the number of pages of your order, including the cover sheet to ensure that no pages will be missing. For fax or email orders please include all of the same information required for telephone orders. Any omission of pertinent information will only delay your orders manufacturing time.

Online Orders

Orders can be placed online at <https://88043.picbusiness.com/>. If you your account has not been set up to access our online portal, please contact support@cacoinc.com to sign up. This access allows you to quote, order as well as make payments online. Please note shutters are not available online to quote or place as orders, you will need to contact customer service for information about these products. Additionally, orders are released from internet hold and reviewed for credit at the daily 2:30 PM EST cutoff. Any orders submitted online after this time will be reviewed the following business day.

How to expedite an order

In some occasions we may be able to provide a faster ship date for emergency situations, however customer service must be contacted when placing this type of order to verify. Additionally, if next day and second day shipping are required the customer will incur any additional shipping cost for expedited shipping.

How to add on or make changes to an order

In the event that you wish to add to your original order, it is possible, if the order has not moved into fabrication. You will be required to submit changes in writing and must be signed by a person of authority indicating the items you wish to add or change. No verbal requests can be made. You will need to refer to the original P.O. number and indicate clearly the additions or changes you're requesting. Note: because add-ons may affect production time, check with customer service for any possible delays.

How to cancel an order

Cancellations or changes require an immediate response and can only take place up until the start of fabrication. You must first identify your P.O. number or side mark and then state the cancellation or change. Cancellations must be faxed or emailed in writing only, phone calls are not permitted. If an order has already been cut, a minimum charge of 50% will apply.

Should you order for the same room at different times?

This is a frequently asked question and should be addressed and explained at the point of sale. Under normal circumstances blinds, shades and verticals should be ordered for the same room at one time to prevent color deviations, as a result of dye and paint color variations from original lot to the other. If additional blinds, shades or verticals are ordered at a later time for the same room there can be a distinct color difference from the existing product to the new product. Also, window coverings that have been previously installed can have shade differentiations from newer products due to the progress of aging.

Questions concerning an order

Once you contact customer service you must have your P.O. number and/or side mark available.

Shipping and Handling Charges

- **Minimum order Fee:** \$25 shipping and handling fee will be added to any order with 2 units or less.
- **Per Unit Fee:** \$10 per unit shipping and handling fee will be added for all delivery orders with more than 2 units in lieu of the minimum order charge.
- **>90" Oversized Fee:** Any order with a product over 90" width (including oversized items such as valances that are not ordered spliced) will have an oversized fee of \$90 per unit up to \$180 maximum fee in addition to any minimum or per unit shipping and handling fees.
- **>104" Extended Oversized Fee:** Any order with a product over 104" (including oversized items such as valances that are not ordered spliced) will ship by LTL carrier and will incur an additional \$120 extended oversized fee per order in addition to any applicable minimum order, per unit and oversized handling fees.
- Accessorial LTL Truck delivery charges such as liftgate, inside delivery, re-consignment, re-delivery, etc. will be the responsibility of the receiving party.

Credit and additional charges

Open accounts are established by submitting a CACO credit application. You will be required to list trade and bank references as well as a current sales tax id number. C.O.D. accounts are also obligated to submit a credit application. Invoices are due within 30 days of the date posted. After 30 days accounts will be charged 1.5% interest per month. CACO reserves the right not to ship to accounts with past due balances.

Payment Policy

Current payment methods accepted are check, emailed or faxed checks for ACH processing, credit cards (Mastercard, Visa, Discover) and online payments by credit card or bank draft. Due to additional credit card fees, effective March 8th, a 2% processing fee will be added to all credit card payments. This fee can be avoided by either mailing checks to our PO Box or to expedite payments send a copy of your check along with our Check by Fax form by email to customerservice@cacoinc.com or fax to (866) 552-5278. Please note CACO will not automatically charge any credit card or process ACH transaction without a current, on file preauthorization forms, otherwise approval will be required at the time of each transaction.

If you receive product that has been visibly damaged while in transit

Before accepting any shipments, please examine each carton carefully. If shipment shows any signs of mistreatment or damage, i.e., wheel marks, crushed or bent cartons note this on the bill of lading and have the driver sign it and note damage. Should a replacement be necessary, CACO will bill you. Your replacement invoice will enable you to file a claim with the responsible carrier. It is imperative that you count all cartons prior to signing the bill of lading; any shortages must be noted on the bill of lading with the driver's signature.

Shipping discrepancies

If the product received does not agree with your packing slip, contact a CACO customer service representative within 24 hours. Your representative will verify any action needed for a resolution and expedite any necessary replacements.

If you should receive a defective product

Your warranty protects you against defective products (please read your warranty for all information, disclaimers and liabilities). Should you receive a defective product, contact CACO customer service and provide detailed information including your P.O. number. If the product is not sent back for repair, you will be invoiced for a replacement and required to return back the original product to CACO for inspection. Any issue arising past 30 days from receipt of original order will be required to return product for repair.


How to Measure

Inside mount

A. Measure the window opening at three different places and use the narrowest dimension when ordering. Be exact! The factory will make the blind slightly narrower, so it won't rub against the window casing. (See A inside mount).

B. Measure the height of the window from the top (soffit) down to the sill. NOTE: The finished blind length may have a tolerance of based on product.


Based on product, CACO will automatically make a deduction on width for measurements submitted as inside mount.



Outside mount

Measure exact width and height of the area to be covered. It is recommended that blinds overlap the window opening by at least 1 1/2" on each side to insure privacy and control sunlight. (See A outside mount). When installation is designed for "no sill," allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blinds will be made to exact measurements given. NOTE: The finished blind length may have a tolerance of based on product.

CACO will not make any deductions for measurements submitted as outside mount.



Available Aluminum Slat Colors & Limitations

1" Mini (6 gauge)	
014	Matte White
018	White
651	Simple White
652	Ivory
189	Artic Ice
665	Almost White
112	Light Alabaster
636	Vanilla
017	Alabaster
631	Fawn
611	Beige Satin
502	Wisteria
255	Garnet Red
566	Light Aqua
027	Federal Blue
259	True Blue
178	Imperial Jade
091	Transparent Aluminum
569	Gray AZ
693	Gray Sheen
626	Smokey Gray
662	Char Brown
606	Raw Umber
070	Gloss Black
012	Black

1" Mini (8 gauge)	
8014	Matte White
8018	White
8651	Simple White
8652	Ivory
8665	Almost White
8112	Light Alabaster
8631	Fawn
8091	Transparent Aluminum
8569	Gray AZ
8662	Char Brown
8012	Black

2" Aluminum (8 gauge)	
2014	Matte White
2018	White
2665	Almost White
2112	Light Alabaster
2017	Alabaster
2631	Fawn
2091	Transparent Aluminum
2626	Smokey Gray
2606	Raw Umber
2070	Gloss Black

1" Jewel/Metallix (6 gauge)	
302	Brown Gold
673	Umber Bronze
672	Mercury Silver

Micro Mini (6 gauge)	
5014	Matte White
5018	White
5665	Almost White
5017	Alabaster
5631	Fawn
5091	Transparent Aluminum
5626	Smokey Gray
5012	Black

1" Alumiwood (6 gauge)	
754	Oak Wood
755	Walnut Wood

	Mounting Space		Size Limitations			
	Minimum	Flush	Minimum Width	Minimum Length	Maximum Width	Maximum Length
Micro (1/2") Cordless	3/4"	1-3/4"	18"	18"	96"	96"
1" Standard Cordless	3/4"	1-3/4"	18"	18"	72"	96"
1" Premium Cordless	7/8"	2"	24"	18"	92"	72"
1" Simple Touch Wand (installed behind headrail)	7/8"	3-3/4"	24"	12"	118"	120"
1" Simple Touch Wand (installed wall or frame)	7/8"	2-1/4"				
1" Simple Touch Remote (installed behind headrail)	7/8"	3-1/4"				
1" Simple Touch Remote (installed wall or frame)	7/8"	2"				
2" Cordless	1-1/2"	3"	24"	18"	82"	84"

Wand Specification	
Blind Drop	Wand length
=< 25"	12"
25 1/8" - 45"	18"
45 1/8" - 55"	24"
55 1/8" - 65"	30"
65 1/8" - 85"	40"
85 1/8" - 96"	50"

Micro, 1"	
# of hidden brackets	
Blind Width	Hidden Bracket Qty
8" - 36"	2
36 1/8" - 60"	3
60 1/8" - 85"	4
85 1/8" - 105"	5
105 1/8" - 118"	6

• Standard bracket - hidden bracket.

2" Blinds -		
# of box brackets & center supports		
Blind Width	Box Bracket qty	Center Support
< 36"	2	0
36" - 72"	2	1

• Standard bracket - box bracket

Aluminum Horizontal Blinds

Color Coordination Chart

Color Coordination Chart		Slats				Rails, valances, and brackets for different blinds							Ladder
		1"		1/2" (micro)	2"	Standard cordless blinds				Premium cordless & Motorization blinds			
						For micro & 1" blinds		For 2" blinds		For 1" blinds			
		6G	8G	6G	8G	1-1/2" headrail	Box bracket*	2" rails	Box bracket	Headrail	Valance insert	Bottom rail	
Standard Colors	Matte white	014	8014	5014	2014	15018	005	005	005	001	No Insert	018	004
	White	018	8018	5018	2018	15018	005	005	005	001	No Insert	018	004
	Simple White	651	8651	-	-	15018	005	-	-	001	No Insert	018	004
	Ivory	652	8652	-	-	15018	005	-	-	001	No Insert	018	004
	Arctic Ice	189	-	-	2189	15018	005	005	189	001	No Insert	018	004
	Almost White	665	8665	5665	2665	15665	065	065	065	002	No Insert	665	017
	Light Alabaster	112	8112	-	2112	15665	065	065	065	002	No Insert	665	017
	Vanilla	636	-	-	-	15636	100	-	-	002	636	636	017
	Alabaster	017	-	5017	2017	15665	112	112	112	002	No Insert	665	017
	Fawn	631	8631	5631	2631	15631	031	031	031	006	No Insert	631	005
	Beige Satin	611	-	-	-	15611	031	-	-	008	No Insert	611	005
	Wisteria	502	-	-	-	15502	005	-	-	026	502	502	231
	Garnet Red	255	-	-	-	15255	233	-	-	020	255	255	255
	Light Aqua	566	-	-	-	15566	005	-	-	014	566	566	374
	Federal Blue	027	-	-	-	15027	017	-	-	028	027	027	027
	True Blue	259	-	-	-	15259	017	-	-	091	259	259	025
	Imperial Jade	178	-	-	-	15178	061	-	-	091	178	178	178
	Transparent Aluminum	091	8091	5091	2091	15091	034	034	034	091	No Insert	091	022
	Gray AZ	569	8569	-	-	15569	026	-	-	091	No Insert	569	022
	Gray Sheen	693	-	-	-	15569	281	-	-	091	No Insert	693	022
	Smoky Gray	626	-	5626	2626	15626	026	026	026	091	626	626	022
	Char Brown	662	8662	-	-	15662	062	-	-	025	No Insert	662	662
	Raw Umber	606	-	-	2606	15012	233	033	233	025	No Insert	012	012
	Gloss Black	070	-	-	2070	15012	233	033	233	025	No Insert	012	012
	Black	012	8012	5012	-	15012	233	-	-	025	No Insert	012	012
Alumi wood	Oak Wood	754	-	-	-	15754	233	-	-	011	754	754	302
	Walnut Wood	755	-	-	-	15755	233	-	-	012	755	755	007
Metallix & Jewel	Brown Gold Jewel	302	-	-	-	15611	031	-	-	091	302	611	302
	Mercury Silver	672	-	-	-	15091	034	-	-	091	672	091	022
	Umber Bronze	673	-	-	-	15662	233	-	-	012	673	662	662

- The color of the lift cord is white.
- The color of 1-1/2" headrail end cap is clear.
- For the 1-1/2" headrail, the standard mounting bracket is a hidden bracket. A box bracket is available upon request without additional charge.

1" Aluminum

6 Gauge – Standard Colors

Width to:	8"	12"	18"	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"
Length to:																						
42"	263	208	92	137	143	150	153	165	176	186	198	204	214	225	234	244	269	290	315	271	292	317
48"	269	214	98	143	150	153	165	176	189	201	204	211	228	237	257	263	290	305	344	299	320	342
54"	277	222	106	150	153	165	168	189	201	208	214	225	244	257	269	283	305	332	364	320	342	375
60"	280	225	109	153	165	168	186	201	208	214	225	234	260	269	286	296	329	351	387	342	370	394
66"	283	228	112	156	168	186	198	208	214	225	237	247	275	286	296	312	348	372	415	370	394	434
72"	295	240	123	168	176	189	201	211	225	234	244	257	283	290	300	315	364	408	436	391	424	452
78"	302	247	131	176	189	201	208	222	234	247	260	275	296	312	332	348	384	419	466	421	446	482
84"	312	257	141	186	198	208	222	228	244	260	275	290	312	332	348	364	408	436	483	439	479	515
90"	324	269	153	198	204	214	225	244	260	275	290	305	332	351	367	387	425	469	507	463	510	553
96"	330	275	159	204	211	225	234	260	275	290	305	329	357	376	403	419	458	497	555	510	546	597
102"	335	280	164	164	177	189	199	225	245	256	274	299	323	348	375	391	442	485	539	539	586	638
108"	341	286	170	170	183	192	213	238	251	271	292	306	339	367	385	414	457	510	567	567	613	668
114"	348	293	177	177	189	202	219	245	260	284	303	320	359	381	406	434	485	531	592	592	646	693
120"	354	299	183	183	199	216	231	251	271	299	317	332	375	394	424	449	506	553	617	617	671	729

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

8 Gauge

Width to:	8"	12"	18"	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"
Length to:																						
42"	316	250	110	164	172	180	184	198	211	223	238	245	257	270	281	293	323	348	378	325	350	380
48"	323	257	118	172	180	184	198	211	227	241	245	253	274	284	308	316	348	366	413	359	384	410
54"	332	266	127	180	184	198	202	227	241	250	257	270	293	308	323	340	366	398	437	384	410	450
60"	336	270	131	184	198	202	223	241	250	257	270	281	312	323	343	355	395	421	464	410	444	473
66"	340	274	134	187	202	223	238	250	257	270	284	296	330	343	355	374	418	446	498	444	473	521
72"	354	288	148	202	211	227	241	253	270	281	293	308	340	348	360	378	437	490	523	469	509	542
78"	362	296	157	211	227	241	250	266	281	296	312	330	355	374	398	418	461	503	559	505	535	578
84"	374	308	169	223	238	250	266	274	293	312	330	348	374	398	418	437	490	523	580	527	575	618
90"	389	323	184	238	245	257	270	293	312	330	348	366	398	421	440	464	510	563	608	556	612	664
96"	396	330	191	245	253	270	281	312	330	348	366	395	428	451	484	503	550	596	666	612	655	716
102"	402	336	197	197	212	227	239	270	294	307	329	359	388	418	450	469	530	582	647	647	703	766
108"	409	343	204	204	220	230	256	286	301	325	350	367	407	440	462	497	548	612	680	680	736	802
114"	418	352	212	212	227	242	263	294	312	341	364	384	431	457	487	521	582	637	710	710	775	832
120"	316	250	110	164	172	180	184	198	211	223	238	245	257	270	281	293	323	348	378	325	350	380

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- 1" wide .006 gauge slats (standard)
- 1" wide .008 gauge slats (optional)
- 1" X 1-1/2" steel head rail
- Endcap Color Clear
- Color coordinated C-shape bottom rail
- Blind ladder will be color coordinated, but inner lift cord will be white.
- Wand tilt only (clear wand)
- Inside Mount 1/2" deduction
- Hidden Bracket (standard)
- Box Bracket (optional)
- Limited Lifetime Warranty
- For Color availability see page 20

Mounting Space

Size Limitations

- Minimum mounting space is 3/4"
- Minimum flush mount is 1-3/4"

Surcharges

- Metallix/Jewel Color (6 gauge only) - 15%
- AlumiWood Color (6 gauge only) - 45%

Cordless Standard Features

- Standard Cordless Module*
- Left tilt standard

*Please note due to the nature of the standard cordless module additional effort may be required when raising and lowering to maintain a level blind compared to the premium module.

Cordless Size Limitations

- Minimum width 18"
- Maximum width 72"
- Minimum length 18"
- Maximum length 96"


Tilt Only Standard Features

- Left tilt standard on blinds > 12" wide
- Center tilt only for blinds 12" wide or less

**Warning: To be compliant with the ANSI/WCMA A100.1-2022 Window Covering Standard Aluminum Tilt Only Blinds must be installed using all hardware and components including hold-down brackets provided with this product and properly installed according to instructions provided in the blind package.

Tilt Only Size Limitations

- Minimum width 7"
- Maximum width 120"
- Minimum length 18"
- Maximum length 120"



1" Premium Cordless

Premium 6 Gauge – Standard Colors

Width to:	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"
Length to:														
42"	179	199	218	245	273	302	332	354	379	408	429	448	485	521
48"	186	202	230	256	286	317	338	361	393	420	452	467	506	536
54"	189	214	233	269	298	324	348	375	409	440	464	487	521	563
60"	201	217	251	281	305	330	359	384	425	452	481	500	545	582
66"	204	235	263	288	311	341	371	397	440	469	491	516	564	603
72"	212	238	266	291	322	350	378	407	448	473	495	519	580	639

Premium 8 Gauge

Width to:	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"
Length to:														
42"	215	239	262	294	328	362	398	425	455	490	515	538	582	625
48"	223	242	276	307	343	380	406	433	472	504	542	560	607	643
54"	227	257	280	323	358	389	418	450	491	528	557	584	625	676
60"	241	260	301	337	366	396	431	461	510	542	577	600	654	698
66"	245	282	316	346	373	409	445	476	528	563	589	619	677	724
72"	254	286	319	349	386	420	454	488	538	568	594	623	696	767

* 1" Premium cordless blind is available up to 72" width or 92" length.

* Blind ladder will be color coordinated, but inner lift cord will be white.

Standard Features

- Premium Cordless Module with self-leveling control
- 1" wide .006 gauge slats (standard)
- 1" wide .008 gauge slats (optional)
- 1-1/2" X 1-3/4" aluminum head rail
- Endcap Color Coordinated
- Color coordinated C-shape bottom rail
- Wand tilt only (clear wand)
- Left tilt standard
- Inside Mount 1/2" deduction
- Hidden Bracket only
- Clear Lift Handle included
- Limited Lifetime Warranty
- For Color availability see page 20

Size Limitations

- Minimum width 23"
- Maximum width 96"
- Minimum length 18"
- Maximum length 72"
- Minimum mounting space is 7/8"
- Minimum flush mount is 2"

Surcharges

- Metallix/Jewel Color (6 gauge only) - 15%
- AluminWood Color (6 gauge only) - 45%



Premium Cordless Headrail



Hidden Bracket



Premium Cordless Module



Lift Handle

1" Motorized

1" Motorized Blinds Base Price – (For full blind price add motor surcharge to base)

Width to:	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	118"
Length to:																	
42"	143	152	155	165	177	188	197	206	216	226	234	245	258	279	303	281	303
48"	152	155	165	177	190	200	206	212	230	237	259	266	279	293	330	310	333
54"	155	165	170	190	200	209	216	226	245	259	269	283	293	321	351	331	356
60"	165	170	188	200	209	216	226	234	264	269	287	299	317	337	372	353	385
66"	170	188	197	209	216	226	237	248	277	287	299	313	334	358	399	382	408
72"	177	190	200	212	226	234	245	259	283	292	302	316	351	393	420	404	
78"	190	200	209	223	234	248	264	277	299	313	335	349	369	403	447		
84"	190	200	209	223	234	248	264	277	299	313	335	349	369	403			
90"	197	209	223	230	245	264	277	292	313	335	349	366	369	403			
96"	206	216	226	245	264	277	292	305	335	352	370	388	393	420			
102"	189	201	211	236	258	268	287	312	336	361	387	406	456				
108"	195	205	224	249	265	282	303	319	352	382	398	427	470				
114"	201	214	232	258	272	298	316	333	373	394	420	447					
120"	211	229	244	265	282	312	329	346	387	408	438						

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- Simple Touch Rechargeable Battery Pack
- 1" wide .006 gauge slats
- 1" X 1-3/4" steel head rail
- Endcap Color Coordinated
- Color coordinated C-shape bottom rail
- Inside Mount 1/2" deduction
- Heavy Duty Brackets & screws provided
- Limited Lifetime Warranty on Blind
- 5 Year Warranty on motors and remote
- For Color availability see page 20

Size Limitations

- Maximum 56 sqft
- Minimum mounting space is 7/8"
- Minimum flush mount Wand Remote:
 - Battery pack installed behind blind 3-3/4"
 - Battery installed on wall/frame 2-1/4"
- Minimum flush mount 15-Channel Remote:
 - Battery pack installed behind blind 3-1/4"
 - Battery installed on wall/frame 2"

Surcharges

- 8 gauge slat - 20% surcharge
- Metallix/Jewel Color - 15% surcharge
- AluminWood Color - 45% surcharge

Simple Touch Wand Features

Size Limitations

- Minimum width 24"
- Maximum width 118"
- Minimum length 18"
- Maximum length 120"
- Wand control will be color coordinated
- Wand is clear and white cord will be visible inside
- Standard length is half of the blind drop
- Minimum Wand Length is 12"
- Maximum Wand Length is 60"
- Control on Right standard
- Wand control only, remote control not available
- Wand will programed with the upper and lower limits

Simple Touch Wireless Remote Features

Size Limitations


- Minimum width 24"
- Maximum width 118"
- Minimum length 12"
- Maximum length 120"
- 15 Channel Control Available
- At least 1 remote required per order
- Remote will programed with the upper and lower limits, please designate blind channels on your order.
- "0" on the remote will control all blinds as a group

Motor Surcharges

Wand Control Motor + Battery Pack	\$436 Retail
Remote Control Motor + Battery Pack	\$541 Retail

Optional Surcharges

15-Channel Remote (Remote Motor Only)	\$128 Retail
Additional Battery Packs	\$161 Retail
USB Wall Adapter (Power Block+80" USB-C)	\$34 Retail
Power Extension Cord (118")	\$25 Retail
Power Adapter (70")	\$67 Retail
Solar Panel	\$363 Retail



Simple Touch Motor Features

- For pricing add motor surcharge to base
- Power Source – Simple Touch Rechargeable Battery Pack which can be installed behind the headrail, the wall or window frame, however it is intended for indoor use and must be kept away from sunlight. Additionally, the only color available is white.
- 1 USB wall adapter and 80" USB-C charge cord will be provided with each order.
- Battery Pack can also be powered directly from a wall plug by using the power adapter, instead of recharging the battery pack.
- Optional solar panel available.
- Blind will automatically be programed with the upper and lower limits

2" Aluminum

2" Standard

Width to:	12"	24"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"
Length to:																				
42"	288	170	215	243	276	300	324	350	373	391	429	447	476	496	546	655	720	674	746	825
48"	297	179	224	255	291	320	343	367	386	409	452	476	502	526	574	682	743	697	765	838
54"	311	192	238	271	302	332	358	386	403	430	471	503	529	555	609	728	797	752	828	909
60"	323	205	250	280	320	347	374	400	427	453	496	523	553	582	638	764	837	791	873	962
66"	332	214	259	297	327	362	393	415	447	471	515	547	577	609	667	797	873	828	909	1000
72"	347	229	274	302	340	374	405	435	465	490	540	574	606	635	699	840	923	878	972	1075
84"	367	249	294	330	370	405	438	470	502	534	585	621	658	691	732	846	899	853	905	964
96"	399	280	326	367	409	447	483	521	555	590	649	691	731	767	812	941	996	950	1011	1076
108"	437	318	364	409	459	503	543	584	623	661	728	773	817	861	911	1053	1117	1072	1140	1209
120"	488	370	423	477	529	574	620	665	709	784	835	888	935	994	1153	1228	1303	1228	1303	1384

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

2" Standard with Cloth Tape

Width to:	12"	24"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"
Length to:																				
42"	331	196	247	279	317	345	373	403	429	450	493	514	547	570	628	753	828	775	858	949
48"	342	206	258	293	335	368	394	422	444	470	520	547	577	605	660	784	854	802	880	964
54"	358	221	274	312	347	382	412	444	463	495	542	578	608	638	700	837	917	865	952	1045
60"	371	236	288	322	368	399	430	460	491	521	570	601	636	669	734	879	963	910	1004	1106
66"	382	246	298	342	376	416	452	477	514	542	592	629	664	700	767	917	1004	952	1045	1150
72"	399	263	315	347	391	430	466	500	535	564	621	660	697	730	804	966	1061	1010	1118	1236
84"	422	286	338	380	426	466	504	541	577	614	673	714	757	795	842	973	1034	981	1041	1109
96"	459	322	375	422	470	514	555	599	638	679	746	795	841	882	934	1082	1145	1093	1163	1237
108"	503	366	419	470	528	578	624	672	716	760	837	889	940	990	1048	1211	1285	1233	1311	1390
120"	561	426	486	549	608	660	713	765	815	902	960	1021	1075	1143	1326	1412	1498	1412	1498	1592

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- 2" wide .008 gauge slats
- 2" X 2" steel head rail
- 2-Slat Standard Valance
- 1/2" deduction on inside mount
- Blind ladder will be color coordinated, but inner lift cord will be white.
- Wand tilt only (clear wand)
- Cordless with no lift handle included
- Limited Lifetime Warranty
- For Color availability see page 19

Cordless Features & Limitations

- Standard Cordless Module
- Left tilt standard
- Minimum width 18"
- Maximum width 96"
- Minimum length 18"
- Maximum length 108"

Tilt Only** Features & Limitations

- Left tilt standard on blinds > 12" wide
- Center tilt only for blinds 12" wide or less
- Minimum width 8"
- Maximum width 120"
- Minimum length 18"
- Maximum length 120"

Cloth tape available in 6 colors:

- 510 White
- 511 Duck White
- 512 Fawn
- 513 Dark Beige
- 514 Gray
- 524 Black

**Warning: To be compliant with the ANSI/WCMA A100.1-2022 Window Covering Standard Aluminum Tilt Only Blinds must be installed using all hardware and components including holddown brackets provided with this product and properly installed according to instructions provided in the blind package.

Micro (1/2") Aluminum

Micro (1/2")

Width to:	12"	18"	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	96"	102"	110"	120"
Length to:																					
42"	249	132	177	185	198	203	231	243	254	266	279	305	320	336	353	389	422	464	419	450	489
48"	257	140	185	198	206	216	245	260	270	287	300	329	345	363	380	419	453	506	461	494	531
54"	270	153	198	206	218	231	260	275	288	303	317	350	366	389	407	452	483	545	500	536	578
60"	275	158	203	216	233	239	270	287	305	320	336	369	392	416	435	482	524	582	537	578	621
66"	290	173	218	231	243	258	285	303	320	339	359	395	417	440	462	513	561	623	578	620	662
72"	302	185	230	239	254	267	300	317	339	359	378	417	440	464	491	545	596	659	614	657	707
78"	306	189	234	249	264	279	314	336	356	378	396	440	464	491	518	573	629	696	651	698	752
84"	315	198	243	260	276	291	329	350	375	395	417	462	489	515	545	605	660	734	689	738	830
90"	321	204	249	270	288	303	341	365	390	416	440	482	513	545	572	638	696	776	731	776	873
96"	333	216	261	279	296	315	359	381	407	434	459	506	537	570	599	671	732	815	770	860	917
102"	342	225	225	246	260	281	320	350	375	404	426	477	510	543	576	645	711	833	833	882	945
108"	350	233	233	249	266	293	332	363	387	419	444	491	525	561	593	666	731	858	858	909	972

** Light areas inside double line are standard cordless shades. Dark areas outside of double line are only available as tilt only.

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Standard Features

- 1/2" wide .006 gauge slats
- 1" X 1 1/2" steel head rail
- 2-Slat Standard Valance
- 1/2" deduction on inside mount
- All interior lift cords are white
- Wand tilt only (clear wand)
- Cordless with no lift handle included
- Limited Lifetime Warranty
- For Color availability see page 19

Cordless Features & Limitations

- Standard Cordless Module
- Left tilt standard
- Minimum width 18"
- Maximum width 96"
- Minimum length 18"
- Maximum length 96"

Size Limitations

- Minimum width 8"
- Maximum width 120"
- Minimum length 18"
- Maximum length 108"
- Minimum mounting space is 3/4"
- Minimum flush mount is 1 3/4"

Warranty

CACO, Inc. will extend a limited lifetime warranty on Aluminum blinds, a limited lifetime warranty on blinds and operating cords and a limited 5 year warranty on battery motors and wands. Each blind is warranted to be free from defects in materials and workmanship to the original owner, provided that the blinds were properly installed in a window, door or other interior area for which they intended, maintained and cleaned with the manufacturer recommendations.

Damage resulting from misuse, abuse, exposure to the elements, including but not limited to exposure to salty air, discoloration due to sunlight or passage of time, exposure to humidity, accidents, improper installation, alterations or normal wear and tear upon the shades are not covered by this warranty. Some fading or reduction in color intensity may occur and should not be deemed defective. Returns for the above-mentioned reasons are not warranted.

The obligation of CACO's manufactured products and its distributors is limited to repair or replacement of the blinds or components found to be defective, at our option, provided the blinds are returned to an authorized CACO dealer or distributor and accompanied by "proof of purchase". CACO is not responsible for any labor costs associated with fabricating alterations, measuring, or installation and to include shipping charges.

This warranty is exclusive and in lieu of all other obligations, liabilities, or warranties. In no event shall CACO be liable or responsible for incidental or consequential damages, or for any other direct or indirect damage, loss, cost, expense, or fee. Some states do not allow the exclusion or limitations of incidental or consequential damages, so this limitation may not apply to you. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.