



CACO, INC.
WINDOW FASHIONS

Version 2
9/21/2026

Retail Price Guide 2026

Sheerview Shades

<u>Customer Service Policies</u>	1-2
<u>Sheerview Horizontal Shade Collection</u>	
Features, Benefits Fabric Reference & Measuring Instructions	3
Design and Operation	4
Headrail Options	5
Operating Systems	6-7
Fabric Selection	8
Price Charts	9-10
Operating Systems, Options & Motorization Surcharges	11
Child Safety, Care & Warranty	12

 WARNING		03/2023 ANEWVNDMA 5.1.1
		Window Blind Cord Strangulation Risk A damaged, loose, or missing tension device poses a strangulation risk to children. Remove from use and repair or replace if tension device is damaged, loose, or missing.
 ADVERTENCIA		Riesgo de estrangulamiento por cordón de persiana Un dispositivo de tensión dañado, suelto o faltante presenta un riesgo de estrangulamiento para niños. Retire y repare o reemplace si el dispositivo de tensión está dañado, suelto o falta.

How to place an order

For your convenience, CACO provides you with the option of placing orders by either telephone, email, online or fax (if placed by fax, CACO will provide order forms at no additional cost; customers must request forms). Orders placed after 3:00 pm EST will be forwarded to the next business day.

Telephone orders

CACO Customer Service Representatives are available between the hours of 8:30 am and 5:00 pm Eastern Standard time at **1-800-552-5278**. Any order placed by phone requires a signed order confirmation returned to customer service by fax or email before proceeding with order. Keep in mind, when phoning in your order, it is important to have the following information available:

- Account number (if known)
- Individuals name that is calling
- P.O. number and/or side mark
- Color or colors
- Type of product ordered
- Measurements (width-first, length-second)
- Inside or outside mount (i.m./i.b or o.m./o.b)
- Control instructions
- Ship to address if different than sold-to
- Special instructions for shipping
- Valance instructions
- Any other special instructions
- Quote number, if order is placed from a previous quote

Fax and Email Orders

Fax orders can be placed any time of day or night including holidays at **1-866-926-5836** or email to **customerservice@cacoinc.com**. To ensure order accuracy for faxed orders, it is advisable to use the order forms CACO supplies or a comparable form. It is important to note the number of pages of your order, including the cover sheet to ensure that no pages will be missing. For fax or email orders please include all of the same information required for telephone orders. Any omission of pertinent information will only delay your orders manufacturing time.

Online Orders

Orders can be placed online at <https://88043.picbusiness.com/>. If you your account has not been set up to access our online portal, please contact support@cacoinc.com to sign up. This access allows you to quote, order as well as make payments online. Please note shutters are not available online to quote or place as orders, you will need to contact customer service for information about these products. Additionally, orders are released from internet hold and reviewed for credit at the daily 2:30 PM EST cutoff. Any orders submitted online after this time will be reviewed the following business day.

How to expedite an order

In some occasions we may be able to provide a faster ship date for emergency situations, however customer service must be contacted when placing this type of order to verify. Additionally, if next day and second day shipping are required the customer will incur any additional shipping cost for expedited shipping.

How to add on or make changes to an order

In the event that you wish to add to your original order, it is possible, if the order has not moved into fabrication. You will be required to submit changes in writing and must be signed by a person of authority indicating the items you wish to add or change. No verbal requests can be made. You will need to refer to the original P.O. number and indicate clearly the additions or changes you're requesting. Note: because add-ons may affect production time, check with customer service for any possible delays.

How to cancel an order

Cancellations or changes require an immediate response and can only take place up until the start of fabrication. You must first identify your P.O. number or side mark and then state the cancellation or change. Cancellations must be faxed or emailed in writing only, phone calls are not permitted. If an order has already been cut, a minimum charge of 50% will apply.

Should you order for the same room at different times?

This is a frequently asked question and should be addressed and explained at the point of sale. Under normal circumstances blinds, shades and verticals should be ordered for the same room at one time to prevent color deviations, as a result of dye and paint color variations from original lot to the other. If additional blinds, shades or verticals are ordered at a later time for the same room there can be a distinct color difference from the existing product to the new product. Also, window coverings that have been previously installed can have shade differentiations from newer products due to the progress of aging.

Questions concerning an order

Once you contact customer service you must have your P.O. number and/or side mark available.

Shipping and Handling Charges

- **Minimum order Fee:** \$25 shipping and handling fee will be added to any order with 2 units or less.
- **Per Unit Fee:** \$10 per unit shipping and handling fee will be added for all delivery orders with more than 2 units in lieu of the minimum order charge.
- **>90" Oversized Fee:** Any order with a product over 90" width (including oversized items such as valances that are not ordered spliced) will have an oversized fee of \$90 per unit up to \$180 maximum fee in addition to any minimum or per unit shipping and handling fees.
- **>104" Extended Oversized Fee:** Any order with a product over 104" (including oversized items such as valances that are not ordered spliced) will ship by LTL carrier and will incur an additional \$120 extended oversized fee per order in addition to any applicable minimum order, per unit and oversized handling fees.
- Accessorial LTL Truck delivery charges such as liftgate, inside delivery, re-consignment, re-delivery, etc. will be the responsibility of the receiving party.

Credit and additional charges

Open accounts are established by submitting a CACO credit application. You will be required to list trade and bank references as well as a current sales tax id number. C.O.D. accounts are also obligated to submit a credit application. Invoices are due within 30 days of the date posted. After 30 days accounts will be charged 1.5% interest per month. CACO reserves the right not to ship to accounts with past due balances.

Payment Policy

Current payment methods accepted are check, emailed or faxed checks for ACH processing, credit cards (Mastercard, Visa, Discover) and online payments by credit card or bank draft. Due to additional credit card fees, effective March 8th, a 2% processing fee will be added to all credit card payments. This fee can be avoided by either mailing checks to our PO Box or to expedite payments send a copy of your check along with our Check by Fax form by email to customerservice@cacoinc.com or fax to (866) 552-5278. Please note CACO will not automatically charge any credit card or process ACH transaction without a current, on file preauthorization forms, otherwise approval will be required at the time of each transaction.

If you receive product that has been visibly damaged while in transit

Before accepting any shipments, please examine each carton carefully. If shipment shows any signs of mistreatment or damage, i.e., wheel marks, crushed or bent cartons note this on the bill of lading and have the driver sign it and note damage. Should a replacement be necessary, CACO will bill you. Your replacement invoice will enable you to file a claim with the responsible carrier. It is imperative that you count all cartons prior to signing the bill of lading; any shortages must be noted on the bill of lading with the driver's signature.

Shipping discrepancies

If the product received does not agree with your packing slip, contact a CACO customer service representative within 24 hours. Your representative will verify any action needed for a resolution and expedite any necessary replacements.

If you should receive a defective product

Your warranty protects you against defective products (please read your warranty for all information, disclaimers and liabilities). Should you receive a defective product, contact CACO customer service and provide detailed information including your P.O. number. If the product is not sent back for repair, you will be invoiced for a replacement and required to return back the original product to CACO for inspection. Any issue arising past 30 days from receipt of original order will be required to return product for repair.


How to Measure

Inside mount

A. Measure the window opening at three different places and use the narrowest dimension when ordering. Be exact! The factory will make the blind slightly narrower, so it won't rub against the window casing. (See A inside mount).

B. Measure the height of the window from the top (soffit) down to the sill. NOTE: The finished blind length may have a tolerance of based on product.


Based on product, CACO will automatically make a deduction on width for measurements submitted as inside mount.



Outside mount

Measure exact width and height of the area to be covered. It is recommended that blinds overlap the window opening by at least 1 1/2" on each side to insure privacy and control sunlight. (See A outside mount). When installation is designed for "no sill," allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blinds will be made to exact measurements given. NOTE: The finished blind length may have a tolerance of based on product.

CACO will not make any deductions for measurements submitted as outside mount.



Sheerview Horizontal Shade Collection

Features, Benefits & Measuring Instructions

SHEER SHADE FEATURES & BENEFITS

- Horizontal fabric vanes float between two layers of soft, knitted fabric sheers, to soften your view outside fabrics.
- All Sheer fabric vane colors are featured between two layers of sheer fabric.
- Available to widths of 116" and drops to 144" to provide visual elegance to the widest of windows.
- Vanes glide from open to closed to "out of sight" with elegant hardware.
- Four distinctly different variations of vane positions are available for numerous combinations of privacy, view and light control.
- An adjustable weight system in the bottom rail for on-the-spot skew adjustment for a balance appearance in the window.
- One headrail style to maintain your sophisticated look.
- Low side light gap provides minimal light leakage on shading sides and above the headrail for increased privacy.
- Easy to install hardware and brackets allows for effortless installations and easy removal for cleaning.
- May be ultrasonically or traditionally cleaned to stay bright and beautiful.
- Lifetime Limited Warranty as a commitment to your satisfaction.
- Sheer fabrics may be processed with a topical treatment to resist flames and to adhere to strict flammability codes. For more information, contact CACO, Inc.
- Available with multiple operating systems including standard loop control, cordless and several motorization options.

Fabric Collections:

Sheer Shades are available with three different fabric vane sizes, 2", 2 ½" and 3". Light filtering fabric gently filters light while room darkening casts deep room darkening shadows. Please note that room darkening is not a blackout fabric.

Viewing Options

Sheerview Horizontal shades provide a number of varied views to the outside for controlling light and privacy. Consequently, there are variations in visibility through the shades when the vanes are tilted to their maximum open positions. The following four modes can be obtained with standard shading operation when viewing the shading at eye level.

- Closed top, open bottom - By partially lowering the shade from the fully raised position, the upper portion of your window will become semi-opaque while allowing a clear view below.
- Fully private - When lowered completely, the shade provides complete privacy and softly diffuses light.
- Partially open - Opening the shade slightly will gradually increase the level of light and allow varying levels of "view-through."
- View-through when lowered - By completely opening the vanes, the shade provides a softened, veiled view to the outside.

Measuring

Inside Mount


Measure across the width of your window opening in three different places - top, middle and bottom. Measurements should be taken within the window jamb. Provide the smallest of the three measurements to your fabricator. Be exact. Your fabricator will make the necessary deductions to fit the window opening.

Measure the height of the window opening from the underside of the soffit to the surface of the windowsill in two places - use the smallest of these two measurements.

Outside Mount

Measure the exact width and height of the area to be covered. On the width, allow at least 1 ½" of an overlap on each side. An overlap of 3" on each side is recommended.


Be sure to take into consideration any obstructions such as window trim, molding, locks and window cranks. such as window trim, molding, locks and window cranks.



Design & Operation

Shade Operation

Sheer shades feature the Continuous Cord System or the Motorized System. Both Systems provide the ability to manipulate the shade into various viewing positions. From the closed and retracted position (fabric inside the headrail), lower the fabric by pulling down on the rear of the loop cord until you reach the desired shading position or press the down arrow of the remote control. Once lowered completely to the windowsill, continuing to pull the cord in the same direction, or pressing the down arrow on the remote control, will open the horizontal fabric vanes, offering varied views to the outside. To retract the shading, simply pull down on the front of the cord, or press the up arrow of the remote control, until the shade reaches the desired viewing mode or fabric position.



Headrail Information:

The Sheerview comes with a standard headrail wrapped in a color coordinated fabric with an option of color coordinated aluminum, unless otherwise specified. Headrail measurements include end caps and will measure ordered width minus: 1/8"

Side-by-Side Alignment:


When sheer shades are installed side-by-side, vane alignment can be guaranteed within 1/4" only if:

- The shades are the same color and ordered at the same time.
- The sum total of the widths of all shades needing alignment is less than 102".
- Side-by-side lineup must be specified when the order is placed.

Vane Closure

Sheer shade fabric vanes overlap and provide privacy when closed. However, the inherent nature of the fabric will cause a slight increase in the distance from the front sheer to back sheer as you move further down the shade. These vanes do not form a perfect seal against light leakage which is most visible toward the bottom of the shade.

Vane closure is measured as the distance between the front and rear fabric sheers 6" up from the lowest point of the bottom rail, with the shade fully lowered and the vanes closed. For sheer shades, the maximum distance from the front sheer to the back sheer when closed is 7/8". On room darkening fabrics, the distance is 5/8". Vane closure on all 3" fabrics will have a distance of 1"



Finished Dimensions:

Once ordered and manufactured, the width of the fabric cannot be altered. The Manufacturer makes deductions to the width of window shadings depending on the type of mounting indicated. For all mounting types, the fabric will measure exactly the length ordered when the vanes are in the open or "view-through" position. When the vanes are rotated to the closed position, the shading will become 3/8" longer.

Height Considerations:

Your will be fabricated to the exact height ordered, when the vanes are in the closed position. When the vanes are rotated to the open position, the shade will become slightly longer.

When opened on an inside mount, the shading will be slightly longer than the ordered length. A slight puckering may occur when the vanes are in the open position. Rotating the vanes closed will cause the bottom rail to touch the windowsill before it begins to raise.

Length Considerations:


When closed on an inside mount, a slight furrow may occur on the lowermost sheer section because of contact with the sill. To compensate, slightly raise the shading until the rail begins to lift off the window sill. If preferred, the shading can be ordered 3/8" less than the measured height of the window opening. In this case, the bottom rail will be positioned 3/8" above the sill when the vanes are in the open position. Rotating the vanes closed will cause the bottom rail to touch the window sill and thus closing any unwanted space.

Fabric Considerations:

Due to variations in fabric weave and environmental conditions, the finished dimensions for both width and height may vary, plus or minus 1/8", from your order measurements. (IB) Fabric will measure ordered width minus: 15/16" (OB) Fabric will measure ordered width minus: 13/16"

Leveling Sheerview Horizontal Shades:

Sheer shades are leveled and weighted in the factory. When installed level, the fabric will not skew when raised. If the headrail is not installed level, skewing can occur that can damage the edge of the fabric. Be sure to follow the installation instructions carefully to ensure correct and balanced operation.




Note: Adjustable counter weight keeps sheer shade level.

Skew Adjusting Bottom Rail:


After installation, windows that are not square and level may cause the shadings to shift to one side as it rolls up, requiring adjustment of the bottom rail. To adjust the fabric, the weight in the bottom rail can be slid from one end to the other. If the fabric is skewing to the right, loosen the weight with a screwdriver and slide the weight to the right etc.

Headrail Options

Curved Headrail




Standard




Easy to install One Clip Brackets, come with shims to even the shade if the window jamb is uneven.

Square (Flat) Headrail




Upgrade for Continuous Cord Loop, Cordless & Motorized




Easy to install One Clip Brackets, come with shims to even the shade if the window jamb is uneven.

No Drill Headrail



Cordless Option Only



(CCL) Continuous Cord Loop



Headrail

- Available in square or curved

Continuous Loop options

- Regular Cord (Color Coordinated) Plastic Ball Chain (color coordinated)
- Plastic Ball Chain (white)
- Metal Ball Chain
- Safety Wand



Safety Tension Device

Safety Wand



Standard Cordless



Headrail

- Available in square or curved

Cordless – No Drill Option



Headrail

- No Drill Only Headrail

Motorized



Headrail

- Available in square or curved

Motorization

- All motorized shades are standard rechargeable Wand Control but are remote ready
- Easy installation with no hard wiring
- Long lasting Lithium-Ion battery
- Simple Up/Down/Stop control buttons
- Micro USB for Charging the battery
- Available in six colors coordinated colors.
 - White, Beige, Gray, Brown, Blue or Black
- Remote Upgrade
 - Single or Multi-channel option
 - Control your shade from up to 100 feet away
 - Add up to 20 shades per channel
 - Remote attaches to backplate with magnets to mount in a convenient location.
-



Wand Options



Remote Options



Smart Hub Bridge

Fabric Selections

Light Filtering			Room Darkening		
2"			2"		
Non-Woven		Printed	Non-Woven		
S50PN100	Bright White	S50PN113-1 *Moon	S50PN100D	Bright White	
S50PN112	Alabaster	S50PN113-2 *Wheat	S50PN113D	Winter White	
S50PN113	Winter White	S50PN113-3 *Driftwood	S50PN125D	Linen	
S50PN206	Blossom	S50PN113-4 *Silver Reed	S50PN145D	Biscuit	
S60PN302	Sesame	S50PN113-5 *Steel Mist	S50PN322D	Beige	
S50PN322	Beige	S50LN100 *Linen	S50PN414D	Cornsilk	
S50PN378	Java	S50LN125 *Stone	S50PN823D	Granite	
S50PN823	Granite	S50LN370 *Taupe	S50HN824D	*Mist	
S50WN821	*Ivory	S50LN823 *Frosted	S50HN302D	*Desert	
S50WN414	*Vanilla		S50HN414D	*Dune	
S50WN613	*Morning Fog		S50HN821D	*Glacier	
S50WN823	*Sand Drift		S50HN100D	*Lunar White	
S50WN100	*Blue Haze				
S50WN125	*River Stone				
2.5"			2.5"		
Non-Woven		Plaid	Non-Woven	Plaid	
S65BN125	Parmesan	S65GN100 *Arctic	S65BN206D	Blossom	S65TN100D *Polar White
S65BN206	Blossom	S65GN125 *Soft Almond	S65BN311D	Heather	S65TN145D *Sandstone Taupe
S65BN207	Ecru	S65GN820 *Morning Haze	S65BN312D	Blush	S65TN823D *Harbor Grey
S65BN311	Heather	S65GN821 *Onyx	S65BN322D	Beige	S65TN822D *Steel Shadow
S65BN312	Blush	S65DN113 *Carrara White	S65BN627D	Waterfall	
S65BN322	Beige	S65DN031 *Sandstone	S65BN823D	Granite	
S65BN414	Oat	S65DN503 *Sage			
S65BN503	Smoke	S65DN652 *Blue State			
S65BN517	Foggy				
S65BN627	Waterfall				
S65BN822	Whale				
S65BN823	Granite				
3"			3"		
Non-Woven			Non-Woven		
S70PN100	Bright White		S70PN016D	Midnight	
S70PN112	Alabaster		S70PN029D	Royal Blue	
S70PN113	Winter White		S70PN100D	Bright White	
S70PN126	Luna		S70PN111D	Eggshell	
S70PN206	Blossom		S70PN114D	Greek Villa	
S70PN302	Sesame		S70PN125D	Linen	
S70PN322	Beige		S70PN145D	Biscuit	
S70PN323	Romance		S70PN303D	Khaki	
S70PN317	Plank		S70PN312D	Barcelona	
S70PN378	Java			Beige	
S70PN503	Coastal Plain		S70PN321D	Natural Tan	
S70PN517	Celadon		S70PN322D	Beige	
S70PN821	Dusty Blue		S70PN334D	Brick	
S70PN823	Granite		S70PN378D	Java	
S70PN824	Rhinestone		S70PN414D	Cornsilk	
			S70PN823D	Granite	
			S70PN822D	Lazy Gray	

Size	Opacity	Style	Price Group
2"	Light Filtering	Non-Woven	1
2"	Light Filtering	Printed	1
2.5"	Light Filtering	Non-Woven	2
2.5"	Light Filtering	Plaid	2
2.5"	Light Filtering	Striped	2
3"	Light Filtering	Non-Woven	3
2"	Room Darkening	Non-Woven	4
2.5"	Room Darkening	Non-Woven	5
2.5"	Room Darkening	Plaid	5
3"	Room Darkening	Non-Woven	6

Sheerview Horizontal Shade Collection

Price Charts Non-Woven - Light Filtering



Flat Valance Surcharge

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"
	\$33	\$46	\$59	\$73	\$85	\$98	\$112	\$124	\$138	\$151	\$163	\$177	\$190

Chart 1 2" Non-Woven Light Filtering • 2" Printed Light Filtering

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
Length to:	36"	\$579	\$645	\$713	\$778	\$846	\$914	\$978	\$1,049	\$1,214	\$1,353	\$1,488	\$1,636	\$1,883
	42"	\$608	\$679	\$749	\$827	\$896	\$975	\$1,049	\$1,122	\$1,289	\$1,440	\$1,587	\$1,746	\$2,007
	48"	\$642	\$713	\$794	\$871	\$954	\$1,033	\$1,121	\$1,203	\$1,375	\$1,529	\$1,694	\$1,865	\$2,143
	54"	\$664	\$748	\$832	\$921	\$1,010	\$1,098	\$1,189	\$1,284	\$1,455	\$1,624	\$1,807	\$1,988	\$2,285
	60"	\$692	\$788	\$876	\$969	\$1,059	\$1,160	\$1,259	\$1,358	\$1,524	\$1,723	\$1,923	\$2,115	\$2,432
	66"	\$719	\$821	\$920	\$1,019	\$1,122	\$1,227	\$1,337	\$1,443	\$1,610	\$1,828	\$2,043	\$2,248	\$2,586
	72"	\$749	\$857	\$961	\$1,067	\$1,181	\$1,296	\$1,415	\$1,524	\$1,694	\$1,925	\$2,159	\$2,374	\$2,731
	78"	\$767	\$885	\$998	\$1,108	\$1,228	\$1,352	\$1,470	\$1,596	\$1,772	\$2,020	\$2,262	\$2,488	\$2,860
	84"	\$801	\$920	\$1,034	\$1,165	\$1,291	\$1,419	\$1,556	\$1,680	\$1,861	\$2,129	\$2,383	\$2,621	\$3,014
	90"	\$831	\$954	\$1,078	\$1,215	\$1,350	\$1,492	\$1,625	\$1,763	\$1,948	\$2,229	\$2,502	\$2,753	\$3,163
	96"	\$861	\$995	\$1,125	\$1,265	\$1,415	\$1,556	\$1,702	\$1,842	\$2,038	\$2,331	\$2,619	\$2,880	\$3,311
	102"	\$975	\$1,122	\$1,269	\$1,426	\$1,575	\$1,715	\$1,906	\$2,094	\$2,233	\$2,530	\$2,818	\$3,100	\$3,565
	108"	\$1,024	\$1,176	\$1,332	\$1,499	\$1,650	\$1,801	\$2,003	\$2,198	\$2,345	\$2,658	\$2,965	\$3,261	\$3,750
	114"	\$1,085	\$1,247	\$1,413	\$1,587	\$1,758	\$1,914	\$2,123	\$2,331	\$2,488	\$2,818	\$3,144	\$3,457	\$3,976
	120"	\$1,160	\$1,330	\$1,513	\$1,697	\$1,869	\$2,043	\$2,268	\$2,488	\$2,660	\$3,015	\$3,359	\$3,695	\$4,248
	132"	\$1,332	\$1,529	\$1,741	\$1,952	\$2,148	\$2,350	\$2,606	\$2,862	\$3,058	\$3,468	\$3,863	\$4,248	\$4,886
	144"	\$1,532	\$1,758	\$2,001	\$2,244	\$2,471	\$2,704	\$2,996	\$3,290	\$3,518	\$3,986	\$4,441	\$4,886	\$5,619

Chart 2 2 1/2" Non-Woven Light Filtering • 2 1/2" Plaid Light Filtering • 2 1/2" Striped Light Filtering

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
Length to:	36"	\$666	\$743	\$821	\$895	\$973	\$1,052	\$1,125	\$1,206	\$1,395	\$1,555	\$1,713	\$1,883	\$2,164
	42"	\$699	\$780	\$862	\$953	\$1,030	\$1,122	\$1,206	\$1,289	\$1,484	\$1,655	\$1,826	\$2,008	\$2,307
	48"	\$738	\$821	\$912	\$1,002	\$1,096	\$1,189	\$1,288	\$1,381	\$1,581	\$1,759	\$1,949	\$2,143	\$2,464
	54"	\$763	\$861	\$959	\$1,059	\$1,162	\$1,262	\$1,369	\$1,477	\$1,674	\$1,866	\$2,077	\$2,285	\$2,628
	60"	\$794	\$906	\$1,009	\$1,116	\$1,218	\$1,332	\$1,448	\$1,562	\$1,753	\$1,982	\$2,209	\$2,432	\$2,796
	66"	\$827	\$941	\$1,058	\$1,170	\$1,289	\$1,411	\$1,541	\$1,658	\$1,850	\$2,104	\$2,350	\$2,586	\$2,972
	72"	\$862	\$984	\$1,105	\$1,228	\$1,356	\$1,489	\$1,626	\$1,753	\$1,949	\$2,212	\$2,482	\$2,731	\$3,139
	78"	\$881	\$1,017	\$1,146	\$1,277	\$1,413	\$1,553	\$1,693	\$1,837	\$2,037	\$2,324	\$2,601	\$2,862	\$3,290
	84"	\$919	\$1,058	\$1,190	\$1,338	\$1,485	\$1,630	\$1,788	\$1,933	\$2,140	\$2,447	\$2,740	\$3,015	\$3,467
	90"	\$956	\$1,096	\$1,240	\$1,397	\$1,552	\$1,717	\$1,867	\$2,028	\$2,239	\$2,562	\$2,878	\$3,163	\$3,639
	96"	\$989	\$1,142	\$1,293	\$1,455	\$1,626	\$1,788	\$1,957	\$2,119	\$2,344	\$2,683	\$3,011	\$3,311	\$3,808
	102"	\$1,122	\$1,289	\$1,460	\$1,640	\$1,810	\$1,972	\$2,192	\$2,408	\$2,569	\$2,908	\$3,241	\$3,567	\$4,101
	108"	\$1,179	\$1,353	\$1,532	\$1,724	\$1,899	\$2,072	\$2,304	\$2,526	\$2,696	\$3,056	\$3,409	\$3,750	\$4,312
	114"	\$1,248	\$1,435	\$1,622	\$1,826	\$2,020	\$2,202	\$2,441	\$2,683	\$2,862	\$3,241	\$3,616	\$3,977	\$4,571
	120"	\$1,332	\$1,529	\$1,741	\$1,952	\$2,148	\$2,350	\$2,606	\$2,862	\$3,058	\$3,468	\$3,863	\$4,248	\$4,886
	132"	\$1,532	\$1,758	\$2,001	\$2,244	\$2,471	\$2,704	\$2,996	\$3,290	\$3,518	\$3,986	\$4,441	\$4,886	\$5,619
	144"	\$1,761	\$2,021	\$2,301	\$2,580	\$2,840	\$3,109	\$3,448	\$3,784	\$4,044	\$4,584	\$5,108	\$5,617	\$6,461

Chart 3 3" Non-Woven Light Filtering

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
Length to:	36"	\$653	\$725	\$802	\$873	\$953	\$1,029	\$1,101	\$1,181	\$1,365	\$1,521	\$1,674	\$1,841	\$2,116
	42"	\$681	\$765	\$843	\$930	\$1,009	\$1,097	\$1,181	\$1,262	\$1,453	\$1,620	\$1,786	\$1,967	\$2,260
	48"	\$724	\$803	\$894	\$979	\$1,072	\$1,164	\$1,259	\$1,352	\$1,546	\$1,720	\$1,905	\$2,096	\$2,409
	54"	\$746	\$842	\$936	\$1,037	\$1,136	\$1,233	\$1,336	\$1,444	\$1,636	\$1,823	\$2,035	\$2,237	\$2,572
	60"	\$778	\$887	\$985	\$1,090	\$1,190	\$1,302	\$1,418	\$1,528	\$1,715	\$1,938	\$2,163	\$2,380	\$2,736
	66"	\$807	\$921	\$1,036	\$1,147	\$1,262	\$1,380	\$1,508	\$1,624	\$1,810	\$2,055	\$2,300	\$2,530	\$2,907
	72"	\$843	\$963	\$1,081	\$1,200	\$1,328	\$1,459	\$1,588	\$1,715	\$1,905	\$2,167	\$2,429	\$2,669	\$3,069
	78"	\$862	\$997	\$1,122	\$1,247	\$1,381	\$1,521	\$1,656	\$1,795	\$1,992	\$2,273	\$2,545	\$2,800	\$3,218
	84"	\$900	\$1,036	\$1,164	\$1,311	\$1,453	\$1,593	\$1,749	\$1,890	\$2,094	\$2,394	\$2,683	\$2,949	\$3,391
	90"	\$935	\$1,072	\$1,214	\$1,369	\$1,519	\$1,679	\$1,827	\$1,984	\$2,192	\$2,507	\$2,814	\$3,094	\$3,559
	96"	\$966	\$1,118	\$1,265	\$1,424	\$1,588	\$1,751	\$1,914	\$2,074	\$2,293	\$2,624	\$2,947	\$3,242	\$3,727
	102"	\$1,097	\$1,263	\$1,428	\$1,607	\$1,772	\$1,928	\$2,144	\$2,353	\$2,511	\$2,846	\$3,169	\$3,486	\$4,009
	108"	\$1,151	\$1,326	\$1,498	\$1,688	\$1,856	\$2,028	\$2,252	\$2,471	\$2,639	\$2,991	\$3,333	\$3,667	\$4,217
	114"	\$1,220	\$1,402	\$1,587	\$1,786	\$1,976	\$2,153	\$2,390	\$2,621	\$2,799	\$3,169	\$3,536	\$3,891	\$4,471
	120"	\$1,304	\$1,493	\$1,699	\$1,910	\$2,101	\$2,300	\$2,551	\$2,799	\$2,991	\$3,391	\$3,778	\$4,156	\$4,780
	132"	\$1,498	\$1,718	\$1,954	\$2,198	\$2,417	\$2,644	\$2,932	\$3,218	\$3,438	\$3,900	\$4,344	\$4,779	\$5,496
	144"	\$1,723	\$1,976	\$2,248	\$2,526	\$2,780	\$3,041	\$3,374	\$3,702	\$3,956	\$4,485	\$4,997	\$5,494	\$6,321

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details

Sheerview Horizontal Shade Collection

Price Charts Woven – Room Darkening



Flat Valance Surcharge

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"
	\$33	\$46	\$59	\$73	\$85	\$98	\$112	\$124	\$138	\$151	\$163	\$177	\$190

Chart 4 2" Non-Woven Room Darkening • 2" Printed Room Darkening

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
Length to:	36"	\$638	\$709	\$783	\$857	\$930	\$1,005	\$1,076	\$1,154	\$1,333	\$1,488	\$1,636	\$1,801	\$2,071
	42"	\$669	\$746	\$824	\$910	\$985	\$1,073	\$1,154	\$1,233	\$1,419	\$1,583	\$1,746	\$1,921	\$2,208
	48"	\$706	\$783	\$872	\$959	\$1,048	\$1,137	\$1,232	\$1,322	\$1,512	\$1,681	\$1,865	\$2,050	\$2,356
	54"	\$729	\$823	\$917	\$1,013	\$1,111	\$1,208	\$1,309	\$1,414	\$1,599	\$1,785	\$1,988	\$2,185	\$2,513
	60"	\$760	\$867	\$965	\$1,066	\$1,165	\$1,274	\$1,384	\$1,493	\$1,678	\$1,895	\$2,115	\$2,326	\$2,674
	66"	\$792	\$904	\$1,012	\$1,121	\$1,233	\$1,348	\$1,474	\$1,586	\$1,771	\$2,013	\$2,248	\$2,474	\$2,845
	72"	\$824	\$940	\$1,058	\$1,173	\$1,297	\$1,425	\$1,556	\$1,678	\$1,865	\$2,118	\$2,374	\$2,611	\$3,004
	78"	\$843	\$973	\$1,097	\$1,222	\$1,350	\$1,485	\$1,619	\$1,758	\$1,948	\$2,222	\$2,488	\$2,737	\$3,149
	84"	\$877	\$1,012	\$1,139	\$1,281	\$1,421	\$1,561	\$1,713	\$1,847	\$2,047	\$2,340	\$2,621	\$2,884	\$3,316
	90"	\$914	\$1,048	\$1,188	\$1,336	\$1,484	\$1,643	\$1,786	\$1,938	\$2,143	\$2,453	\$2,753	\$3,027	\$3,480
	96"	\$945	\$1,093	\$1,237	\$1,392	\$1,556	\$1,713	\$1,871	\$2,028	\$2,242	\$2,564	\$2,880	\$3,168	\$3,643
	102"	\$1,073	\$1,233	\$1,396	\$1,568	\$1,730	\$1,885	\$2,097	\$2,302	\$2,457	\$2,784	\$3,100	\$3,409	\$3,920
	108"	\$1,126	\$1,293	\$1,465	\$1,650	\$1,816	\$1,982	\$2,203	\$2,415	\$2,580	\$2,923	\$3,261	\$3,587	\$4,126
	114"	\$1,193	\$1,372	\$1,551	\$1,746	\$1,933	\$2,105	\$2,336	\$2,564	\$2,737	\$3,100	\$3,457	\$3,804	\$4,375
	120"	\$1,160	\$1,463	\$1,665	\$1,867	\$2,053	\$2,248	\$2,493	\$2,737	\$2,924	\$3,316	\$3,695	\$4,064	\$4,675
	132"	\$1,332	\$1,681	\$1,913	\$2,145	\$2,364	\$2,586	\$2,867	\$3,149	\$3,363	\$3,814	\$4,248	\$4,675	\$5,375
	144"	\$1,532	\$1,934	\$2,200	\$2,469	\$2,717	\$2,972	\$3,296	\$3,619	\$3,869	\$4,385	\$4,886	\$5,375	\$6,180

Chart 5 2 1/2" Non-Woven Room Darkening • 2 1/2" Plaid Room Darkening • 2 1/2" Striped Room Darkening

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
Length to:	36"	\$702	\$780	\$862	\$943	\$1,024	\$1,106	\$1,185	\$1,269	\$1,467	\$1,637	\$1,801	\$1,981	\$2,278
	42"	\$736	\$823	\$906	\$1,002	\$1,085	\$1,183	\$1,269	\$1,357	\$1,561	\$1,743	\$1,920	\$2,114	\$2,429
	48"	\$777	\$862	\$960	\$1,056	\$1,154	\$1,252	\$1,356	\$1,455	\$1,663	\$1,850	\$2,051	\$2,255	\$2,593
	54"	\$802	\$905	\$1,009	\$1,116	\$1,223	\$1,330	\$1,441	\$1,556	\$1,759	\$1,964	\$2,188	\$2,405	\$2,766
	60"	\$837	\$955	\$1,062	\$1,173	\$1,283	\$1,402	\$1,522	\$1,644	\$1,846	\$2,085	\$2,327	\$2,559	\$2,943
	66"	\$871	\$995	\$1,115	\$1,233	\$1,357	\$1,484	\$1,621	\$1,746	\$1,948	\$2,214	\$2,473	\$2,723	\$3,129
	72"	\$906	\$1,034	\$1,164	\$1,291	\$1,428	\$1,567	\$1,712	\$1,846	\$2,051	\$2,330	\$2,611	\$2,873	\$3,305
	78"	\$929	\$1,071	\$1,206	\$1,345	\$1,485	\$1,634	\$1,781	\$1,935	\$2,143	\$2,444	\$2,737	\$3,012	\$3,463
	84"	\$966	\$1,115	\$1,254	\$1,409	\$1,563	\$1,718	\$1,884	\$2,033	\$2,252	\$2,574	\$2,884	\$3,173	\$3,648
	90"	\$1,005	\$1,154	\$1,306	\$1,470	\$1,632	\$1,807	\$1,965	\$2,133	\$2,358	\$2,698	\$3,029	\$3,330	\$3,829
	96"	\$1,041	\$1,203	\$1,361	\$1,532	\$1,712	\$1,884	\$2,058	\$2,232	\$2,467	\$2,821	\$3,168	\$3,486	\$4,008
	102"	\$1,183	\$1,357	\$1,536	\$1,725	\$1,905	\$2,075	\$2,307	\$2,534	\$2,702	\$3,061	\$3,412	\$3,750	\$4,312
	108"	\$1,239	\$1,423	\$1,614	\$1,816	\$1,998	\$2,180	\$2,424	\$2,658	\$2,839	\$3,216	\$3,588	\$3,946	\$4,538
	114"	\$1,313	\$1,511	\$1,707	\$1,920	\$2,126	\$2,315	\$2,570	\$2,821	\$3,012	\$3,412	\$3,804	\$4,185	\$4,813
	120"	\$1,277	\$1,610	\$1,834	\$2,053	\$2,261	\$2,473	\$2,742	\$3,012	\$3,217	\$3,648	\$4,064	\$4,470	\$5,142
	132"	\$1,465	\$1,850	\$2,105	\$2,361	\$2,600	\$2,845	\$3,154	\$3,463	\$3,701	\$4,196	\$4,672	\$5,142	\$5,913
	144"	\$1,686	\$2,128	\$2,422	\$2,717	\$2,988	\$3,271	\$3,627	\$3,981	\$4,256	\$4,823	\$5,375	\$5,913	\$6,799

Chart 6 3" Non-Woven Room Darkening -

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
Length to:	36"	\$719	\$798	\$881	\$961	\$1,046	\$1,130	\$1,211	\$1,297	\$1,499	\$1,674	\$1,841	\$2,025	\$2,329
	42"	\$750	\$842	\$927	\$1,023	\$1,108	\$1,206	\$1,297	\$1,386	\$1,596	\$1,782	\$1,967	\$2,160	\$2,486
	48"	\$797	\$885	\$980	\$1,077	\$1,179	\$1,279	\$1,384	\$1,485	\$1,699	\$1,891	\$2,096	\$2,305	\$2,650
	54"	\$822	\$926	\$1,030	\$1,141	\$1,250	\$1,357	\$1,470	\$1,588	\$1,800	\$2,006	\$2,237	\$2,461	\$2,830
	60"	\$857	\$975	\$1,085	\$1,199	\$1,311	\$1,431	\$1,560	\$1,680	\$1,885	\$2,134	\$2,380	\$2,616	\$3,010
	66"	\$888	\$1,013	\$1,140	\$1,262	\$1,386	\$1,518	\$1,658	\$1,785	\$1,989	\$2,262	\$2,530	\$2,782	\$3,198
	72"	\$927	\$1,059	\$1,189	\$1,321	\$1,462	\$1,604	\$1,747	\$1,885	\$2,096	\$2,383	\$2,669	\$2,938	\$3,377
	78"	\$946	\$1,095	\$1,233	\$1,372	\$1,519	\$1,674	\$1,821	\$1,976	\$2,189	\$2,501	\$2,800	\$3,079	\$3,541
	84"	\$990	\$1,140	\$1,279	\$1,441	\$1,596	\$1,753	\$1,925	\$2,081	\$2,302	\$2,633	\$2,949	\$3,245	\$3,730
	90"	\$1,029	\$1,179	\$1,333	\$1,507	\$1,671	\$1,846	\$2,009	\$2,183	\$2,412	\$2,758	\$3,094	\$3,406	\$3,915
	96"	\$1,062	\$1,229	\$1,392	\$1,566	\$1,747	\$1,927	\$2,105	\$2,281	\$2,523	\$2,885	\$3,242	\$3,565	\$4,101
	102"	\$1,206	\$1,390	\$1,573	\$1,767	\$1,948	\$2,120	\$2,359	\$2,590	\$2,761	\$3,129	\$3,486	\$3,835	\$4,409
	108"	\$1,265	\$1,459	\$1,649	\$1,855	\$2,042	\$2,231	\$2,479	\$2,717	\$2,902	\$3,290	\$3,667	\$4,033	\$4,638
	114"	\$1,342	\$1,543	\$1,746	\$1,967	\$2,174	\$2,369	\$2,628	\$2,884	\$3,078	\$3,486	\$3,891	\$4,278	\$4,919
	120"	\$1,434	\$1,645	\$1,870	\$2,100	\$2,312	\$2,530	\$2,805	\$3,078	\$3,290	\$3,730	\$4,156	\$4,572	\$5,257
	132"	\$1,649	\$1,890	\$2,151	\$2,415	\$2,660	\$2,908	\$3,226	\$3,540	\$3,783	\$4,290	\$4,779	\$5,257	\$6,045
	144"	\$1,895	\$2,175	\$2,473	\$2,777	\$3,058	\$3,345	\$3,710	\$4,070	\$4,351	\$4,931	\$5,494	\$6,045	\$6,953

* Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details

to place an order call (800) 552-5278 or fax (866) 926-5836 or email customerservice@cacoinc.com

Operating Systems, Options & Motorization Surcharges

Standard Features

- Fabric wrapped headrail
- Easy to install one clip brackets with shims to level shim
- Installed stoppers to prevent bottom rail from looping up into headrail when fully raised
- Bottom rail design reduces light gap when shade is in the fully lowered/closed position
- Adjustable counter weight helps to keep sheer shade level
- Braided polyester cord control loops
- Safety Cord loop tensioner
- Aluminum color coordinated headrail with fabric insert and color coordinated end caps

No Charge Options

- Standard Cord Loop – cord is standard but color coordinated plastic Chain and steel metal chain options available at no extra charge
- Control position
- Extension Brackets – 4 1/2" L Brackets
- Spacer Blocks - 3/8"
- Hold down brackets
- Custom cord lengths up to 15'. Available in 12" increments only

Manual Operating System

- Standard Cord Loop Standard
- 2 on 1 \$101 Retail
- Safe Wand – Cord Loop \$79 Retail
- Cordless \$139 Retail
- No Drill – Additional Cordless Surcharge \$34 Retail
- Cordless – Telescoping Pole 14" – 24' \$50 Retail

Motorization

All motors automatically come with a removable wand control.

- Lithium Rechargeable battery motor installed \$459 Retail
- Single Channel Remote* \$111 Retail
- Multi-Channel Remote* \$146 Retail
- 6" USB Cable with Charger \$63 Retail
- 10" USB Cable with Charger \$75 Retail
- Replacement Wand \$220 Retail
- Wi-Fi Hub \$556 Retail

*Please Specify number of remotes, at least one remote control will be required.

Shade Limitations					
Style	Headrail	Minimum		Maximum	
		Width	Length	Width	Length
Cord Loop	Curved	8"	11"	116"	144"
	Flat – LF Fabric	8"	11"	116"	96"
	Flat – RD Fabric	8"	11"	116"	84"
2 on 1 Cord Loop	Curved	8"	11"	116"	144"
	Flat – LF Fabric	8"	11"	116"	96"
	Flat – RD Fabric	8"	11"	116"	84"
Cordless	Curved	20"	11"	96"	96"
	Flat	20"	11"	96"	84"
2 on 1 Cordless	Curved	40"	11"	96"	96"
	Flat	40"	11"	96"	84"
No Drill Cordless	Curved	29"	11"	79"	96"
	Flat	29"	11"	79"	84"
Motorized	Curved	22"	11"	116"	144"
	Flat – LF Fabric	22"	11"	116"	96"
	Flat – RD Fabric	22"	11"	116"	84"
2 on 1 Motorized	Curved	44"	11"	116"	144"
	Flat – LF Fabric	44"	11"	116"	96"
	Flat – RD Fabric	44"	11"	116"	84"

Fabric Width Deductions			
	Idle End	Clutch End	Motor End
Cord Loop	3/8"	5/8"	n/a
Cordless	1/4"	1/4"	n/a
Motorized	3/8"	n/a	3/4"

Minimum Mounting Requirements	
Inside Mount	3 3/4"
Outside Mount	3/4"

Standard Control Lengths	
Shade Height	Standard Loop
12" - 36"	24"
36" - 48"	36"
48" - 72"	48"
72" - 96"	60"
96" - 120"	72"

System	Mount	Headrail Deduction	Fabric Deduction
Cordless	Inside	1/8"	1 1/8"
	Outside	None	3/4"
Clutch	Inside	1/8"	1"
	Outside	None	7/8"
Motorized	Inside	1/8"	1 1/8"
	Outside	None	7/8"

Child Safety, Care and Warranty

Child Safety

Our Sheer Shadings are designed with child safety as a priority. To reduce the risk of strangulation, our fabrication methods incorporate features to comply with the current ANSI cord safety standard. Fabrication methods include cord stops, Cord-Shield cording, and tension devices.

Caring for Shades

The soft, delicate feel of the fabric belies the durability of the material. It is made from a sturdy, knitted polyester fabric which can be feather dusted or vacuumed at a low setting. Spots or stains can be lightly rubbed clean with a damp sponge and mild soap. To avoid discoloration of the material, we recommend against the use of chemical cleaners. The sheer fabric may also be ultrasonically cleaned. **Important: Do not clean the fabric using electrostatic wipes such as Swiffer® or Pledge Grab-It®.**

Policies & Warranties

Sheer Fabric

Knitted fabric may experience minor weave variations due to heat, humidity and other room conditions. These variations can result in light bowing, puckering and dimpling of the material. This is considered normal and does not constitute a failure in either workmanship or materials. The possible variations are minor and have been shown through case study, not to detract from the beauty of the product.

Limited Lifetime Warranty

The manufactured product is warranted against original defects in materials or workmanship for as long as the original purchaser owns the product provided that:

- The product was properly installed in a residential or commercial dwelling;
- The product was made or assembled exclusively from the original manufacturer's materials and components;
- The manufacturer's recommendations were followed regarding limitations and specifications.

This warranty extends only the original purchaser of the above stated products.

Obligations to the Consumer are limited to the repair or replacement of parts or products found to be defective. The manufacturer is not responsible for handling shipping charges or labor costs, for measuring and taking the product down.

If repairs are made under this warranty, the repairs will be made with like or similar parts.

Motorization Components and accessories have a five-year limited warranty. Batteries not included.

What the Warranty Does Not Cover

This warranty does not cover conditions or damages caused by abuse, accidents, alterations, misuse, or failure to follow instructions for measurement, installation, use, cleaning, or maintenance. Normal wear and tear, including but not limited to the items or occurrences below, is not covered by the warranty.

All fabrics can lose original intensity after long exposure to the sun. When left for extended periods in direct sunlight, plastics tend to yellow or crack over time. Some loss of color intensity or discoloration may occur in plastic materials or wood finishes when exposed to direct sunlight over long periods of time.

Colors may vary from lot to lot and may not exactly match samples of previous purchases.

The manufacturer considers these items or occurrences normal wear and tear, and they are not covered by this warranty.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WRITTEN OR ORAL WARRANTIES OR OBLIGATIONS AND LIABILITIES. No person is authorized to extend or alter this warranty. The manufacturer SHALL HAVE NO LIABILITY WHATSOEVER FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you. For Service Warranty claims: Please contact the original dealer for warranty assistance.

Conditions of Sale

All products are custom fabricated to your exact specifications. We cannot accept responsibility for errors in ordering or cancellations and changes after the order is in production.

Service and Repair

Service may be obtained by contacting our Customer Service Department. No products, parts, components or other materials will be authorized for return or repair without prior approval from the manufacturer. A Return Authorization (RA) may be obtained by contacting our Customer Service Department. In order to provide the quickest service possible, please have your Work Order number and original order information available when you call.